

PAYMENT POLICY STATEMENT					
Original Effective Date	Next Annual Review Date		Last Review / Revision Date		
01/01/2014	04/05/2017		04/05/2016		
Policy Name		Policy Number			
Drug Screening Tests		PY-0020			
Policy Type					
☐ Medical	☐ Adm	inistrative	☑ Payment		

Payment Policies prepared by CSMG Co. and its affiliates (including CareSource) are intended to provide a general reference regarding billing, coding and documentation guidelines. Coding methodology, regulatory requirements, industry-standard claims editing logic, benefits design and other factors are considered in developing Payment Policies.

In addition to this Policy, payment of services is subject to member benefits and eligibility on the date of service, medical necessity, adherence to plan policies and procedures, claims editing logic, provider contractual agreement, and applicable referral, authorization, notification and utilization management guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any federal or state coverage mandate, Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

This Policy does not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced herein. If there is a conflict between this Policy and the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination.

CSMG Co. and its affiliates may use reasonable discretion in interpreting and applying this Policy to services provided in a particular case and may modify this Policy at any time.

A. SUBJECT

Drug Screening Tests

B. BACKGROUND

Effective January 1, 2014, CareSource will reimburse charges for drug screening that are medically necessary for the management of members being treated with drugs that are potentially abusive or addictive such as opioids and related medications, or for members suspected of using illicit drugs solely or in combination with prescribed controlled substances. CareSource will also reimburse for qualitative drug screening performed as part of routine, prenatal care for pregnant members.

C. DEFINITIONS

- Analyte A substance which is, or can be, identified and measured through a process of chemical analysis frequently involving the process of chromatography.
- Chromatography A common process by which drug screens are performed in which a mixture of compounds that are dissolved in a mobile phase is passed through an absorbent (i.e. clay, gel or paper), thereby separating the constituents for the purpose of qualitative identification and/or quantitative measurement.
- **CLIA** Clinical Laboratory Improvement Amendments Federal regulatory standards that apply to all clinical laboratory testing performed on humans in the United States except clinical trials and basic research.



- **Contracted Laboratories** Laboratories that have a current, independent formal agreement with CareSource.
- Current Procedural Terminology ("CPT") codes are numbers assigned to every task, medical procedure, and service a medical practitioner may provide to a patient. CPT codes are developed, maintained and updated annually, and copyrighted by the American Medical Association.
- **Drug Screen** Drug screening involves one or more analytical techniques used to identify specific drugs or their metabolites in biologic specimens, usually the urine.
- Drug Test Panels A drug test panel is a list or menu of drugs or drug classes that can be tested for in a specimen. These can be ordered to identify drugs of abuse or in pain management. No single drug panel is suitable for all clinical uses; many testing options exist that can be adapted to clinical needs through proper exercise of clinical decision-making. Panels must be related to the individual member's medical history and treatment needs. Existing test panels in point-of-care testing devices and as marketed by independent clinical laboratories may result in medically unnecessary and unreasonable testing and should be carefully evaluated by the ordering provider.
- **Healthcare Common Procedure Coding System** (**HCPCS**) is a standardized coding system that is used primarily to identify products, supplies, and services not included in the CPT codes.
- **Immunoassay** A chemical test used to detect the presence or quantity of a substance using immunological reactions.
- Point of Care (POC) Test Kit A CLIA Waived, usually 5 to 12 panel drug test kit that detects 5 to 12 drugs simultaneously in one testing. The cup includes a 5 to 12 panel spot test cup with built in adulterant test strips and urine temperature test strip.
- Qualitative Drug Screen A screen to merely detect the presence of a drug (analyte) in a body fluid such as blood or urine.
- Quantitative Drug Screen A testing of body fluids to measure how much of a drug or other substance (analyte) is present.

D. POLICY

Prior Authorization for drug screening as outlined in this policy is not required. However, in all cases other than routine qualitative drug screening as part of prenatal care, medical necessity for submitted charges must be individualized and documented in the member's medical record and included in the treatment plan of care. A signed and dated physician order for the drug screening and/or testing is required. Copies of test results alone without the proper clinician's order for the test are not sufficient documentation to support a claim. The physician's order must specifically match the number, level and complexity of the testing panel components performed. Orders for "custom profiles," "standing orders," or to "conduct additional testing as needed," are not sufficiently detailed and will be denied by CareSource since they would not verify medical necessity for the specific tests.

CareSource will not reimburse drug screening tests conducted for its members by non-participating labs or facilities, even if such tests were ordered by a participating provider or physician.

- I. All documentation must be maintained in the member's medical record and available to CareSource upon request. The following additional documentation requirements apply:
 - A. Every page of the record must be legible and include appropriate member identification information (e.g., complete name, dates of service(s)). The record must include the identity of the physician or non-physician practitioner responsible for and providing the care of the member.



- B. The submitted medical record should support the use of the selected ICD- ICD-10-CM code(s). The submitted CPT/HCPCS code should accurately describe the service performed.
- C. Medical record documentation (e.g., history and physical, progress notes) maintained by the ordering physician/treating physician must indicate the medical necessity for performing a qualitative drug test.
- D. The treating provider must reduce all testing orders to written form and must indicate all drugs/drug classes to be tested in the test order.
 - The treatment agreement (sometimes called a "contract") notifying the member of his or her responsibility to provide urine/serum samples upon request is not sufficient by itself to support medical necessity.
 - 2. The treating provider performing in-office/onsite POCT should use a CLIA-waived device or CLIA-approved test (FDA cleared/approved) containing specimen validity components to measure creatinine specific gravity and temperature. Results of the drug test must be read according to the manufacturer's instructions. Specimen validity measures are not a billable service and should be used solely as a quality control measure to ensure a valid specimen. If the treating provider has a concern about the validity of the specimen, the provider should document these concerns and take steps to obtain a valid specimen for testing. Inability to obtain a valid specimen should be factored into the ongoing management of the member.
 - 3. Member drug testing should be conducted and reviewed prior to the initial issuance or dispensing of a controlled substance prescription.
- E. Clinicians should exercise caution when relying on customized test panels and standing orders and ensure that medical necessity exists for the testing of all drugs/drug classes within the panel. Failure to back up customized test panels with medical necessity information for each individual member and for each of the drug test panels ordered will be considered "routine test orders" and are excluded from coverage, resulting in the denial of the claim, audit, and/or overpayment request, among other means for enforcement of this policy by CareSource.
- F. If the provider of the service is other than the ordering/referring physician, that provider must maintain hard copy documentation of the lab results, along with copies of the ordering/referring physician's order for the drug test. The ordering/referring physician must include the clinical indication/medical necessity in the order for the drug test.
- II. **Drug Screening** (See below for the appropriate billing codes)
 - A. As a condition of reimbursement, CareSource may require documentation of FDA-approved complexity level for instrumented equipment, and/or CLIA Certificate of Registration, Compliance, or Accreditation as a high complexity lab.

III. Confirmation and Quantitative Testing

- A. CareSource considers confirmatory and/or quantitative drug testing reasonable and necessary when the results of a qualitative screen are:
 - Presumptive positive drug(s) on a drug screen Example: A member has been
 prescribed oxycodone. The POC drug screen is negative. Quantitative confirmation
 of the parent drug and metabolite(s) should be ordered. Significant lower levels of
 parent drug and metabolite(s) levels can be ascertained by quantitative testing
 compared to screening methodologies.
 - 1.1 **Exception 1:** The need for cocaine confirmation is rare but appropriate to identify the member is a chronic cocaine user.
 - 1.2 **Exception 2:** The need for THC confirmation is rare but appropriate to document that the member is discontinuing THC use according to the treatment plan.



- Presumptive positive for stimulant (amphetamine), barbiturate and benzodiazepine class of drugs. POC drug testing cannot differentiate all the drugs in the stimulant (amphetamine), barbiturate and benzodiazepine class of drugs. A positive qualitative screen may require confirmation in the absence of reliable validation (member selfreport, prescription drug monitoring data, pharmacy profile, or communication from prescribing clinician).
- 3. Negative screen, and the negative finding is inconsistent with the member's medical history or current documented chronic pain medication list.
 - 3.1 Example: Drugs such as Fentanyl and Meperdine are not identified by POC testing. It may be reasonable for the physician to order a separate initial drug test for one or both of these drugs and their metabolites at baseline or to address risk issues. These orders are subject to the criteria and indications in this document. Automatic confirmatory testing for Fentanyl and Meperdine are not reasonable and necessary without member specific indications.

Note: When the initial screen is negative, CareSource would not expect to see claims for confirmatory testing on COC, THC, AMP and methamphetamine except in rare, documented situations, i.e. when a member is receiving a prescription for AMP for attention deficit (ADD) or other documented medical condition. Exceptions should be documented with the physician's rational for the confirmation testing order in the medical record.

- 4. When the coverage criteria of this policy are met **AND** there is no qualitative test available (locally or commercially).
 - 4.1 **Example:** Selected synthetic or semi-synthetic opioids.
- B. Urine for clinical drug testing is the specimen of choice because of its high drug concentrations and well-established testing procedures. Nevertheless, urine is one of the easiest specimens to adulterate. Urine samples can be diluted, swapped for another individual's, or tampered with using commercially available or homemade products that change the chemical profile of the urine. If the clinician suspects that a sample has been adulterated, substituted, swapped, or otherwise altered in attempt to defeat evaluation and monitoring, the clinician may choose to evaluate specimen validity using built-in validity tests such as temperature, creatinine, and pH readings. As a general rule, specimen validity testing is considered to be a quality control issue and should not be separately billed. Most basic urine immunoassays have specimen validity checks built into the screening process, and allow for a basic determination of potential urine sample tampering (dilution, substituted specimen, etc.), Pain management laboratories may have specimen validity testing protocols. However, these too are deemed quality control measures. Clinicians should exercise caution when relying on customized test panels and standing orders and ensure that medical necessity exists for the testing of all drugs/drug classes within the panel. Failure to back up customized test panels with medical necessity information for each individual member and for each of the drug test panels ordered will be considered by CareSource to be "routine test orders" and are excluded from our members' coverage and will result in the denial of the claim for reimbursement, audit, and/or overpayment requests, among other program means for enforcing this policy.

IV. Payment Limitations

A. Except as specifically outlined in this policy, CareSource will not reimburse for routine multi-drug confirmatory testing. Confirmatory testing must be individualized and medically necessary. Routine confirmations (quantitative) of drug screens with negative



results are not deemed medically necessary and are not covered by CareSource. Confirmatory testing is covered for a negative drug/drug class screen when the negative finding is inconsistent with the member's medical history or current documented chronic pain medication list.

- B. CareSource will not reimburse for routine nonspecific or wholesale orders for drug screening (qualitative), confirmation, and quantitative drugs of abuse testing.
- C. CareSource will not reimburse testing for the same drug with both a blood and a urine specimen simultaneously.
- Only laboratories and physicians contracted with CareSource are eligible for reimbursement.
- E. Laboratories or physicians not individually contracted as a CLIA certified lab with CareSource and billing under the billing number of a contracted physician will not be reimbursed.
- F. CareSource will not reimburse drug screening for medico-legal purposes (e.g., courtordered drug screening) or for employment purposes (e.g., as a pre-requisite for employment or as a requirement for continuation of employment).
- G. Code of Federal Regulations: 42 CFR, Section 410.32, indicates that diagnostic tests may only be ordered by the treating physician (or other treating practitioner acting within the scope of his or her license and Medicare requirements) who furnishes a consultation or treats a beneficiary for a specific medical problem and who uses the results in the management of the beneficiary's specific medical problem. Tests not ordered by the physician (or other qualified non-physician provider) who is treating the beneficiary are not reasonable and necessary (see Sec. 411.15(k)(1)).

NOTE: Compliance with the provisions in this policy may be monitored and addressed through post payment data analysis and subsequent medical review audits.

CONDITIONS OF COVERAGE

CODES

СРТ	Presumptive Drug Class
	Screening codes:
80300	Drug screen, any number of drug classes from Drug Class List A; any number of non-TLC devices or procedures (eg, immunoassay) capable of being read by direct optical observation, including instrumented-assisted when performed (eg, dipsticks, cups, cards, cartridges), per date of service
80301	Drug screen, any number of drug classes from Drug Class List A; single drug class method, by instrumented test systems (eg, discrete multichannel chemistry analyzers utilizing immunoassay or enzyme assay), per date of service
80302	Drug screen, presumptive, single drug class from Drug Class List B, by immunoassay (eg, ELISA) or non-TLC chromatography without mass spectrometry (eg, GC, HPLC), each procedure
80303	Drug screen, any number of drug classes, presumptive, single or multiple drug class method; thin layer chromatography procedure(s) (TLC) (eg, acid, neutral, alkaloid plate), per date of service
80304	Drug screen, any number of drug classes, presumptive,



	single or multiple drug class method; not otherwise	
	specified presumptive procedure (eg, TOF, MALDI,	
	LDTD, DESI, DART), each procedure	
	,	
	Definitive Drug Testing codes:	
80320	Alcohols	
80321	Alcohol biomarkers; 1 or 2	
80322	Alcohol biomarkers; 3 or more	
80323	Alkaloids, not otherwise specified	
80324	Amphetamines; 1 or 2	
80325	Amphetamines; 3 or 4	
80326	Amphetamines; 5 or more	
80327	Anabolic steroids; 1 or 2	
80328	Anabolic steroids; 3 or more	
80332	Antidepressants, serotonergic class; 1 or 2	
80333	Antidepressants, serotonergic class; 3-5	
80334	Antidepressants, serotonergic class; 6 or more	
80335	Antidepressants, tricyclic and other cyclicals; 1 or 2	
80336	Antidepressants, tricyclic and other cyclicals; 3-5	
80337	Antidepressants, tricyclic and other cyclicals; 6 or more	
80338	Antidepressants, not otherwise specified	
80339	Antiepileptics, not otherwise specified; 1-3	
80340	Antiepileptics, not otherwise specified; 4-6	
80341	Antiepileptics, not otherwise specified; 7 or more	
80342	Antipsychotics, not otherwise specified; 1-3	
80343	Antipsychotics, not otherwise specified; 4-6	
80344	Antipsychotics, not otherwise specified; 7 or more	
80345	Barbiturates	
80346	Benzodiazepines; 1-12	
80347	Benzodiazepines; 13 or more	
80348	Buprenorphine	
80349	Cannabinoids, natural	
80350	Cannabinoids, synthetic; 1-3	
80351	Cannabinoids, synthetic; 1-5 Cannabinoids, synthetic; 4-6	
80352	Cannabinoids, synthetic; 7 or more	
80353	Cocaine Cocaine	
80354	Fentanyl	
80355	Gabapentin, non-blood	
80356	Heroin metabolite	
80357	Ketamine and norketamine	
80358	Methadone Methadone	
80359	Methylenedioxyamphetamines	
80360	Methylphenidate	
80361	Opiates, 1 or more	
80362	Opioids and opiate analogs; 1 or 2	
80363	Opioids and opiate analogs; 3 or 4	
80364	Opioids and opiate analogs; 5 or more	
80365	Oxycodone	
80366	Pregabalin	
80368	Sedative hypnotics (non-benzodiazepines)	
80369	Skeletal muscle relaxants; 1 or 2	
80370	Skeletal muscle relaxants; 3 or more	
80371	Stimulants, synthetic	
80372	Tapentadol	
80373	Tramadol	



80374	Stereoisomer (enantiomer) analysis, single drug class
80375	Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3
80376	Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 4-6
80377	Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 7 or more
83992	Phencyclidine (PCP)

AUTHORIZATION PERIOD

E. RELATED POLICIES/RULES

Drug Screening Tests (MM-0054):
 https://www.caresource.com/providers/ohio/ohio-providers/medical-policies/

F. REVIEW/REVISION HISTORY

Date Issued: 01/01/2014

Date Reviewed: 01/01/2014, 04/05/2016

Date Revised: 04/05/2016

G. REFERENCES

- 1. OAC 5160-30 Alcohol and Drug Addiction Services
- 2. OAC 3793:2-1-08 Treatment services
- 3. 907 KAR 3:110. Community mental health center substance abuse services

The Payment Policy Statement detailed above has received due consideration as defined in the Payment Policy Statement Policy and is approved.