

This guide provides HEDIS coding information only, not necessarily payment guidance. Refer to your state's guidance for payment details and telehealth regulations.

MEASURE

Follow-Up After Hospitalization for Mental Illness (FUH)

6 years and over

DESCRIPTION OF MEASURE

The percentage of discharges for members six years of age and older who were hospitalized for treatment of selected mental illness or intentional self-harm diagnoses AND who had a follow-up visit with a mental health provider.

Two rates are reported:

- The percentage of discharges for which the member received follow-up within 30 days after discharge.
- 2. The percentage of discharges for which the member received follow-up within seven days after discharge.

GOALS

This measure addresses the need for coordination of care immediately after hospitalization, which is a higher risk time for readmissions and suicide completions.

Follow-up within seven days after date of inpatient discharge with a qualified mental health provider*. Do not include visits that occur on the date of discharge.

Mental Health Providers include:

Psychiatrist, Psychologist, Psychiatric
Nurse Practitioner (NP) or Clinical Nurse
Specialist (CNS), Masters-prepared Social
Worker (MSW), Certified or Licensed
Marital and Family Therapist (MFT) or
Licensed Professional Counselor (PC, PCC,
PCC-S), Physician Assistant certified to
practice psychiatry, an authorized Certified
Community Mental Health Center (CMHC or
the comparable term used within the state
in which it is located), or an authorized
Certified Community Behavioral Health
Clinic (CCBHC). Note: Only authorized
CMHCs and CCBHCs are considered
mental health providers.

*Follow up with a PCP does NOT fulfill the follow up requirement for this measure unless they meet criteria listed above.

COMPLIANCE CODES & MEASURE TIPS

Outpatient Visit, Visit Setting Unspecified CPT®: 90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76, 99221-23, 99231-33, 99238-39, 99251-55

- WITH -

POS: 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 71, 72

- OR -

Telehealth Visit, Visit Setting Unspecified CPT

- WITH -

POS: 02, 10

- OR -

Behavioral Health (BH) Outpatient Visit CPT: 98960-62, 99078, 99201-05, 99211-15, 99241-45, 99341-45, 99347-50, 99381-87, 99391-97, 99401-04, 99411-12, 99483, 99492-94, 99510

- OR -

HCPCS: G0155, G0176-77, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036-37, H0039-40, H2000, H2010-11, H2013-20, T1015

- OR -

UBREV: 0510, 0513, 0515-17, 0519-23, 0526-29, 0900, 0902-04, 0911, 0914-17, 0919, 0982-83

- OR -

Intensive Outpatient/Partial Hospitalization

Option 1:

HCPCS: G0410-11, H0035, H2001, H2012, S0201, S9480, S9484-85

UBREV: 0905, 0907, 09123

Option 2:

Visit Setting Unspecified CPT

- WITH -

POS: 52

- OR -

CMHC Visit POS: 53



	DECODISTICAL		0040144105 00550
MEASURE	DESCRIPTION OF MEASURE	GOALS	COMPLIANCE CODES & MEASURE TIPS
Follow-Up After Hospitalization for Mental Illness (FUH) 6 years and over		Telehealth visits with appropriate codes and any listed mental health provider-type is sufficient to qualify for this measure.	- WITH - Visit Setting Unspecified CPT - OR - BH Outpatient Codes - OR - Observation Visit CPT: 99217-20 - OR - TCM Services CPT: 99495-96 - OR - BH Setting Visit UBREV: 0513, 0900-05, 0907, 0911-17, 0919 - OR - Observation Visit CPT: 99217-20 - OR - Telephone Visit CPT: 98966-68, 99441-43 - OR - Psychiatric Collaborative Care Management CPT: 99492-94 HCPCS: G0512 - OR - Electroconvulsive Therapy CPT: 90870 ICD-10-PCS: GZB0ZZZ, GZB1ZZZ, GZB2ZZZ, GZB3ZZZ, GZB4ZZZ - WITH - POS: 03, 05, 07, 09, 11-20, 22, 24, 33, 49, 50, 52, 53, 71, 72
Initiation and Engagement of Substance Use Disorder Treatment (IET) 13 years and over	The percentage of new SUD episodes that result in treatment initiation and engagement. Two rates are reported: 1. Initiation of SUD Treatment: The percentage of new SUD episodes that result in treatment initiation through an inpatient SUD admission, outpatient visit, intensive outpatient encounter or partial hospitalization, telehealth visit or medication assisted treatment (MAT) within 14 days. 2. Engagement of SUD Treatment: The percentage of new SUD episodes that have evidence of treatment engagement within 34 days of initiation.	Adolescents and adults with new episodes of SUD abuse or dependence are receiving initiation and engagement into SUD treatment. For all initiation events except medication treatment, initiation on the same day as the earliest diagnosis of SUD abuse or dependence must be with different providers to count. Timely access to SUD services increases the chance that the member will engage in services when they demonstrate readiness.	Alcohol Abuse and Dependence ICD-10: F10.1029 Opioid Abuse and Dependence ICD-10: F11.1029 Other Drug Abuse and Dependence ICD-10: F12.10-F19.29 With any of the following Acute/Nonacute Inpatient Stay UBREV: 0100-01, 0110-04, 0116-24, 0126-34, 0136-44, 0146-54, 0156-60, 0164, 0167, 0169-74, 0179, 0190-94, 0199-0204, 0206-14, 0219, 1000-02 — OR — Outpatient Visit, Visit Setting Unspecified CPT: 90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76, 99221-23, 99231-23, 99238-39, 99251-55 — WITH — POS: 03, 05, 07, 09, 11-20, 22, 33, 49, 50, 71, 72

MEASURE	DESCRIPTION OF MEASURE	DOCUMENTATION TIPS	COMPLIANCE CODES & MEASURE TIPS
Initiation and Engagement of Substance Use Disorder Treatment (IET) 13 years and over		SUD episodes in the opioid use disorder cohort (criteria does not require a diagnosis in the lists (to the right). Naltrexone Injection HCPCS: G2073, J2315 Buprenorphine Oral HCPCS: H0033, J0571 Buprenorphine Injection HCPCS: G2068, G2079 Buprenorphine Injection HCPCS: G2069, Q9991-92 Buprenorphine Implant HCPCS: G2070, G2072, J0570 Buprenorphine Naloxone HCPCS: J0572-5 Methadone Oral HCPCS: H0020, S0109 Methadone Oral, Weekly HCPCS: G2067, G2078	
			HCPCS: G0071, G2010, G2012, G2061-63, G2250-52

MEASURE	DESCRIPTION OF MEASURE	GOALS	COMPLIANCE CODES & MEASURE TIPS
Initiation and Engagement of Substance Use Disorder Treatment (IET) 13 years and over			- OR − Weekly or Monthly Opioid Treatment Service (Criteria does not require a diagnosis in the lists above) OUD Monthly Based Treatment HCPCS: G2086-87 - OR − OUD Weekly Drug Treatment HCPCS: G2067-70, G2072-73 - OR − OUD Weekly Non-Drug HCPCS: G2071, G2074-77, G2080 SUD Episodes in the AUD Cohort (criteria does not require a diagnosis in the lists above) Naltrexone Injection HCPCS: G2073, J2315
Antidepressant Medication Management (AMM) 18 years and over	The percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression and who remained on an antidepressant medication treatment. Two rates are reported: 1. Effective Acute Phase Treatment: The percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks). 2. Effective Continuation Phase Treatment: The percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks).		Compliance occurs only if patient fills prescription. Encourage patient to fill prescriptions on time and take medications as prescribed. Major Depression: F32.0-F32.4, F32.9, F33.0-F33.3. F33.41, F33.9

who remained on an

(6 months).

antidepressant medication for at least 180 days

MEASURE	DESCRIPTION OF MEASURE	GOALS	COMPLIANCE CODES & MEASURE TIPS
Annual Monitoring for Persons in Long-Term Opioid Therapy (AMO) 18 years and over	The percentage of members 18 years and older who are prescribed long-term opioid therapy and have not received a drug test at least once during the measurement year. Note: A lower rate indicates better performance.	Long-term: ≥ 90 days cumulative supply of any combination of opioid analgesics during the measurement year identified using prescription claims. This measure includes the following opioid medications: Benzhydrocodone Buprenorphine Butorphanol Codeine Dihyrocodeine Fentanyl Hydrocodone Hydromorphone Levorphanol Meperidine Methadone Morphine Oxycodone Oxymorphone Pentazocine Tapentadol Tramadol	Drug Test CPT: 80184, 80305-07, 80324-26, 80345-54, 80356, 80358-59, 80361-65, 80372-73, 80375-77, 82542 Exclusions: • Members in hospice or using hospice services • Members undergoing cancer treatment
Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)	The percentage of acute inpatient hospitalizations, residential treatment or withdrawal management visits for a diagnosis of SUD	For both indicators, any of the following meet criteria for a follow-up visit: • An inpatient admission or residential BH stay with a principal diagnosis of SUD • Outpatient intensive outpatient	Alcohol Abuse and Dependence ICD-10-CM: F10.10, F10.120-21, F10.129-32, F10.139, F10.14, F10.150-51, F10.159, F10.180-82, F10.188, F10.19, F10.20, F10.230-32, F10.239, F10.24,

13 years and over

among members 13 years of age and older that result in a follow-up visit or service for SUD.

Two rates are reported:

- 1. The percentage of visits or discharges for which the member received followup for SUD within the 30 days after the visit or discharge.
- 2. The percentage of visits or discharges for which the member received follow-up for SUD within seven days after the visit or discharge.
- Outpatient, intensive outpatient encounter, observation visit, partial hospitalization, non-residential substance abuse treatment facility, or CMHC visit with a principal diagnosis of SUD
- Telehealth visit, or SUD service with a principal diagnosis of SUD
- Opioid treatment service that bills monthly or weekly or residential BH treatment with a principal diagnosis of SUD
- Telephone, e-visit or virtual check-in with a principal diagnosis of SUD
- Pharmacotherapy dispensing event or medication treatment event

NOTE: Follow-up does not include detoxification.

F10.250-51, F10.259, F10.26, F10.27, F10.280-82, F10.288, F10.29

Opioid Abuse and Dependence

ICD-10-CM: F11.10, F11.120-22, F11.129, F11.13-14, F11.150-51, F11.159, F11.181-82, F11.188, F11.19, F11.20, F11.220-22, F11.229, F11.23-.24, F11.250-51, F11.259, F11.281-82, F11.288, F11.29

SUD Medication Treatment

HCPCS: G2069-70, G2072-73, H0020, H0033, J0570-75, J2315, Q9991-92, S0109

SUD Services

CPT: 99408-09

HCPCS: G0396-97, G0443, H0001, H0005, H0007, H0015-16, H0022, H0047, H0050,

H2035-36, T1006, T1012 **UBREV:** 0906, 0944-45

OUD Monthly Office-Based Treatment

HCPCS: G2086-87

OUD Weekly Drug Treatment Service

HCPCS: G2067-70, G2072-73

MEASURE	DESCRIPTION OF MEASURE	GOALS	COMPLIANCE CODES & MEASURE TIPS
Follow-Up After High-Intensity Care for Substance Use Disorder (FUI) 13 years and over		 Documentation Tips: Discuss importance of timely recommended follow-up visits. Outreach to members who cancel appointments and assist with rescheduling as soon as possible. Schedule follow-up appointments as soon as possible, particularly for recent discharges. Coordinate care and share progress notes/updates between BH and PCP. Document substance abuse diagnosis and consistently document at each follow up. 	OUD Weekly Non-Drug Service HCPCS: G2071, G2074-77, G2080 BH Outpatient CPT: 98960-62, 99078, 99201-05, 99211-15, 99241-45, 99341-45, 99347-50, 99381-87, 99391-97, 99401-04, 99411-12, 99483, 99492-94, 99510 HCPCS: G0155, G0176-7, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036-37, H0039, H0040, H2000, H2010-11, H2013-20, T1015 UBREV: 0510, 0513, 0515-17, 0519-23, 0526-29, 0900, 0902-04, 0911, 0914-17, 0919, 0982-83
			Acute/Nonacute Inpatient Stay UBREV: 0100-01, 0110-14, 0116-24, 0126-34, 0136-44, 0146-54, 0156-60, 0164, 0167, 0169-74, 0179, 0190-94, 0199, 0200-04, 0206-14, 0219, 1000-02
			Residential BH Treatment HCPCS: H0017-19, T2048
			Partial Hospitalization/Intensive Outpatient HCPCS: G0410-11, H0035, H2001, H2012, S0201, S9480, S9484-85 UBREV: 0905, 0907, 0912-13
			Observation CPT: 99217-20
			Visit Setting Unspecified CPT: 90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76, 99221-23, 99231-33, 99238-39, 99251-55
			Online Assessments CPT: 98969-72, 99421-23, 99444, 99457-58 HCPCS: G0071, G2010, G2012, G2061-63, G2250-52
			Telephone Visits

Exclusions:

CPT: 98966-68, 99441-43

- Members in hospice or using hospice services any time during the measurement year
- any time during the measurement yearMembers who died any time during the measurement year

MEASURE	DESCRIPTION OF MEASURE	GOALS	COMPLIANCE CODES & MEASURE TIPS
Deprescribing of Benzodiazepines in Older Adults (DBO) 67 years and over MEDICARE ONLY	The percentage of members 67 years of age and older who were dispensed benzodiazepines and achieved a 20% decrease or greater in benzodiazepine dose (diazepam milligram equivalent [DME] dose) during the measurement year.	There is growing concern about the use of benzodiazepines in older adults. Benzodiazepines are one of several medications recommended in the 2019 AGS Beers Criteria to be avoided in all older adults.	 Exclusions: Members with a diagnosis of seizure disorders Members in hospice or using hospice services Members receiving palliative care

This guide provides HEDIS coding information only, not necessarily payment guidance. Refer to Centers for Medicare & Medicaid Services (CMS) guidance for payment details and telehealth regulations.

Although the CPT II codes above are applicable for HEDIS measures, coding should always be validated per federal and state requirements.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).





Multi-Multi-P-2050405 © 2023 CareSource. All Rights Reserved.

Qualified Health Plans offered in North Carolina by CareSource North Carolina Co., d/b/a CareSource