

INDIANA HEALTH COVERAGE PROGRAMS (IHCP) PHARMACY BENEFIT TESTOSTERONE PRIOR AUTHORIZATION REQUEST FORM



CareSource Pharmacy Prior Authorization Form P.O. Box 8738
Dayton, OH 45401-8738
Fax: (866) 930-0019

Today's Date	Non-Urg	ent	Urgent				
Note: This form must be completed by the prescribing provider.							
All sections must be completed or the request will be returned							
Patient's CareSource #		Date of Birth	/	/			
Patient's Name		Prescriber's Nan	Prescriber's Name				
Prescriber's Indiana License #		Specialty	Specialty				
Prescriber's National Provider Identifier (NPI) #		Office Contact:	Office Contact:				
Return Fax #		Return Phone #	Return Phone #				
Prescriber Address:		Date(s) of Service	Date(s) of Service:				
		Start Date:					
Diagnosis:		Diagnosis Code:					
Requested Medication	Strength	Quantity	Dosage	Regimen			
DEPO-TESTOSTERONE, TESTOST	ERONE CYPIONA	\TE					
Initial Authorization: 1. Please select one of the following: □ Member has a diagnosis of delayed puberty □ Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required)							
2. For ALL indications:							
Provider attests that member has		-	ns to therapy: □ Ye	s □ No			
If no , please specify contraindication and medical rationale for use:							

Reauthorization: 1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) □ Yes □ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above □ Yes □ No
If no , please specify contraindication and medical rationale for use:
TESTOSTERONE ENANTHATE
Initial Authorization:
 1. Please select one of the following: □ Member has a diagnosis of delayed puberty • Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)? □ Yes □ No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
 □ Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) • Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)? □ Yes □ No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
□ Member needs medication for palliative treatment of metastatic breast cancer
 2. For ALL indications: Provider attests that member has none of the following contraindications to therapy: □ Yes □ No Breast cancer in a member assigned male at birth Pregnancy Prostate cancer
If no , please specify contraindication and medical rationale for use:
Reauthorization:
1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) □ Yes □ No
2. Has the member had a previous trial and failure of at least ONE preferred injectable testosterone agent (not required for palliative treatment of breast cancer) [reference PA criteria]? ☐ Yes ☐ No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above □ Yes □ No
If no , please specify contraindication and medical rationale for use:
AVEED, TESTOPEL PELLET, XYSOTED
Initial Authorization:
 1. Please select one of the following: □ Member has a diagnosis of delayed puberty • Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)? □ Yes □ No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
 □ Member has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) • Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)? □ Yes □ No If no, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
 2. For ALL indications: Provider attests that member has none of the following contraindications to therapy: □ Yes □ No Breast cancer in a member assigned male at birth Hypogonadal conditions not associated with structural or genetic etiologies (Xyosted ONLY) Pregnancy Prostate cancer If no, please specify contraindication and medical rationale for use:
Reauthorization: 1. Total testosterone level is ≤1000 ng/dL within the past 6 months (Documentation is required) □ Yes □ No 2. Has the member had a previous trial and failure of at least ONE preferred injectable testosterone agent
(reference PA criteria)? □ Yes □ No If no , please specify contraindication and medical rationale for use:

3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above □ Yes □ No
If no , please specify contraindication and medical rationale for use:
ANDRODERM, TESTOSTERONE 1% (25 MG)/ 2.5 GM GEL PACKETS, TESTOSTERONE 1% (12.5 MG)/ACT GEL PUMP, TESTOSTERONE 1.62% (20.25 MG)/ACT METERED PUMP GEL, TESTIM 1% (50 MG)/5 GM GEL TUBES
Initial Authorization:
 1. Please select one of the following: □ Member is 16 years of age or older, has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required), and is requesting to use topical testosterone within the established quantity limits
Requested dose:
□ Member is 16 years of age or older, has a total testosterone level ≤ 400 ng/dL while on topical testosterone therapy (Documentation is required) and is requesting to exceed established quantity limits
Requested dose:
Member has utilized ≥ 14 days of topical testosterone therapy: □ Yes □ No
Name of medication:
Dose:
Start and End Date:
If no , please provide medical justification as to why member is requesting a dose beyond established quantity limits:
2. For ALL indications: Provider attests that member has none of the following contraindications to therapy: □ Yes □ No • Breast cancer in a member assigned male at birth • Pregnancy • Prostate cancer
If no , please specify contraindication and medical rationale for use:
Describe and another them.
Reauthorization: 1. Total testesterana level is < 1000 pg/dL within the past 6 menths (Decumentation is required). = Vec. = No.
1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) □ Yes □ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above Yes No

If no , please specify contraindication and medical rationale for use:						
Note: Dose requested for reauthorization should not exceed established quantity limits unless member historically has been approved to exceed the established quantity limits						
Requested dose:						
NATESTO, TESTOSTERONE 1% (50 MG)/5 GM GEL PACKETS/TUBES, TESTOSTERONE 1.62% (40.5 MG)/2.5 GM GEL PACKETS, TESTOSTERONE 1.62% (20.25 MG)/1.25 GM GEL PACKETS, TESTOSTERONE 2% (10 MG)/ACT METERED PUMP, TESTOSTERONE 30 MG/ACT SOLUTION, VOGELXO 1% (50 MG)/5 GM GEL PACKETS, VOGELXO 1% (12.5 MG)/ACT GEL PUMP						
Initial Authorization:						
 1. Please select one of the following: □ Member is 16 years of age or older, has a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required), and is requesting to use topical testosterone within the established quantity limits 						
Requested dose:						
□ Member is 16 years of age or older, has a total testosterone level ≤ 400 ng/dL while on topical testosterone therapy (Documentation is required) and is requesting to exceed established quantity limits						
Requested dose:						
Member has utilized ≥ 14 days of topical testosterone therapy: □ Yes □ No						
Name of medication:						
Dose:						
Start and End Date:						
If no , please provide medical justification as to why member is requesting a dose beyond established quantity limits:						
2. Previous trial and failure of ALL preferred topical testosterone agents (reference PA criteria) □ Yes □ No If no , please provide medical justification for use of requested agent over ALL preferred topical testosterone agents:						
3. For ALL indications: Provider attests that member has none of the following contraindications to therapy: □ Yes □ No • Breast cancer in a member assigned male at birth • Pregnancy • Prostate cancer						

If no , please specify contraindication and medical rationale for use:
Reauthorization:
1. Total testosterone level is ≤1000 ng/dL within the past 6 months (Documentation is required) □ Yes □ No
2. Previous trial and failure of at least ONE preferred topical testosterone agent □ Yes □ No
If no , please provide medical justification for use of requested agent over ALL preferred topical testosterone agents:
3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above □ Yes □ No
If no , please specify contraindication and medical rationale for use:
Note: Dose requested for reauthorization should not exceed established quantity limits unless member historically has been approved to exceed the established quantity limits Requested dose:
DANOCRINE (DANAZOL):
Initial Authorization (approval up to 6 months):
1. Member diagnosis(es):
Note: Approvable diagnoses include angioedema prophylaxis for heredity angioedema, autoimmune hemolytic anemia, discoid lupus erythematosus, endometriosis, fibrocystic breast disease, myelosclerosis with myeloid metaplasia
 2. For ALL indications: Provider attests that member has none of the following contraindications to therapy: □ Yes □ No Active or history of thrombosis or thromboembolic disease Androgen-dependent tumor Cardiac disease Porphyria Pregnancy or breast-feeding Severe hepatic disease Severe renal disease Undiagnosed genital bleeding
If no , please specify contraindication and medical rationale for use:
Reauthorization (approval up to 6 months):
Documentation from prescriber indicating continued benefit from the medication without significant

2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above □ Yes □ No
If no , please specify contraindication and medical rationale for use:
JATENZO (TESTOSTERONE UNDECANOATE):
Initial Authorization:
1. Member is 18 years of age or older and requesting to use oral testosterone within the established quantity limits Requested dose:
2. Member has a diagnosis of hypogonadism with a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) □ Yes □ No
3. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria)□ Yes □ No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
 4. For ALL indications: Provider attests that member has none of the following contraindications to therapy: Yes No Breast cancer in a member assigned male at birth Hypogonadal conditions not associated with structural or genetic etiologies Pregnancy Prostate cancer If no, please specify contraindication and medical rationale for use:
Reauthorization:
1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) □ Yes □ No
2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above \Box Yes \Box No
If no , please specify contraindication and medical rationale for use:
3. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria) □ Yes □ No If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

Requested dose:	
METHITEST (METHYLTESTOSTERONE)	
nitial Authorization (approval up to 6 months):	
 1. Please select one of the following: Member has a diagnosis of cryptorchidism Member has a diagnosis of delayed puberty Member has a diagnosis of hypogonadism (prima 350 ng/dL within the past 3 months (Documentation Member needs medication for palliative treatment 	is required)
2. Previous trial and failure of at least ONE preferred inj Yes No If no , please provide medical justification for use of testosterone agents:	-
Breast cancer in a member assigned male a Proylean Pregnancy Prostate cancer The places are sife sectorized in a reading and reading.	at birth
If no , please specify contraindication and medica	rationale for use:
4. Dose requested of methyltestosterone is within the expressed dose: Contraindication and medical	established quantity limits
4. Dose requested of methyltestosterone is within the e	established quantity limits
1. Dose requested of methyltestosterone is within the Requested dose: Reauthorization (approval up to 6 months): 1. Please select one of the following:	established quantity limits □ Yes □ No total testosterone level ≤ 1000 ng/dL within the past 6 ative treatment of metastatic breast cancer, or
Requested of methyltestosterone is within the expression (approval up to 6 months): 1. Please select one of the following: Member has a diagnosis of hypogonadism and a months (Documentation is required) Member has a diagnosis of delayed puberty, pallicyptorchidism AND prescriber has submitted documedication without significant adverse events:	established quantity limits □ Yes □ No total testosterone level ≤ 1000 ng/dL within the past 6 ative treatment of metastatic breast cancer, or
Requested of methyltestosterone is within the expression (approval up to 6 months): 1. Please select one of the following: Member has a diagnosis of hypogonadism and a months (Documentation is required) Member has a diagnosis of delayed puberty, pallic cryptorchidism AND prescriber has submitted documedication without significant adverse events: 2. For ALL indications:	established quantity limits □ Yes □ No total testosterone level ≤ 1000 ng/dL within the past 6 ative treatment of metastatic breast cancer, or cumentation indicating continued benefit from the

3. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria) □ Yes □ No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
Note: Dose requested for reauthorization should not exceed established quantity limits
Requested dose:
TLANDO (TESTOSTERONE UNDECANOATE)
Initial Authorization:
1. Member is 18 years of age or older and is requesting to use oral testosterone within the established quantity limits
Requested dose: ———————————————————————————————————
2. Member has a diagnosis of hypogonadism and a total testosterone level ≤ 350 ng/dL within the past 3 months (Documentation is required) □ Yes □ No
3. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria) □ Yes □ No
If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:
4. For ALL indications: Provider attests that member has none of the following contraindications to therapy: □ Yes □ No ■ Breast cancer ■ Hypogonadal conditions not associated with structural or genetic etiologies ■ Pregnancy ■ Prostate cancer
If no , please specify contraindication and medical rationale for use:
Reauthorization:
1. Total testosterone level is ≤ 1000 ng/dL within the past 6 months (Documentation is required) □ Yes □ No
2. Prescriber attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above □ Yes □ No
If no , please specify contraindication and medical rationale for use:
3. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria) □ Yes □ No

If no , please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:		
: Dose requested for reauthorization should not exceed established quantity limits		

CONFIDENTIAL INFORMATION

This facsimile and any attached document are confidential and intended for the use of the individual or entity to which it is addressed. If you have received this in error, please notify us by telephone immediately at 1-844-607-2831.

IN-MED-P-2578253; Issued Date: 1/1/2024