	-	Medicaid Pharmacy		ı Form		
 For Drug Requests (unless note 	•		is form.			
For ALL Opioid Requests — Cor						
For Hepatitis C Direct Acting Ar	ntiviral (DAA) T	nerapy or Synagis [®] Reque	sts — Complete page 1 A	ND page 3 of this form.		
• For Buprenorphine Products:						
 For Pain Management Diagnosis — Complete page 1 AND page 2 of this form. For Substance Use Treatment — Please use the <u>Kentucky Medicaid Substance Use Treatment Pharmacy Prior Authorization Form.</u> 						
				ed (lab results, chart notes, etc.).		
Please fax completed form to the	Plan:	inpletely. Include any supp	Phone number:	Fax number:		
corresponding fax number of the		For-Service (Magellan)	1 (800) 477-3071	1 (800) 365-8835		
health plan partner your patient is		nem Medicaid	1 (855) 661-2028	1 (844) 879-2961		
currently enrolled. Additional prior		na Better Health	1 (855) 300-5528	1 (855) 799-2550		
authorization forms can be found	Hun	nana CareSource	1 (855) 852-7005	1 (866) 930-0019		
by clicking on hyperlinks provided		port Health Plan	1 (844) 380-8831	1 (844) 802-1406		
to the right.	□ <u>We</u> l	ICare of Kentucky	1 (877) 389-9457	1 (855) 620-1868		
Patient Information:						
Member Name:			Date of Birth:	Date of Birth:		
Address:						
City, State, Zip:						
Sex: 🗌 Male 🗌 Female		Height:		Weight:		
Member ID: Medication Allergies:						
Prescriber Information:						
Prescriber Name:		NPI:	NPI:			
Prescriber Address: City, State, Zip:						
Prescriber Specialty:			DEA:	DEA:		
Phone:			Fax:			
Diagnosis and Medical Information f	or Requested M	edication: 🗌 INITIAL REC	QUEST 🗌 REAUTHORIZAT	ION (REFILL) Request with current plan		
Diagnosis:		ICD-10 C	ode:	Date of Diagnosis:		
Medication Requested (name, strength and dosage form): If request is for an opioid, please continue to page 2.						
Quantity:	Days' Supply:		Expected Duration of Th	erapy:		
Directions for Use:						
Rationale for Prior Authorization:						
Brand Medically Necessary? 🗌 Yes	No If yes, pl	ease provide medical justification w	vhy the patient cannot be appropri	ately treated with the generic form of the drug.		
Please indicate previous treatment of	utcomes below	:				
Previous Medication Strength	Quantity	Directions (Sig)	Dates (from and to)	Reason for Discontinuation		
Patient recently hospitalized— If re	equesting ATYPICAL	ANTIPSYCHOTICS, please provide ho	ospitalization dates and discharge	dosage of atypical antipsychotic medications in table above.		
Additional Clinical Information or Me	dical Rationale f	or Request:				
Requesting Provider: Prescriber Pharmacy Date			ate of Request:	of Request:		
*Requestor Name (print): *Reques			Requestor Signature:	estor Signature:		
*On behalf of the Prescriber or Pharmacy Provider, I certify that the information stated above is true, made to allow Kentucky Medicaid to offer prescription coverage to this member for the						
medication requested above. I understand the designated health plan will retain this document and any attached materials for the purposes of possible future audit(s). CONTINUE TO PAGE 2 ONLY IF REQUESTING ANY OPIOID						
	derstand the design	ated health plan will retain this do	ocument and any attached materi	als for the purposes of possible future audit(s).		

Confidentiality Notice: The information contained in this transmission is confidential health information that is legally privileged. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this information in error, please notify the sender (via return fax) immediately and arrange for the return or destruction of these documents. Distribution, reproduction or any other use of this transmission by any party other than the intended recipient is strictly prohibited.

When requesting ANY OPIOID, provide the following additional information and most recent chart/progress/clinic note: **For members receiving hospice/palliative/end-of-life care or having a diagnosis of active cancer, this page does not need to be completed.**				
INITIAL TREATMENT REQUESTS ONLY (if request is for continuation therapy skip to question 11)				
Additional Diagnosis (if not stated above): ICD-10 Code:				
 Prescriber has obtained and reviewed the KASPER report for the past 12 months? Yes No Urine drug screen (UDS) has been completed within the past 30 days? Documentation (e.g., lab result or progress note) required Yes No No Not Applicable (member is in a long-term care (LTC) facility or will not exceed 45 days of opioid therapy) Please indicate if the patient has tried or is using any of the following non-opioid therapies: 				
 Exercise therapy Cognitive behavioral therapy Nonsteroidal anti-inflammatory drugs (NSAIDs) or Acetaminophen (APAP) Specify:				
 4. Please indicate if the patient has any of the following baseline risk factors: Respiratory depression (clinically significant) Acute or severe bronchial asthma Hypercarbia (clinically significant) Known or suspected GI obstruction If any of the above are true, does the prescriber attest that benefits of opioid use outweigh the risks? Yes 				
 5. Prescriber has assessed baseline pain and function? Yes (Provide PEG score or documentation of physical exam) No <u>EXAMPLE</u>: ASSESSING PAIN & FUNCTION USING PEG SCALE PEG score = average 3 individual question scores Q1: What number from 0 – 10 best describes your pain in the past week? 				
0 = "no pain", 10 = "worst you can imagine" 0 1 2 3 4 5 6 7 8 9 10 Q2: What number from 0 – 10 describes how, during the past week, pain has interfered with your enjoyment of life ? 0 = "not at all", 10 = "complete interference" 0 1 2 3 4 5 6 7 8 9 10 Q3: What number from 0 – 10 describes how, during the past week, pain has interfered with your general activity ?				
0 = "not at all", $10 =$ "complete interference" $0 1 2 3 4 5 6 7 8 9 10$				
Female Patients of Child-bearing Age Only:				
 Has the patient been counseled on the risk of becoming pregnant while on this medication and the risk of neonatal abstinence syndrome? Yes No 				
Naloxone Attestation: 7. Are any of the following true?				
 a. Patient UDS is positive for illicit or unexpected substances b. Morphine milligram equivalent (MME) is over 90 MME per day c. Opioid(s) is/are prescribed concurrently with benzodiazepines If yes, prescriber attests that a naloxone prescription and associated counseling on its use, was or will be given to the patient: Yes (clinical justification required) No 				
8. Are any of the following true? a. Opioid(s) is/are concurrently prescribed with a skeletal muscle relaxant 🗌 Yes 🗌 No				
b. Opioid(s) is/are concurrently prescribed with a sedative hypnotic Yes No				
 c. Opioid(s) is/are concurrently prescribed with gabapentin or pregabalin d. Patient has a history of opioid or other controlled substance overdose Yes No 				
e. Patient has a history of substance use disorder (SUD)				
If yes, prescriber attests that a naloxone prescription and associated counseling on its use was, or will be, offered to the patient: 🗌 Yes 🗌 No				
Requests over 90 MME per day: 9. Prescriber is, or has proof of consultation with, a Pain Management Specialist OR a specialist in an appropriate discipline (e.g., orthopedist, neurologist, spine specialist, etc.) for evaluation of the source of pain and/or treatment of any underlying conditions. Yes No				
 <u>Concomitant use of Opioids and Benzodiazepines:</u> 10. Has the member and/or caregiver(s) been counseled about the increased risks of slowed or difficult breathing and/or excessive sedation, and the associated signs and symptoms? Yes No 				
REAUTHORIZATION (REFILL) REQUESTS ONLY (with current plan)				
 11. Prescriber has obtained and reviewed the KASPER report within the past 3 months? Yes No 12. Prescriber has assessed risk (check box) and documents (e.g., lab result, progress note) a urine drug screen (UDS) within the listed timeframe: Low Risk (12 months) Moderate Risk (6 Months) High Risk (3 Months) Not Applicable (member is in a long-term care facility) If patient UDS is positive for illicit or unexpected substances, explanation is required, and naloxone prescription and counseling will be provided. 13. Prescriber has reassessed pain and function. Provide PEG score or clinical documentation (e.g., progress note): See question 5 for example (30% improvement from baseline is clinically meaningful). 14. Has the patient required use of opioid rescue medication (e.g., naloxone), been hospitalized, or otherwise treated for opioid or other controlled 				
substance overdose in the past 6 months? Yes (plan for preventing future overdose required) No				
Additional Clinical Information or Medical Rationale for Request (please attach additional pages/documentation as needed):				
CONTINUE TO PAGE 3 ONLY IF REQUESTING HEPATITIS C DAA THERAPY OR SYNAGIS®				

Confidentiality Notice: The information contained in this transmission is confidential health information that is legally privileged. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this information in error, please notify the sender (via return fax) immediately and arrange for the return or destruction of these documents. Distribution, reproduction or any other use of this transmission by any party other than the intended recipient is strictly prohibited.

When requesting Hepatitis C Direct-Acting Antiviral (DAA) Therapy, provide the following additional information:							
		Date of Hepatitis C diagnosis	Female Patients of Child-bearing Age Only:				
	(or earliest record): Is the patient pregnant or nursing? Yes No						
		Genotype/subtype:					
		The following documentation must be provided:					
		 Quantitative HCV RNA level (HCV viral load) Date:	Result: t year, 2 HCV RNA levels must be taken at least 6 months apart to				
			Result:				
Diagr	osis Criteria		ior treatment regimen(s))				
3. Assessment of liver disease severity 🗌 No cirrhosis 🗌 Compensated cirrhosis (Child Pugh A) 🗌 D							
cirrhosis (Child Pugh B or C)							
		4. Hepatitis B virus (HBV) screening results Positive Negative Please provide the following information (<i>optional</i>):					
		5. Fibrosis (Metavir) Score and Method (e.g., ultrasound, Fibroscan)					
		6. HIV screening results 🗌 Positive 🗌 Negative					
			Moderate 🗌 Severe 🗌 Dialysis				
		8. Organ transplantation: Yes (specify:) [_] No				
			reinfection? Treatment Failure Reinfection				
		 Was the patient compliant with previous DAA therap Were there any additional factors that led to DAA tree 					
		If yes, how have these been addressed?					
-	DAA Therapy uestions	4. Does the patient have a recent history of alcohol or s	substance abuse? Yes (proceed to 4a) No (proceed to 5)				
, v	ucstions		recovery program, receiving alcohol or substance abuse				
		counseling services, or seeing an addiction 5. Patient is willing and able to comply with requirement					
		 Patient has been educated regarding risk behaviors a 					
When re	equesting Synag	sis [®] , provide the following additional information:					
Synagis® approval may begin therapy November 1 with last date of therapy not to exceed March 31 (end of RSV season)							
Note: Synagis is available in 50mg and 100mg vials. Always coordinate dosing appropriately to reduce waste.							
		onal age at birth: weeks days					
2.		: have Chronic Lung Disease of Prematurity (formerly called brond d to 2a) 🔲 No (proceed to 3)	chopulmonary dysplasia)?				
		id the patient receive oxygen immediately following birth?	es (proceed to 2b) 🗌 No (proceed to 3)				
b. Please indicate the % oxygen received: Date received: Duration of treatment:							
3. Does the patient have a diagnosis of Cystic Fibrosis? 🗌 Yes (proceed to 3a) 🗌 No (proceed to 4)							
	 a. Has the patient been hospitalized for a pulmonary exacerbation? Yes (Date:) No b. Does the patient have clinical evidence of chronic lung disease? Yes No 						
	 b. Does the patient have clinical evidence of chronic lung disease? C. Does the patient have clinical evidence of failure to thrive? C. Yes No 						
	d. Does the patient have pulmonary abnormalities on chest X-ray or CT that persist when the patient is stable? Yes 🗌 No						
e. What is the patient's weight for length percentile?							
4.		f the patient has any of the following:					
	Anatomic Pulmonary Abnormality Specify: Neuromuscular Disorder Specify:						
	Congenital anomaly that impairs the ability to clear secretions Specify:						
5.	Please indicate if the patient has any of the following:						
		HIV Cancer, receiving chemotherapy					
 Organ transplant receiving immunosuppressant therapy or hematopoietic stem cell transplant 							
Other medical condition that is severely immunocompromising Specify:							
6.							
7.	7. Does patient have hemodynamically significant congenital heart disease? 🗌 Yes 🗌 No						
	Acyanotic heart disease Specify: Cyanotic heart disease Specify: Name of Pediatric Cardiologist: Pulmonary Hypertension						
	Pulmonary H						
~	Other:						
8. 9.		ient's congenital heart disease require cardiac surgery? 🔲 Yes 🔲 No ny pharmaceutical therapies for cardiovascular disease and the most recent date administered:					
	Cardiovascular medication(s): Most recent date administered:						
10.	If this is a reques	st for a sixth dose of Synagis® during the RSV season, has the pati					
	Yes (Date:) 🔲 No					

Confidentiality Notice: The information contained in this transmission is confidential health information that is legally privileged. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this information in error, please notify the sender (via return fax) immediately and arrange for the return or destruction of these documents. Distribution, reproduction or any other use of this transmission by any party other than the intended recipient is strictly prohibited.