



ADMINISTRATIVE POLICY STATEMENT

Marketplace

Policy Name & Number	Date Effective
Molecular Diagnostic Testing-MP-AD-1202	02/01/2026
Policy Type	
ADMINISTRATIVE	

Administrative Policy Statement prepared by CareSource and its affiliates are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

Administrative Policy Statements prepared by CareSource and its affiliates do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced in the Administrative Policy Statement. If there is a conflict between the Administrative Policy Statement and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination.

According to the rules of Mental Health Parity Addiction Equity Act (MHPAEA), coverage for the diagnosis and treatment of a behavioral health disorder will not be subject to any limitations that are less favorable than the limitations that apply to medical conditions as covered under this policy.

This policy applies to the following Marketplace(s):

<input checked="" type="checkbox"/> Georgia	<input checked="" type="checkbox"/> Indiana	<input checked="" type="checkbox"/> Ohio	<input checked="" type="checkbox"/> West Virginia
---	---	--	---

Table of Contents

A. Subject	2
B. Background	2
C. Definitions	2
D. Policy	2
E. State-Specific Information	3
NA 3	
F. Conditions of Coverage	3
G. Related Policies/Rules	3
H. Review/Revision History	3
I. References	3

A. Subject

Molecular Diagnostic Testing

B. Background

Molecular diagnostic testing (MDT) following a diagnosis or suspected diagnosis can help guide appropriate therapy by identifying specific therapeutic targets and appropriate pharmaceutical interventions. MDT utilizes a genetic amplification technique, polymerase chain reaction (PCR), that uses 0.1 mg of deoxyribonucleic acid (DNA) from a single cell to achieve shorter laboratory processing times for results. Knowing the gene sequence, or at minimum the borders of the target segment of DNA to be amplified, is a prerequisite to a successful PCR amplification of DNA.

All facilities in the United States that perform laboratory testing on human specimens for health assessment or the diagnosis, prevention, or treatment of disease are regulated under the Clinical Laboratory Improvement Amendments of 1988 (CLIA). Waived tests include test systems that are cleared by the US Food and Drug Administration (FDA) approved for waiver under the CLIA criteria. Although CLIA requires that waived tests be simple and have low risk for erroneous results, this does not mean that waived tests are completely error-proof. CareSource may periodically require review of a provider's office testing policies and procedures when performing CLIA-waived tests.

C. Definitions

- **Molecular Diagnostic Testing (MDT)** – Laboratory methods used to identify a disease or risk of developing a disease (eg, cancer) by studying molecules, such as DNA, RNA, and proteins, in a tissue or fluid sample. Molecular diagnostics may also help plan treatment for a disease, examine recurrence of disease, or find out how well treatment is working.
- **Polymerase Chain Reaction (PCR)** – A laboratory method used to look for certain changes in a DNA sequence, which may help find and diagnose a genetic condition or a disease or examine pieces of the DNA from certain bacteria, viruses, or other microorganisms to help diagnose an infection.

D. Policy

- I. CareSource considers conventional testing, such as rapid antigen direct tests, direct fluorescent antibody testing, and cultures, as lower cost and should be utilized before the higher cost MDT by PCR.
- II. Providers should utilize conventional testing first.
 - A. If conventional testing is
 1. Positive – no further testing is medically necessary.
 2. Negative – MDT by PCR testing is medically necessary to confirm diagnosis, if the member's presenting symptoms support the diagnosis.
 - B. "Diseases complicating pregnancy" are an exception to the above.
- III. CareSource may request documentation to support medical necessity.

The ADMINISTRATIVE Policy Statement detailed above has received due consideration as defined in the ADMINISTRATIVE Policy Statement Policy and is approved.

IV. In the event of any conflict between this policy and a provider's contract with CareSource, the provider's contract will be the governing document.

E. State-Specific Information
NA

F. Conditions of Coverage
Providers must code to the highest degree of specificity when coding the CPT, HPCS code and diagnosis code. Failing to use the most appropriate code may result in a claim denial.

G. Related Policies/Rules
NA

H. Review/Revision History

DATE		ACTION
Date Issued	05/25/2022	New policy
Date Revised	05/10/2023	Annual review. No changes. Approved at Committee.
	10/23/2024	Periodic review. Updated background, definition, D. I. II. and reference. Approved at Committee.
	11/05/2025	Annual review. Updated definitions, D.II. and references. Added D.IV. Approved at Committee.
Date Effective	02/01/2026	
Date Archived		

I. References

1. Molecular diagnostics. National Cancer Institute at the National Institutes of Health. Accessed October 27, 2025. www.cancer.gov
2. Polymerase chain reaction. National Cancer Institute at the National Institutes of Health. Accessed October 27, 2025. www.cancer.gov