

PHARMACY POLICY STATEMENT

North Carolina Marketplace

DRUG NAME	Nemluvio (nemolizumab-ilto)
BENEFIT TYPE	Pharmacy
STATUS	Prior Authorization Required

Nemluvio, approved in 2024, is an interleukin-31 receptor antagonist indicated for the treatment of adults with prurigo nodularis and the treatment of adults and pediatric patients 12 years of age and older with moderate-to-severe atopic dermatitis in combination with topical corticosteroids and/or calcineurin inhibitors when the disease is not adequately controlled with topical prescription therapies. It inhibits IL-31 signaling by binding selectively to IL-31 RA. IL-31 is a naturally occurring cytokine that is involved in pruritus, inflammation, epidermal dysregulation, and fibrosis.

Nemluvio (nemolizumab-ilto) will be considered for coverage when the following criteria are met:

Prurigo Nodularis (PN)

For **initial** authorization:

1. Member is at least 18 years of age; AND
2. Medication must be prescribed by or in consultation with a dermatologist; AND
3. Member has a documented diagnosis of prurigo nodularis with **ALL** of the following:
 - a) Chronic pruritis lasting more than 6 weeks;
 - b) Severe itch with repeated scratching;
 - c) At least 20 total lesions present; AND
4. Member has had a trial and failure of a medium to super high potency topical corticosteroid for at least 2 weeks. **NOTE:** If topical corticosteroids are contraindicated, must alternatively try and fail at least **ONE** of the following: topical emollient, capsaicin, calcipotriol, calcineurin inhibitor, phototherapy, or oral antihistamine; AND
5. Member has tried and failed Dupixent.
6. **Dosage allowed/Quantity limit:** quantity limit - 2 pens per 4 weeks.
 - a) Less than 90 kg: administer 60 mg (two 30 mg injections) subcutaneously, followed by 30 mg given every 4 weeks.
 - b) 90 kg or more: administer 60 mg (two 30 mg injections) subcutaneously, followed by 60 mg given every 4 weeks.

If all the above requirements are met, the medication will be approved for 4 months.

For **reauthorization**:

1. Chart notes have been provided documenting clinically significant reduction of itch intensity and/or nodule clearance compared to baseline.

If all the above requirements are met, the medication will be approved for an additional 12 months.

Atopic Dermatitis (AD)

For **initial** authorization:

1. Member is at least 12 years of age; AND
2. Medication must be prescribed by or in consultation with a dermatologist, allergist, or immunologist; AND
3. Member has a diagnosis of moderate to severe AD; AND
4. Provider attests Nemluvio will be used in combination with topical corticosteroids and/or topical calcineurin inhibitors; AND
5. Member's atopic dermatitis involves 10% or more of the body surface area (BSA) OR involves highly visible or functional areas (e.g., neck, face, genitals, palms) and is significantly impairing quality of life; AND
6. Member has a documented trial and failure of **ONE** of the following:
 - a) Medium to very high potency topical corticosteroids for 2 weeks;
 - b) Topical calcineurin inhibitor (e.g., tacrolimus, pimecrolimus) for 6 weeks. *Note:* Eucrisa for 4 weeks is also acceptable.
7. **Dosage allowed/Quantity limit:** inject 60 mg (two 30 mg injections) subcutaneously, followed by 30 mg given every 4 weeks. After 16 weeks of treatment, for patients who achieve clear or almost clear skin, a dosage of 30 mg every 8 weeks is recommended. Quantity limit: 1 pen per 28 days.

If all the above requirements are met, the medication will be approved for 4 months.

For **reauthorization**:

1. Chart notes have been provided showing an improvement in signs and symptoms of disease such as fewer flares, less itching/erythema, improved quality of life, etc.

If all the above requirements are met, the medication will be approved for an additional 12 months.

CareSource considers Nemluvio (nemolizumab-ilto) not medically necessary for the treatment of conditions that are not listed in this document. For any other indication, please refer to the Off-Label policy.

DATE	ACTION/DESCRIPTION
09/10/2024	New policy for Nemluvio created.
02/17/2025	Added AD indication.

References:

1. Nemluvio [package insert]. Galderma Laboratories, L.P.; 2024.
2. Elmariah S, Kim B, Berger T, et al. Practical approaches for diagnosis and management of prurigo nodularis: United States expert panel consensus. *J Am Acad Dermatol*. 2021;84(3):747-760. doi:10.1016/j.jaad.2020.07.025.
3. Ständer S, et al. IFSI-guideline on chronic prurigo including prurigo nodularis. *Itch*. 2020;5(4):e42. doi:10.1097/itx.000000000000042.
4. Satoh T, Yokozeki H, Murota H, et al. 2020 guidelines for the diagnosis and treatment of prurigo. *J Dermatol*. 2021;48(9):e414-e431. doi:10.1111/1346-8138.16067.
5. Chisolm SS. A review of the current management and burden of prurigo nodularis in the United States. *Am J Manag Care*. 2023;29(5 Suppl):S63-S72. doi:10.37765/ajmc.2023.89366.
6. Kwatra SG, Yosipovitch G, Legat FJ, et al. Phase 3 Trial of Nemolizumab in Patients with Prurigo Nodularis. *N Engl J Med*. 2023;389(17):1579-1589. doi:10.1056/NEJMoa2301333
7. Wollenberg A, Kinberger M, Arents B, et al. European guideline (EuroGuiDerm) on atopic eczema: part I - systemic therapy. *J Eur Acad Dermatol Venereol*. 2022;36(9):1409-1431. doi:10.1111/jdv.18345
8. Eichenfield LF, Tom WL, Chamlin SL et al. Guidelines of care for the management of atopic dermatitis: section 1. Diagnosis and assessment of atopic dermatitis. *J Am Acad Dermatol*. 2014; 70(1):338-51.
9. Eichenfield LF, Tom WL, Berger TG, et al. Guidelines of care for the management of atopic dermatitis: section 2. Management and treatment of atopic dermatitis with topical therapies. *J Am Acad Dermatol*. 2014;71(1):116-132.

10. Sidbury R, Davis DM, Cohen DE, et al. Guidelines of care for the management of atopic dermatitis: Section 3. Management and treatment with phototherapy and systemic agents. *J Am Acad Dermatol*. 2014 Aug;71(2):327-49.
11. Davis DMR, Drucker AM, Alikhan A, et al. Guidelines of care for the management of atopic dermatitis in adults with phototherapy and systemic therapies. *J Am Acad Dermatol*. 2024;90(2):e43-e56. doi:10.1016/j.jaad.2023.08.102
12. AAAAI/ACAAI JTF Atopic Dermatitis Guideline Panel, Chu DK, Schneider L, et al. Atopic dermatitis (eczema) guidelines: 2023 American Academy of Allergy, Asthma and Immunology/American College of Allergy, Asthma and Immunology Joint Task Force on Practice Parameters GRADE- and Institute of Medicine-based recommendations. *Ann Allergy Asthma Immunol*. 2024;132(3):274-312. doi:10.1016/j.anai.2023.11.00

Effective date: 07/01/2025

Revised date: 02/17/2025