CareSource

MEDICAL POLICY STATEMENT
Nevada Marketplace

Policy Name & Number	Date Effective
Myoelectric Lower Extremity Prosthetic Technology-NV MP-MM-1778	11/01/2026
Policy Type	
MEDICAL	

Medical Policy Statements are developed from a review of the available evidence-based, clinical information based on and supported by clinical guidelines from medical specialties, peer-reviewed medical and scientific studies, nationally recognized utilization and technology assessment guidelines, and other medical management industry standards to aid in determining the medical necessity of a service. Medically necessary services are defined in the plan-specific Evidence of Coverage, Member Handbooks, Provider Manuals, Medical Policy Statements, and/or other plan policies and procedures.

Medical Policy Statements do not guarantee an authorization or payment of services. Please refer to the plan contract (e.g., Evidence of Coverage, Member Handbook) for the service(s) referenced in the Medical Policy Statement. Except as otherwise required by law, if there is a conflict between the Medical Policy Statement and the plan contract and/or provider agreement, then the plan contract and/or provider agreement will be the controlling document. Reasonable discretion may be used in interpreting and applying this Policy Statement to services provided in a particular case, and the policy may be modified at any time. Medical Policy Statements may be superseded by federal and state laws and regulations, as applicable. In the case of a discrepancy between the Policy Statement's effective date and any applicable legal or regulatory requirement, the law or regulation will govern.

Coverage for mental health and substance use disorder (MH/SUD) benefits are provided at the same level as coverage for medical and surgical (M/S) benefits, as required by the Mental Health Parity and Addiction Equity Act (MHPAEA). MH/SUD benefits are not subject to limits or requirements that are more restrictive than those that apply to M/S benefits.

Table of Contents

A. Subject 2
B. Background 2
C. Definitions 2
D. Policy 4
E. Conditions of Coverage 4
F. Related Policies/Rules 4
G. Review/Revision History 4
H. References 4

A. Subject

Myoelectric Lower Extremity Prosthetic Technology

B. Background

The policy addresses the computerized limb prosthesis that is a nonstandard, external prosthetic device incorporating a microprocessor for movement control. These devices are equipped with a sensor that detects when the knee is in full extension and adjusts the swing phase automatically, permitting a more natural walking pattern of varying speeds.

C. Definitions

- **Myoelectric Lower Extremity Prosthetic Technology** – Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type.
- **Classification Level** – Rehabilitation potential as described by Centers for Medicare & Medicaid Services:

Level 0: Does not have the ability or potential to ambulate or transfer safely with or without assistance and a prosthesis does not enhance their quality of life or mobility.	a. The individual does not have sufficient cognitive ability to safely use a prosthesis with or without assistance. b. The individual requires assistance from equipment or caregiver in order to transfer and use of a prosthesis does not improve mobility or independence with transfers. c. The individual is wheelchair dependent for mobility and use of a prosthesis does not improve transfer abilities. d. The individual is bedridden and has no need or capacity to ambulate or transfer.
Level 1: Has the ability or potential to use a prosthesis for transfers or ambulation on level surfaces at fixed cadence, typical of the limited and unlimited household ambulator.	a. The individual has sufficient cognitive ability to safely use a prosthesis with or without an assistive device and/or the assistance/supervision of 1 person. b. The individual is capable of safe but limited ambulation within the home with or without an assistive device and/or with or without the assistance/supervision of 1 person. c. The individual requires the use of a wheelchair for most activities outside of their residence. d. The individual is not capable of most of the functional activities designated in Level 2.
Level 2: Has the ability or potential for ambulation with the ability to transverse low level environmental barriers such as curbs, stairs or uneven surfaces. This level is typical of the limited community ambulator.	a. The individual can ambulate with or without an assistive device (which may include 1 or 2 handrails) and/or with or without the assistance/supervision of 1 person: i. perform the level 1 tasks designated above ii. ambulate on a flat, smooth surface iii. negotiate a curb iv. access public or private transportation v. negotiate 1-2 stairs vi. negotiate a ramp built to ADA specifications.

	b. The individual may require a wheelchair for distances that are beyond the perimeters of the yard/driveway, apartment building, etc. c. The individual is only able to increase their generally observed speed of walking for short distances or with great effort. d. The individual is generally not capable of accomplishing most of the tasks at Level 3 (or does so infrequently with great effort).
Level 3: Has the ability or potential for ambulation with variable cadence, typical of the community ambulator who has the ability to transverse most environmental barriers and may have vocational, therapeutic, or exercise activity that demands prosthetic utilization beyond simple locomotion.	a. With or without an assistive device (which may include one or two hand rails), the individual is independently capable (ie, requires no personal assistance or supervision) of performing the Level 2 tasks above and can i. walk on terrain that varies in texture and level (eg, grass, gravel, uneven concrete) ii. negotiate 3-7 consecutive stairs iii. walk up/down ramps built to ADA specifications iv. open and close doors v. ambulate through a crowded area (eg, grocery store, big box store, restaurant) vi. cross a controlled intersection within his/her community within the time limit provided (varies by location) vii. access public or private transportation viii. perform dual ambulation tasks (eg, carry an item or meaningfully converse while ambulating) b. The individual does not perform the activities of Level 4.
Level 4: Has the ability or potential for prosthetic ambulation that exceeds the basic ambulation skills, exhibiting high impact, stress or energy levels typical of the prosthetic demands of the child, active adult, or athlete.	With or without an assistive device (which may include one or two hand rails), this individual is independently capable (i.e. requires no personal assistance or supervision) of performing high impact domestic, vocational or recreational activities such as: a. running b. repetitive stair climbing c. climbing of steep hills d. being a caregiver for another individual e. home maintenance (eg, repairs, cleaning)

NOTE: Consideration is given to bilateral amputees who often cannot be strictly bound by the Classification Levels.

D. Policy

I. CareSource considers myoelectric lower limb prosthetic technology medically necessary when the following criteria are met:

A. The member is 18 years of age or older.

B. Has a lower extremity prosthesis(s).

C. Documentation submitted supports medical necessity and includes the following:

1. a written order/prescription from a treating practitioner for the additional technology
2. sufficient documentation of the rehabilitation potential including, but not limited to, clear documentation supporting the expected potential classification level that is K3 or above
3. Member exhibits the following characteristics:
   a. emotionally readiness
   b. ability and willingness to participate in training
   c. ability to care for the technology
   d. physically ability to use the equipment
   e. adequate cardiovascular and pulmonary reserve for ambulation at faster than normal walking speed

NOTE: Documentation for Durable Medical Equipment, Prosthetics, Orthotics, and Supplies is followed.

E. Conditions of Coverage

N/A

F. Related Policies/Rules

Medical Record Documentation Standards for Practitioners

G. Review/Revision History

	DATE	ACTION
Date Issued	05/21/2025	New Policy. Approved at Committee
Date Revised	07/29/2026	Updated references. Approved at Committee.
Date Effective	11/01/2026	
Date Archived		

H. References

1. Balk EM, Gazula A, Markozannes G, et al. Comparative Effectiveness Review Number 213. Lower limb prostheses: measurement instruments, comparison of component effects by subgroups, and long-term outcomes. Agency for Healthcare Research and Quality. 2018 September. Accessed June 22, 2026. www.effectivehealthcare.ahrq.gov
2. Centers for Medicare & Medicare Services Health Technology Assessment. (2017, September). Lower Limb Prosthetic Workgroup Consensus Document. Accessed June 23, 2026. www.cms.gov
3. Durable medical equipment, prosthetics, orthotics, and supplies (DMEPOS) items and services having special DME review considerations. Medicare Program Integrity

Manual. US Centers for Medicare and Medicaid Services; 2000:5.1-5.19. Revised May 26, 2022. Accessed June 23, 2026. www.cms.gov
4. Liu W, Fleming A, Lee IC, et al. Direct myoelectric control modifies lower limb functional connectivity: a case study. *Annu Int Conf IEEE Eng Med Biol Soc*. 2021;2021:6573-6576. doi:10.1109/EMBC46164.2021.9630844
5. Lower limb prosethesis: A-0487 (AC). MCG Health. 30th ed. Accessed June 23, 2026. www.careweb.careguidelines.com
6. Schulte RV, Prinsen EC, Buurke JH, et al. Adaptive lower limb pattern recognition for multi-day control. *Sensors (Basel)*. 2022;22(17):6351. Published 2022 Aug 24. doi:10.3390/s22176351

draft