



ADMINISTRATIVE POLICY STATEMENT

Marketplace

Policy Name & Number	Date Effective
Cystic Fibrosis Testing-MP-AD-1219	07/01/2026
Policy Type	
ADMINISTRATIVE	

Administrative Policy Statement prepared by CareSource and its affiliates are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

Administrative Policy Statements prepared by CareSource and its affiliates do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced in the Administrative Policy Statement. If there is a conflict between the Administrative Policy Statement and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination.

According to the rules of Mental Health Parity Addiction Equity Act (MHPAEA), coverage for the diagnosis and treatment of a behavioral health disorder will not be subject to any limitations that are less favorable than the limitations that apply to medical conditions as covered under this policy.

This policy applies to the following Marketplace(s):

☒ Georgia	☒ Indiana	☒ Ohio	☒ West Virginia
---	---	--	---

Table of Contents

A. Subject	2
B. Background	2
C. Definitions.....	2
D. Policy	3
E. State-Specific Information	4
F. Conditions of Coverage	4
G. Related Policies/Rules	4
H. Review/Revision History	4
I. References	4

A. Subject

Cystic Fibrosis Testing

B. Background

Cystic fibrosis (CF) is an autosomal recessive genetic disorder that happens when a person inherits two abnormal cystic fibrosis transmembrane conductance regulator (CFTR) genes, one from each parent. Diagnosis of CF is based upon the finding of genetic and/or functional abnormalities of the CFTR gene (CFTR variants) and is typically associated with progressive lung disease, pancreatic insufficiency, and elevated sweat chloride levels.

Many individuals with CF demonstrate mild or atypical symptoms and can present later in childhood or as adults. Others, may test positive for CF but have no symptoms, a condition known as CFTR-Related Metabolic Syndrome (CRMS). Untreated CF in some can lead to early mortality and infertility. This makes early CF diagnosis and identification of carriers of CF important for early intervention to help manage the disease and make more informed health decisions.

More than 10 million Americans are carriers of a defective CFTR gene and show no symptoms of the disease. Others who do not fit CF diagnostic criteria still go on to develop a disease associated with evidence of CFTR dysfunction limited to one organ, known as CFTR-related disorder. Carrier testing may provide an early indication as to whether a person might develop a CFTR-related disorder. Potential parents who test positive as carriers for CF will be able to make educated reproductive decisions, better prepare for birth, and investigate additional testing for CF-related health conditions. A negative screening result does not completely rule out the possibility that a person is a CF carrier. A negative screening test only rules out the specific CF variants that were part of the screen.

Diagnosis of CF is a multistage process. Individuals must have clinical symptoms consistent with CF in at least one organ system, have a positive newborn screen, or have a sibling with CF. In addition, there must be evidence of CFTR dysfunction via elevated sweat chloride, presence of two disease-causing CFTR variants (one from each parent), or abnormal nasal potential difference (NPD). Newborn screening involves immunoreactive trypsinogen (IRT), sweat chloride testing, and genetic testing.

C. Definitions

- **American College of Medical Genetics and Genomics (ACMG)** – A nationally recognized interdisciplinary organization dedicated to the practice of medical genetics. The ACMG regularly posts technical recommendations for genetic diseases, including cystic fibrosis.
- **Autosomal Recessive** – A trait or disorder requiring a deleterious variant in both copies of the gene to express a phenotype.
- **Carrier** – An individual with a gene variant for a disease or disorder who can pass the variant on to offspring but does not have symptoms or features of the disorder.

The ADMINISTRATIVE Policy Statement detailed above has received due consideration as defined in the ADMINISTRATIVE Policy Statement Policy and is approved.

- **Cystic Fibrosis Transmembrane Conductance Regulator (CFTR)** – Transmembrane protein that functions as a regulated anion channel to maintain a gradient necessary for normal cell function. Variants that alter the function of the CFTR protein are associated with CF.
- **CFTR-Related Disorder** – A single pathogenic CFTR variant leading to the development of disease limited to one organ system in an individual who does not fit the CF diagnosis.
- **CFTR-Related Metabolic Syndrome (CRMS)** – Infants and children who are asymptomatic but have positive CF screening results. Found in 3-4% of infants with a positive newborn CF screen, CRMS is also known as CF screen positive, inconclusive diagnosis (CFSPID).
- **Immunoreactive Trypsinogen (IRT)** – A pancreatic enzyme precursor measured in newborns to screen for the presence of CF.

D. Policy

- I. Genetic testing for CF should only be performed once in a lifetime with member consent and the results documented in the member's health record. All genetic testing for CF should use currently recommended ACMG CFTR panels. Medical necessity review is only required for CF genomic sequence analysis.
- II. Diagnostic testing is considered medically necessary when the member meets any of the following criteria:
 - A. clinical presentation of CF
 - B. infertility from oligospermia/azoospermia/congenital bilateral absence of vas deferens (CBAVD)
 - C. infant with meconium ileus or other symptoms indicative of CF but unable to produce adequate amounts of sweat for a sweat chloride test
 - D. infant with an elevated IRT value on newborn screening and a sweat chloride of at least 60 mmol/L or intermediate sweat chloride (between 30 mmol/L and 59 mmol/L)
- III. Carrier screening is indicated when the member meets any of the following criteria:
 - A. members who are pregnant or of reproductive age with intent and potential to procreate
 - B. members whose partner tests positive while the member is pregnant or intending to become pregnant
 - C. members with a family history of cystic fibrosis
 - D. members where both parents are CF carriers
- IV. Fetal testing is considered medically necessary with the presence of any of the following:
 - A. Both parents have disease-causing mutations of the CFTR gene.
 - B. Echogenic bowel is detected on ultrasound examination of fetus during pregnancy.

The ADMINISTRATIVE Policy Statement detailed above has received due consideration as defined in the ADMINISTRATIVE Policy Statement Policy and is approved.

- C. The mother is a confirmed carrier, and father is unknown or unavailable for testing.
- V. The following are not considered medically necessary and will not be covered:
- A. repeat testing for the same CFTR panel
 - B. gene sequencing of anything other than the CFTR gene
- E. State-Specific Information
N/A
- F. Conditions of Coverage
CareSource may request documentation for post-payment review of claims submitted for payment of CF testing. If documentation is not provided, CareSource may recoup previously paid claim(s).
- G. Related Policies/Rules
Genetic Testing and Counseling
- H. Review/Revision History

DATE		ACTION
Date Issued	07/20/2022	
Date Revised	07/20/2022	MarketPlace policies were combined into a single policy covering all applicable states. Addition of policy section D, IV and V. Editorial changes.
	02/14/2024	Annual review: changes to title, background, and definitions, expanded policy to include diagnostic testing, and updated references. Approved at Committee.
	02/26/2025	Annual review updated medical necessity language in D.I. and references. Approved at Committee.
	03/25/2026	Review: simplified background and added fetal testing. Approved at Committee.
Date Effective	07/01/2026	
Date Archived		

- I. References
1. Barben J, Castellani C, Munck A, et al. Updated guidance on the management of children with cystic fibrosis transmembrane conductance regulator-related metabolic syndrome/cystic fibrosis screen positive, inconclusive diagnosis (CRMS/CFSPID). *J Cyst Fibros*. 2021;20(5):810-819. doi:10.1016/j.jcf.2020.11.006
 2. Bienvenu T, Lopez M, Girodon E. Molecular diagnosis and genetic counseling of cystic fibrosis and related disorders: new challenges. *Genes (Basel)*. 2020;11(6):619. doi:10.3390/genes11060619
 3. Carrier. National Human Genome Research Institute. Updated February 16, 2026. Accessed February 16, 2026. www.genome.gov

The ADMINISTRATIVE Policy Statement detailed above has received due consideration as defined in the ADMINISTRATIVE Policy Statement Policy and is approved.

4. Carrier testing for cystic fibrosis. Cystic Fibrosis Foundation. Accessed February 16, 2026. www.cff.org
5. Committee on Genetics: carrier screening for genetic conditions. American College of Obstetricians and Gynecologists. Reviewed 2025. Accessed February 16, 2026. www.acog.org
6. Cystic fibrosis – CFTR gene and mutation panel: A-0597. MCG Health. 29th ed. Updated June 13, 2025. Accessed February 16, 2026. www.careweb.careguidelines.com
7. De Boeck K. Cystic fibrosis in the year 2020: a disease with a new face. *Acta Paediatr.* 2020;109(5):893-899. doi:10.1111/apa.15155
8. Deignan JL, Astbury C, Cutting GR, et al. CFTR variant testing: a technical standard of the American College of Medical Genetics and Genomics (ACMG). *Genet Med.* 2020;22(8):1288-1295. doi:10.1038/s41436-020-0822-5
9. Deignan JL, Gregg AR, Grody WW, et al. Updated recommendations for CFTR carrier screening: a position statement of the American College of Medical Genetics and Genomics (ACMG). *Genet Med.* 2023;25(8):100867. doi:10.1016/j.gim.2023.100867
10. Gregg AR, Aarabi M, Klugman S, et al. Screening for autosomal recessive and X-linked conditions during pregnancy and preconception: a practice resource of the American College of Medical Genetics and Genomics (ACMG). *Genet Med.* 2021;23(10):1793-1806. doi:10.1038/s41436-021-01203-z
11. Katkin JP. Cystic fibrosis: clinical manifestations and diagnosis. UpToDate. Updated June 13, 2025. Accessed February 12, 2026. www.uptodate.com
12. Katkin JP. Cystic fibrosis: genetics and pathogenesis. UpToDate. Updated June 10, 2024. Accessed February 12, 2026. www.uptodate.com
13. Langfelder-Schwind E, Karczeski B, Strecker MN, et al. Molecular testing for cystic fibrosis carrier status practice guidelines: recommendations of the National Society for Genetic Counselors. *J Genet Couns.* 2014;23(1):5-15. doi:10.1007/s10897-013-9636-9
14. Marwaha S, Knowles JW, Ashley EA. A guide for the diagnosis of rare and undiagnosed disease: beyond the exome. *Genome Med.* 2022;14(1):23. doi:10.1186/s13073-022-01026-w
15. Miller AC, Comellas AP, Hornick DB, et al. Cystic fibrosis carriers are at increased risk for a wide range of cystic fibrosis-related conditions. *Proc Natl Acad Sci U S A.* 2020;117(3):1621-1627. doi:10.1073/pnas.1914912117
16. Polgreen PM, Comellas AP. Clinical phenotypes of cystic fibrosis carriers. *Annu Rev Med.* 2022;73:563-574. doi:10.1146/annurev-med-042120-020148
17. Procedure Following Repeat Screening or Diagnostic Testing, OHIO ADMIN. CODE 3701-55-08 (2023).
18. Russo ML. Cystic fibrosis: carrier screening. UpToDate. Updated January 26, 2026. Accessed February 16, 2026. www.uptodate.com
19. Sharma N, Cutting GR. The genetics and genomics of cystic fibrosis. *J Cyst Fibros.* 2020;19(Suppl 1): S5-S9. doi:10.1016/j.jcf.2019.11.003
20. Shteinberg M, Haq IJ, Polineni D, Davies JC. Cystic fibrosis. *Lancet.* 2021;397(10290):2195-2211. doi:10.1016/S0140-6736(20)32542-3

The ADMINISTRATIVE Policy Statement detailed above has received due consideration as defined in the ADMINISTRATIVE Policy Statement Policy and is approved.

21. Tests for Diseases Specified by the State Public Health Commissioner, W. VA CODE
§ 16-22-3 (2022).