

	DLICY STATE	MENT	
OHIO MARKETPLACE			
Policy Name	Policy Number	Date Effective	
Fraction Flow Reserve from computer	MM-1159	05/01/2021-03/31/2022	
tomography (FFRct)	Policy Type		
MEDICAL Administrative	Pharmacy	Reimbursement	
	i naimacy		
health care services or supplies that are proper and neck without which the patient can be expected to suffer prolo a body organ or part, or significant pain and discomfort. area, are the lowest cost alternative, and are not provide necessary services also include those services defined in Provider Manuals, Member Handbooks, and/or other pol Medical Policy Statements prepared by CareSource and services. Please refer to the plan contract (often referred Medical Policy Statement. If there is a conflict between th Coverage), then the plan contract (i.e., Evidence of Cove According to the rules of Mental Health Parity Addiction I behavioral health disorder will not be subject to any limita conditions as covered under this policy.	onged, increased or new morbin These services meet the stand ed mainly for the convenience of n any Evidence of Coverage d licies and procedures. dits affiliates do not ensure and to as the Evidence of Coverage he Medical Policy Statement a erage) will be the controlling do Equity Act (MHPAEA), coverage	dity, impairment of function, dysfunction of lards of good medical practice in the local of the member or provider. Medically ocuments, Medical Policy Statements, authorization or payment of ge) for the service(s) referenced in the nd the plan contract (i.e., Evidence of ocument used to make the determination. ge for the diagnosis and treatment of a	
Tab	le of Contents		
		-	
Subject			
Subject		2	
Subject Background		2	
Subject Background Definitions		2 2 2	



Fraction Flow Reserve from computer tomography (FFRct)

B. Background

Heart disease, with coronary artery disease (CAD) being the most common, is the leading cause of death for men and women. The traditional test in management of coronary artery stenosis is a procedure where the fractional flow reserve measures the blood pressure to determine adequate blood flow or blockage during an invasive coronary angiography.

A noninvasive alternative for stable symptomatic members with CAD is Heartflow FFRct; in which a digital 3-D model of the heart arteries is created to assist in determining restricted blood flow. Heartflow FFRct is intended to be used in conjunction with clinical history, symptoms, diagnostic test, and the clinician's professional judgement.

C. Definitions

- **FFRct** A mathematically derived quantity, computed from simulated pressure, velocity and blood flow information that was obtained from a 3D computer model derived from a coronary CT image.
- **Heartflow FFRct** Post-processing software for the clinical quantitative and qualitative analysis of previously acquired computed tomography.

D. Policy

- I. Prior authorization is required
- II. Prior authorization must include the following:
 - A. A prescription; and
 - B. Documentation supporting a clinically stable symptomatic members with coronary artery disease;
 - 1. For example, a member with stable angina pectoris would be a candidate for this procedure; whereas a member with unstable angina would not be a candidate for this procedure.
- III. Procedure limitations
 - A. The safety and effectiveness has not been evaluated for the following populations:
 - 1. Suspicion of acute coronary syndrome (where acute myocardial infarction or unstable angina have not been ruled out);
 - 2. Recent prior myocardial infarction within 30 days;
 - 3. Complex congenital heart disease;
 - 4. Prior coronary artery bypass graft (CABG) surgery;
 - 5. Patients with a Body Mass Index >35; and
 - 6. Patients who require emergent procedures or have any evidence of ongoing or active clinical instability, including acute chest pain (sudden onset), cardiogenic shock, unstable blood pressure with systolic blood pressure <90





Fraction Flow Reserve from computer tomography (FFRct) OHIO MARKETPLACE MM-1159 Effective Date: 05/01/2021

mmHg, severe congestive heart failure (New York Heart Association [NYHA] III or IV) or acute pulmonary edema.

- E. Conditions of Coverage NA
- F. Related Policies/Rules NA

G. Review/Revision History

	DATE	ACTION
Date Issued	01/06/2021	
Date Revised		
Date Effective	05/01/2021	
Date Archived	03/31/2022	This Policy is no longer active and has been archived. Please note that there could be other Policies that may have some of the same rules incorporated and CareSource reserves the right to follow CMS/State/NCCI guidelines without a formal documented Policy

H. References

- 1. Centers for Disease Control. (2020, June 22). Heart Disease Facts. Retrieved August 25, 2020 from www.cdc.gov
- Food and Drug Administration. (n.d.). DeNovo Classification Request for FFRctv.
 1.4. Retrieved August 25, 2020 from www.accessdata.fda.gov
- 3. ECRI. (2019, March 15). FFRct Software (HeartFlow, Inc.) for Evaluating Coronary Artery Disease. Retrieved August 25, 2020 from www.ecri.org
- 4. Hayes Inc. (2019, September 24). Noninvasive Computed Fractional Flow Reserve from Computed Tomography for Coronary Artery Disease. Retrieved August 25, 2020 from www.hayesinc.com
- 5. Heartflow. (n.d.). Heartflow. Retrieved August 25, 2020 from www.heartflow.com

The Medical Policy Statement detailed above has received due consideration as defined in the Medical Policy Statement Policy and is approved.

Independent medical review - 12/2020

