

	cy Name	Policy Number	Date Effective		
Metabolic and Bariatric Surgery in Adults 20 and Older		MM-0792	12/01/2020-10/31/2021		
Policy Type					
MEDICAL	Administrative	Pharmacy	Reimbursement		
	include those services defined	d in any Evidence of Coverage docur	nents, method i olicy Statements,		

A.	Subject	. 2
В.	Background	. 2
	Definitions	
D.	Policy	. 2
E.	Conditions of Coverage	. 2
	Related Polices/Rules	
	Review/Revision History	
	References.	



Metabolic and Bariatric Surgery in Adults 20 and Older

B. Background

Obesity continues to be a major health threat in the United States affecting an increasingly larger proportion of adults and children. The Centers for Disease Control and Prevention (CDC) estimate that over 39.8% of adults in the United States older than the age of 20 are obese (2015-2016). Obesity in adults aged 40 to 59 is higher (42.8%) than those under aged 40 (35.7%), statistics indicate that there has been a significant increase in ob esity from 1999 through 2016. Only tobacco has a higher modifiable risk factor in adult mortality. If continuing to trend at the current rate, obesity will become the number one modifiable risk factor in adult mortality. Obesity-related health problems include hypertension, Type II diabetes, hyperlipidemia, atherosclerosis, heart disease, and stroke, diseases of the gallbladder, osteoarthritis, sleep apnea and certain cancers.

The primary goals in achieving optimal health outcomes for our members are providing noninvasive approaches to reduce or prevent obesity by promoting healthy life styles that will improve long-term outcomes. For individuals not able to manage serve obesity though non-surgical interventions, metabolic and bariatric surgery options may be an effective intervention.

C. Definition

- **Body Mass Index (BMI) for Adults -** BMI is a person's weight in kilograms divided by the square of height in meters.
- Substance Use Disorder (SUD) A diagnosis of a substance use disorder is based on a pathological pattern of behaviors related to use of a substance. The diagnosis of a substance use disorder is based from criteria defined in the current ICD-10 diagnosis codes manual and can be applied to all 10 classes of drugs including: alcohol; cannabis; hallucinogens; inhalants; opioids; sedatives, hypnotics, and anxiolytics; stimulants; tobacco; and other (or unknown) substances.
- **Behavioral health provider** Includes psychologist, psychiatrist, and psychiatric nurse practitioner.

D. Policy

- I. A prior authorization is required.
- II. Metabolic and bariatric surgery is considered medically necessary when all of the following criteria are met:
 - A. Primary diagnosis is obesity;
 - B. Member is at least 20 years of age;
 - C. Documentation of conservative medically supervised weight loss program for at least a 6 month period within the last 2 years have been unsuccessful; and
 - C. One of the following BMI requirements are met:
 - 1. BMI ≥40 kg/m²; or
 - 2. BMI \geq 35 kg/m² and at least one serious obesity related condition such as:





Metabolic and Bariatric Surgery in Adults 20 and Older GEORGIA MEDICAID MM-0792 Effective Date: 12/01/2020

- a. High risk for Type II diabetes (insulin resistance, prediabetes, and/or metabolic syndrome)
- b. Osteoarthritis of knee or hip
- c. Improving outcomes of knee or hip replacement
- d. Obstructive Sleep Apnea
- e. Non-alcoholic fatty liver disease
- f. Nonalcoholic steatohepatitis
- g. Pseudotumor cerebri
- h. Gastroesophageal reflux disease
- i. Severe urinary stress incontinence
- j. Poorly controlled hypertension on multiple drug therapy
- or
- BMI ≥30 kg/m² with Type II diabetes mellitus (DM) if documentation is provided that Type II DM is inadequately controlled despite optimal medical treatment by either oral or injectable medications (including insulin).
- III. Written clinical documentation and supporting information from the attending surgeon must include all of the following:
 - A. Evidence of informed consent.
 - B. Letter from the Primary Care Physician (PCP) or appropriate specialist.
 a. Stating medical necessity for procedure; and
 - b. Health-related behaviors such as smoking history or adherence.
 - C. Evidence that member is participating in a multi-disciplinary program to prepare them for surgery as well as through the extended post-operative period.
 - D. Substance Use Screening results
 - E. Evidence that harm reduction related to substance use was discussed
 - F. Evidence that risks of nicotine were discussed
 - G. Evidence that vitamin B deficiencies were monitored and treated as needed prior to surgery.
 - H. Documentation illustrating the member has been evaluated from a psychological standpoint within the past 6 months by the treating behavioral health provider including consideration of all of the following:
 - 1. List of co-existing psychiatric conditions;
 - 2. Evidence that the member has the ability to understand the surgical procedure and to make a responsible decision; and
 - 3. Evidence that the member is stable enough to
 - a. Understand the risks and benefits;
 - b. Follow through with the extensive aftercare plan;
 - c. Withstand the rigors of surgery; and
 - d. Not show evidence of the likelihood of being suicidal or significantly decompensate if the procedure is not successful in helping to lose weight.
 - I. Assessment, listing of diagnoses, and treatment plan must be provided.
 - J. For women with reproductive capacity, appropriate conception counseling was discussed and documented including the following:
 - 1. Clear documentation that supports that the member
 - a. Is not currently pregnant; and
 - b. Has agreed to avoid pregnancy for at least one year postoperatively.





Metabolic and Bariatric Surgery in Adults 20 and Older GEORGIA MEDICAID MM-0792 Effective Date: 12/01/2020

IV. Contraindications/Non covered procedures

- A. Surgery is contraindicated in the following:
 - 1. A medically correctable cause of obesity;
 - 2. Current or planned pregnancy within one year of procedure;
 - 3. Active suicidality or self-harm;
 - 4. Active psychosis;
 - 5. Active substance use disorder;
 - 6. Ongoing substance abuse disorder within the previous year;
 - 7. Severe coagulopathy;
 - 8. Uncontrolled and untreated eating disorders; and
 - 9. Inability to comply with postoperative long-term follow-up care.
- B. The intended procedure is not covered if it is experimental or investigational. The procedure must meet current standard of care guidelines, and any device utilized must be FDA approved.
- V. The following members should be referred to an accredited comprehensive center
 - A. BMI $> 55 \text{kg/m}^2$
 - B. Members
 - 1. With organ failure;
 - 2. With organ transplant;
 - 3. With significant cardiac or pulmonary impairment;
 - 4. On a transplant list; or
 - 5. If non-ambulatory.
- E. Conditions of Coverage

F. Related Polices/Rules

Metabolic and Bariatric Surgery in Adolescents Metabolic and Bariatric Surgery: Revision Experimental or Investigational Item or Service

G. Review/Revision History

	DATE	ACTION
Date Issued	02/24/2015	Issued
Date Revised	04/05/2016 06/05/2019	Included MCG 23 rd Ed. Revisions to content and Table A. Included MCG 20 th Ed. Revisions to Table A
	07/22/2020	Updated conservative approaches prior to surgery, updated BMI requirements, added SUD, health related behaviors, Vitamin B, and nicotine requirements, updated psychological evaluation, updated conception counseling, updated contraindications/noncovered procedures, separated into a separate policy the revision criteria and updated referral to comprehensive center.



	01/08/2021	Clarified high risk Type II diabetes
Date Effective	12/01/2020	
Date Archived	10/31/2021	This Policy is no longer active and has been archived. Please note that there could be other Policies that may have some of the same rules incorporated and CareSource reserves the right to follow CMS/State/NCCI guidelines without a formal documented Policy.

H. References

- 1. AAP Updates Recommendations on Obesity Prevention: It's Never Too Early to Begin Living a Healthy Lifestyle. (n.d.). Retrieved May 8, 2019, from www.aap.org
- 2. Adult Obesity Facts, Centers for Disease Control and Prevention, Last reviewed August 18, 2018, Retrieved May 8, 2019, from www.cdc.gov
- 3. NCHS Data Brief, No. 288, October 2017, Prevalence of Obesity Among Adults and Youth: United States, 2015-2016. Retrieved May 8, 2019 from www.cdc.gov
- 4. American Society for Metabolic and Bariatric Surgery, Retrieved May 8, 2019, from www.asmbs.org
- 5. Bariatric Surgery | NIDDK. (n.d.). Retrieved May 8, 2019, from www.niddk.nih.gov
- 6. Bariatric procedures for the management of severe obesity: Descriptions. (n.d.). Retrieved May 8, 2019, from www.uptodate.com
- Buchwald, H., Avidor, Y., Braunwald, E., Jensen, M. D., Pories, W., Fahrbach, K., & Schoelles, K. (2004). Bariatric Surgery. JAMA, 292(14), 1724. doi:10.1001/jama.292.14.1724
- 8. CDC. (2016, April 27). Obesity and overweight. Retrieved May 8, 2019, from www.cdc.gov
- Chapman, A. (2004). Laparoscopic adjustable gastric banding in the treatment of obesity: A systematic literature review. *Surgery*, *135*(3), 326-351. doi:10.1016/s0039-6060(03)00392-1
- 10. Decision Memo for Bariatric Surgery for the Treatment of Morbid Obesity (CAG-00250R). U.S. Dept. of Health and Human Services, Centers for Medicare and Medicaid Services, February 21, 2006.
- Kalarchian, M. (2007). Psychiatric Disorders Among Bariatric Surgery Candidates: Relationship to Obesity and Functional Health Status. American Journal of Psychiatry, 164(2), 328. doi:10.1176/appi.ajp.164.2.328
- 12. Late complications of bariatric surgical operations. (n.d.). Retrieved May 8, 2019, from www.uptodate.com
- Marcus, M. D., Kalarchian, M. A., & Courcoulas, A. P. (2009). Psychiatric evaluation and follow-up of Bariatric surgery patients. American Journal of Psychiatry, 166(3), 285–291. doi:10.1176/appi.ajp.2008.08091327
- 14. New Diabetes Guidelines Include Recommendations for Bariatric Surgery. (n.d.). Retrieved May 8, 2019, from www.hayesinc.com
- 15. The Practical Guide to Identification and Treatment of Overweight and Obesity in Adults. (n.d.). Retrieved May 8, 2019, from www.nhlbi.nih.gov
- 16. Repeat Bariatric Surgery for Patients Who Have Not Reached Weight-loss Goals after Previous Surgery. (n.d.). Retrieved May 8, 2019, from www.ecri.org
- 17. Shekelle, P. G. (n.d.). Mental Health Assessment and Psychological Interventions for bariatric surgery. Retrieved May 8, 2019, from www.hsrd.research.va.gov
- 18. Updated Guidelines for Bariatric Surgery. (n.d.). Retrieved May 8, 2019, from



24

Metabolic and Bariatric Surgery in Adults 20 and Older GEORGIA MEDICAID MM-0792 Effective Date: 12/01/2020

- 19. Ogden CL, Carroll MD, Fryar CD, Flegal KM. Prevalence of obesity among adults and youth: United States, 2011–2014. NCHS data brief, no 219. Hyattsville, MD: National Center for Health Statistics. 2015.
- 20. Obesity Management for the Treatment of Type 2 Diabetes: Standards of Medical Care in Diabetes – 2019, American Diabetes Association, Diabetes Care 2019 Jan; 42(Supplement 1): S81-S89 www.care.diabetesjournals.org
- 21. Guidelines for Clinical Application of Bariatric Surgery, Retrieved May 8, 2019, from www.sages.org
- 22. National Institute of Diabetes and Digestive and Kidney Diseases, Potential Candidates for Bariatric Surgery, Retrieved May 8, 2019, from www.niddk.nih.gov
- 23. Mechanisk, J, Apovian, C.....Still, C. (December 2019). AACE/TOS/ASMBS/OMA/ASA 2019 Guidelines. Clinical practice Guidelines for the Perioperative Nutrition, metabolic, and nonsurgical support of patients undergoing bariatric procedures – 2019 Update: Cosponsored by American Association of Clinical Endocrinologist/American college of Endocrinology, The obesity society, American Society for metabolic & Bariatric surgery, Obesity medicine Association, and American Society of Anesthesiologists. *Endocrine Practice*. 25(12). DOI: 10.4158/GL-2019-0406
- 24. American Diabetes Association. (2020, January). Obesity management for the Treatment of Type 2 Diabetes: Standards of Medical Care in Diabetes 2020. *Diabetes Care.* 43(1). https//doi.org/10.2337/dc20-S008
- 25. Federal Drug Administration. (2020, April 27). Weight-Loss and Weight-Management Devices. Retrieved May 22, 2020 from www.fda.gov
- 26. Yung-Chieh, Y, Huang, C, Tai, C. (2014, September). *Current Opinion in Psychiatry*. 27(5). doi: 10.1097/YCO.00000000000085

The Medical Policy Statement detailed above has received due consideration as defined in the Medical Policy Statement Policy and is approved.

Independent medical review - 7/2020

GA-MED-P-235116

Date lssued 02/24/2015

DCH Approved 09/21/2020



