

MEDICAL POLICY STATEMENT Georgia Medicaid				
Policy Name & Number	Date Effective			
Metabolic and Bariatric Surgery: Revision-GA-MCD- MM-1060	11/01/2022-10/31/2023			
Policy Type				
MEDICAL				

Medical Policy Statement prepared by CareSource and its affiliates are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

Medical Policy Statements prepared by CareSource and its affiliates do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced in the Medical Policy Statement. If there is a conflict between the Medical Policy Statement and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination. According to the rules of Mental Health Parity Addiction Equity Act (MHPAEA), coverage for the diagnosis and treatment of a behavioral health disorder will not be subject to any limitations that are less favorable than the limitations that apply to medical conditions as covered under this policy.

## Table of Contents

А.	Subject	2
	Background	
	Definitions	
D.	Policy	2
	Conditions of Coverage	
F.	Related Policies/Rules	3
G.	Review/Revision History	3
Н.	References	3



## A. Subject Metabolic and Bariatric Surgery: Revision

B. Background

Revision procedures are typically done because of complications from or a failure of the initial surgical procedure. Complications may include surgical or anatomical complications, as well as nutritional or metabolic complications. A failure of the initial bariatric surgery may result in an inadequate weight loss or a weight regain.

- C. Definitions
  - Revision Maintaining the same anatomy as the primary surgery.
  - Inadequate Weight Loss Less than 50% expected weight loss and/or weight remains greater than 40% over ideal body weight (normal body weight Body Mass Index (BMI) parameter = 18.5-24.9).
- D. Policy
  - I. CareSource considers surgical revision of a bariatric surgery procedure a covered service when medically necessary.
  - II. An inadequate weight loss due only to non-compliance with dietary, behavior, or exercise recommendations is not a medically necessary indication for a revision procedure.
  - III. A revision procedure is medically necessary when all of the following criteria are met and documented in the medical record:
    - A. Surgery/procedure selected is a proven procedure and not considered experimental/investigational; and
    - B. A technical failure or major complication has occurred from the initial procedure that cannot be managed medically.
      - 1. Technical failure and major complication examples:
        - a. Persistent pain and recurrent bleeding occur;
        - b. Chronic stenosis remains after multiple dilations;
        - c. Faulty component or malfunction that cannot be repaired;
        - d. Candy cane Roux syndrome;
        - e. Complications that cannot be corrected with band manipulation;
        - adjustments or replacement including band slippage and port leakage; or f. Obstruction confirmed by imaging studies.
    - NOTE: Stretching of a stomach pouch formed by a previous bariatric surgery due to overeating is not considered a complication and is not considered medically necessary.
  - IV. In the absence of a technical failure or major complication, individuals with weight loss failure ≥ two years following the initial bariatric surgery procedure must meet the medical necessity criteria in the medical policy for an initial bariatric surgery.



- E. Conditions of Coverage N/A
- F. Related Policies/Rules Metabolic and Bariatric Surgery in Adults 19 and older Metabolic and Bariatric Surgery in Adolescents Experimental or Investigational Item or Service

## G. Review/Revision History

	DATE	ACTION
Date Issued	07/22/2020	New policy – Separated out from policies listed
		in Related policies/rules
Date Revised	06/23/2021 06/22/2022	PA language replaced by medical necessity criteria. PA enforced by inclusion on the PA list. Updated references. Reworded language in section IV, Updated references.
Date Effective	11/01/2022	
Date Archived	10/31/2023	This Policy is no longer active and has been archived. Please note that there could be other Policies that may have some of the same rules incorporated and CareSource reserves the right to follow CMS/State/NCCI guidelines without a formal documented Policy.

## H. References

- 1. Ellsmere, J. (2020, May). Late complications of bariatric surgical operations. Retrieved June 9, 2022 from www.uptodate.com.
- 2. Federal Drug Administration. (2020, April 27). *Weight-Loss and Weight-Management Devices*. Retrieved June 9, 2022 from www.fda.gov.
- Mechanisk, J, Apovian, et al. (April 2020). AACE/TOS/ASMBS/OMA/ASA 2019 Guidelines. Clinical practice Guidelines for the Perioperative Nutrition, metabolic, and nonsurgical support of patients undergoing bariatric procedures – 2020 Update: Cosponsored by American Association of Clinical Endocrinologist/American college of Endocrinology, The obesity society, American Society for metabolic & Bariatric surgery, Obesity medicine Association, and American Society of Anesthesiologists. *Obesity*. 28(4). Retrieved June 9, 2022 from www.onlinelibrary.wiley.com.
- 4. Palep, J. (2019, May 31). Reoperative Bariatric Surgery in Khanna S, *Recent Advances in Minimal Access Surgery*. (pp 14-151). JP Medical Ltd.
- 5. Yung-Chieh, Y, Huang, C, Tai, C. (2014, September). *Current Opinion in Psychiatry*. 27(5). doi: 10.1097/YCO.0000000000085.

Independent medical review – 7/2020

GA-MED-P-1437451

Issue Date 07/22/2020

Approved DCH 07/27/2022