

# MEDICAL POLICY STATEMENT OHIO MEDICAID

| Policy Name Policy Name  |                | Policy Number | Date Effective        |  |
|--------------------------|----------------|---------------|-----------------------|--|
| Breast Reduction Surgery |                | MM-0020       | 08/01/2021-06/30/2022 |  |
| Policy Type Policy Type  |                |               |                       |  |
| MEDICAL                  | Administrative | Pharmacy      | Reimbursement         |  |

Medical Policy Statement prepared by CareSource. and its affiliates are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

Medical Policy Statements prepared by CareSource. and its affiliates do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced in the Medical Policy Statement. If there is a conflict between the Medical Policy Statement and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination.

According to the rules of Mental Health Parity Addiction Equity Act (MHPAEA), coverage for the diagnosis and treatment of a behavioral health disorder will not be subject to any limitations that are less favorable than the limitations that apply to medical conditions as covered under this policy.

#### Table of Contents

| Α. | Subject                 | 2 |
|----|-------------------------|---|
|    | Background              |   |
|    | Definitions             |   |
|    | Policy                  |   |
|    | Conditions of Coverage  |   |
|    | Related Polices/Rules   |   |
|    | Review/Revision History |   |
|    | Poforonoo               |   |



Breast Reduction Surgery
OHIO MEDICA ID
MM-0020

Effective Date: 08/01/2021

## Subject Breast Reduction Surgery

#### B. Background


Women who suffer from macromastia (or excessively large breasts) seeking breast reduction typically present with complaints of a feeling of heaviness and chronic pain and tension in the neck, shoulders and upper back. Macromastia commonly causes permanent grooving and ulceration of the shoulder following years of wearing support bras to try to minimize symptoms. As much as two to five pounds of excess breast tissue is commonly removed during a reduction mammoplasty.

Reduction mammoplasty is a surgical procedure reducing the weight and volume of the breast. Indications for surgery include: chronic pain and skin conditions, neuropathy, breast discomfort, physical impairment and psychological symptoms that can be associated with poor self-esteem and loss of desire to engage in activities.

#### C. Definitions

- **Macromastia (Breast Hypertrophy)** An increase in the volume and weight of breast tissue relative to the general body habitus.
- Functional/Physical or Physiological Impairment Physical/functional or
  physiological impairment causes deviation from the normal function of a tissue or
  organ. This results in a significantly limited, impaired, or delayed capacity to move,
  coordinate actions, or perform physical activities and is exhibited by difficulties in one
  or more of the following areas: physical and motor tasks; independent movement;
  performing basic life functions.
- Symptomatic Breast Hypertrophy A syndrome of persistent neck and shoulder pain, painful shoulder grooving from brassiere straps, chronic intertriginous rash of the infra-mammary fold and/or frequent episodes of headache, backache, and upper extremity neuropathies caused by an increase in the volume and weight of breast tissue beyond normal proportions.
- Cellulitis An acute spreading bacterial infection in the deeper layers of skin associated with an abrasion or cut and characterized by redness, warmth, and swelling.
- Intertriginous Rash Dermatitis occurring between juxtaposed folds of skin, caused by retention of moisture and warmth, and providing an environment favoring overgrowth of normal skin micro-organisms.
- **Kyphosis** Over-curvature of the thoracic vertebrae (upper back), associated with: degenerative diseases such as arthritis; developmental problems; or with osteoporotic compression fractures of vertebral bodies.
- **The Schnur Sliding Scale** Has been promoted for use in calculating the amount of breast tissue to be removed in reduction mammoplasty (Appendix A).
- Cosmetic Procedures Procedures that correct an anatomical congenital anomaly without improving or restoring physiologic function are considered Cosmetic Procedures.





#### D. Policy

- I. CareSource considers breast reduction surgery for non-cosmetic reasons medically necessary when ALL of the following clinical criteria are met:
  - A. Member must be eighteen (18) years or older, or growth is complete.
  - B. Breast size interferes with activities of daily living, as indicated by 1 or more of the following:
    - 1. Arm numbness consistent with brachial plexus compression syndrome;
    - 2. Cervical pain:
    - 3. Chronic breast pain;
    - 4. Headaches:
    - 5. Nipple position greater than 21 cm below suprasternal notch;
    - 6. Persistent redness and erythema (intertrigo) below breasts;
    - 7. Restriction of physical activity;
    - 8. Severe bra strap grooving or ulceration of shoulder;
    - 9. Shoulder pain;
    - 10. Thoracic kyphosis; or
    - Upper or lower back pain 11.
  - C. Failure to relieve symptoms with nonsurgical treatment that includes 1 or more of the following:
    - 1. Medically supervised weight loss program for overweight or obese patient
    - 2. Topical and oral antifungal agents for intertrigo
    - 3. Trial of nonsteroidal anti-inflammatory drugs to treat pain in neck, shoulder, upper or lower back, or breast
    - 4. Wound care for skin ulceration
  - D. Preoperative evaluation by surgeon concludes that amount of breast tissue to be removed (by mass or volume) will provide a reasonable expectation of symptomatic relief.
    - 1. The Schnur Sliding Scale is an evaluation tool used to determine the appropriate volume of tissue to be removed relative to a patient's total body surface area (BSA).
    - 2. This estimation can be instrumental in determining whether breast reduction surgery is being planned for cosmetic reasons or as a medically necessary procedure. In a survey of plastic surgeons utilizing this scale, Schnur et al.(1991) determined that a member whose removed breast weight was above the 22<sup>nd</sup> percentile were likely to receive the procedure for medical reasons.
    - 3. The weight of tissue to be removed from each breast must be above the 22nd percentile on the Schnur Sliding Scale (Appendix A below) based on the individual's body surface area (BSA).
    - 4. The body surface area in meters squared (m<sup>2</sup>) is calculated using the Mosteller formula as follows:
      - a. Square root of height (inches) x weight (lbs) divided by 3131.
  - E. No evidence of breast cancer
    - a. As evidenced by results of a physical exam completed by a physician within the last year if under 40
    - b. Women 40 to 54 years of age or older must have documentation of a mammogram negative for cancer performed within the year prior to the date of the planned breast reduction surgery.
    - c. Women 55 and older may switch to mammograms every 2 years
- Breast reduction surgery following mastectomy to achieve symmetry is covered as part II.



**Breast Reduction Surgery** OHIO MEDICA ID MM-0020

Effective Date: 08/2021

of the Women's Health and Cancer Rights Act (WHCRA). Please refer to the CareSource Medical policy titled Breast Reconstruction Surgery for additional information.

#### III. Related Policies

A. Surgery for Gynecomastia: For medical necessity and criteria for surgery of

gynecomastia see CareSource Medical Policy *Mastectomy for Gynecomastia*.

B. Breast Asymmetry: For medical necessity and criteria for surgery to correct breast asymmetry see CareSource Medical Policy Breast Reconstructive Surgery Appendix A: Schnur Śliding Scale

| Body Surface Area and Minimum Requirement for Breast Tissue Removal |   |  |
|---|---|--|
| Body Surface Area m <sup>2</sup>                                    | Grams per Breast of Minimum Breast Tissue to be Removed |  |
| 1.350-1.374   | 199   |  |
| 1.375-1.399   | 208   |  |
| 1.400-1.424   | 218   |  |
| 1.425-1.449   | 227   |  |
| 1.450-1.474   | 238   |  |
| 1.475-1.499   | 249   |  |
| 1.500-1.524   | 260   |  |
| 1.525-1.549   | 272   |  |
| 1.550-1.574   | 284   |  |
| 1.575-1.599   | 297   |  |
| 1.600-1.624   | 310   |  |
| 1.625-1.649   | 324   |  |
| 1.650-1.674   | 338   |  |
| 1.675-1.699   | 354   |  |
| 1.700-1.724   | 370   |  |
| 1.725-1.749   | 386   |  |
| 1.750-1.774   | 404   |  |
| 1.775-1.799   | 422   |  |
| 1.800-1.824   | 441   |  |
| 1.825-1.849   | 461   |  |
| 1.850-1.874   | 482   |  |
| 1.875-1.899   | 504   |  |
| 1.900-1.924   | 527   |  |
| 1.925-1.949   | 550   |  |



Breast Reduction Surgery OHIO MEDICA ID MM-0020 Effective Date: 08/01/2021

| 1.950-1.974      | 575  |
|------------------|------|
| 1.975-1.999      | 601  |
| 2.000-2.024      | 628  |
| 2.025-2.049      | 657  |
| 2.050-2.074      | 687  |
| 2.075-2.099      | 717  |
| 2.100-2.124      | 750  |
| 2.125-2.149      | 784  |
| 2.150-2.174      | 819  |
| 2.175-2.199      | 856  |
| 2.200-2.224      | 895  |
| 2.225-2.249      | 935  |
| 2.250-2.274      | 978  |
| 2.275-2.299      | 1022 |
| 2.300-2.324      | 1068 |
| 2.325-2.349      | 1117 |
| 2.350-2.374      | 1167 |
| 2.375-2.399      | 1219 |
| 2.400-2.424      | 1275 |
| 2.425-2.449      | 1333 |
| 2.450-2.474      | 1393 |
| 2.475-2.499      | 1455 |
| 2.500-2.524      | 1522 |
| 2.525-2.549      | 1590 |
| 2.550 or greater | 1662 |

### E. Conditions of Coverage-N/A

# F. Related Policies/Rules Breast Reconstruction Surgery MM-0001

### G. Review/Revision History

|             | DATE       | ACTION |
|-------------|------------|--------|
| Date Issued | 07/20/2004 |        |



| All Control of the Co |  | .5.   |
|--|--|---|
| Date Revised   | 05/25/2005<br>07/05/2006<br>09/18/2007<br>07/01/2009<br>02/01/2012<br>12/31/2014<br>12/01/2015<br>07/26/2017 | Annual update, minor editorial revisions, minor changes to policy, removed redundant mastectomy criteria from policy  |
|  | 03/17/2021   | Annual Update: Update to MCG  |
| Date Effective   | 08/01/2021   |   |
| Date Archived  | 06/30/2022   | This Policy is no longer active and has been archived. Please note that there could be other Policies that may have some of the same rules incorporated and CareSource reserves the right to follow CMS/State/NCCI guidelines without a formal documented Policy. |

#### H. References

- 1. Hansen, Juliana MD, Chang, Shilliang MD (January 14, 2020), Overview of Breast Reduction. Retrieved on February 23, 2021 from www.Uptodate.com
- 2. Know, JA, Nelson, DA (January 08, 2018). US National Library of Medicine, National Institute of Health. Objective Effects of Breast Reduction on Physical Fitness. Retrieved February 23,2021 from www.ncbi.nlm.gov
- 3. Perez-Panzano E., Gascon-Catalan A. (December 2017). US National Library of Medicine, National Institute of Health. Reduction mammoplasty improves levels of anxiety, depression and body image satisfaction in patients with symptomatic macromastia in the short and long term. Retrieved February 23, 2021 from www.ncbi.nlm.nih.gov
- 4. Zeiderman, Matthew R. MD, Kelishadi, Shahrooz Sean, MD. (October 27,2017) US National Library of Medicine, National Institute of Health Reduction Mammoplasty: Intraoperative Weight Versus Pathology Weight and Its Implications. Retrieved February 22, 2021 from www.ncbi.nlm.nih.gov
- 5. MCG Health Guidelines (24<sup>th</sup> Edition, 2021) Reduction Mammaplasty Retrieved on February 26, 2021 from www.MCG.com
- 6. American Society of Plastic Surgeons (ASPS). Evidence-Based Clinical Practice Guideline: Reduction Mammaplasty (2011). Retrieved February 22, 2021 from www.plasticsurg.ery.org
- 7. The Center for Medicare & Medicaid Services (CMS). Women's Health and Cancer Rights Act (WHCRA 1998). Retrieved February 23, 2021 from www.cms.gov

This guideline contains custom content that has been modified from the standard care guidelines and has not been review ed or approved by MCG Health, LLC.

The Medical Policy Statement detailed above has received due consideration as defined in the Medical Policy Statement Policy and is approved.

Independent medical review - March 2017

