



MEDICAL POLICY STATEMENT OHIO MEDICAID


Original Issue Date	Next Annual Review	Effective Date
01/01/2014	11/29/2018	01/01/2018
Policy Name		Policy Number
Drug Testing		MM-0054
Policy Type		
MEDICAL	Administrative	Pharmacy
		Reimbursement

Medical Policy Statements prepared by CSMG Co. and its affiliates (including CareSource) are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

Medical Policy Statements prepared by CSMG Co. and its affiliates (including CareSource) do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced in the Medical Policy Statement. If there is a conflict between the Medical Policy Statement and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination.

Contents of Policy

<u>MEDICAL POLICY STATEMENT</u>	1
<u>TABLE OF CONTENTS</u>	1
<u>A. SUBJECT</u>	2
<u>B. BACKGROUND</u>	2
<u>C. DEFINITIONS</u>	2
<u>D. POLICY</u>	3
<u>E. CONDITIONS OF COVERAGE</u>	11
<u>F. RELATED POLICIES/RULES</u>	11
<u>G. REVIEW/REVISION HISTORY</u>	11
<u>H. REFERENCES</u>	11



A. SUBJECT

Drug Testing

B. BACKGROUND

Monitoring for controlled substances is performed to detect the use of prescription medications and illegal substances of concern for the purpose of medical treatment. Monitoring for controlled substances plays a key role particularly in the care of persons undergoing medical treatment with chronic pain therapy and substance use disorder (SUD). Drug testing that is medically necessary for the management of members being treated with drugs that are potentially abusive or addictive such as opioids and related medications, or for members suspected of using illicit drugs solely or in combination with prescribed controlled substances is billable to CareSource. Qualitative/presumptive drug testing performed as part of routine, prenatal care for pregnant members is also billable to CareSource.

Providers should have a working knowledge of analytic detection including primary agents, metabolites, lab threshold concentrations, and time periods involved in detection. The combination of a patient's self-report and drug testing results serve as important tools in controlled substance monitoring, as well as a point of patient engagement.

Qualitative/presumptive testing is a routine part of care, used when immediate results are needed, knowing results may be less accurate than quantitative/confirmatory tests. Quantitative/confirmatory testing is used when results may affect changes in medication, when patients dispute qualitative/presumptive results, or in treatment transitions.

Anecdotal evidence to support testing for individual patients should be balanced with the limited population evidence for added value of multiple tests for chronic pain patients or SUD patients. For example, in a 2015 evaluation of 2,551,611 de-identified patients' urine drug test results over four years in the U.S., Quest Diagnostics identified that the best achieved yearly inconsistency rate in all urine drug tests was (when the results of a drug test are not consistent with the patient's history and prescribed medicines) 53% (in 2014 vs 63% in 2011).

C. DEFINITIONS

- **Intensive Outpatient Services (IOP)** generally provide increased weekly services consisting primarily of counseling and education for Substance Abuse Disorder (SUD). Ohio Administrative Code (OAC), defines IOP as structured individual and group activities provided a minimum of 8 hours per week with services provided at least 3 days per week. Also, in IOP,
 - Individual has a minimal risk of severe withdrawal.
 - Generally provide 9-19 hours of structured programming per week for adults.
 - Generally provide 6-19 hours of structured programming per week for adolescents.
 - Fewer hours can be done in final week or two transitioning back to lower level of care.
 - Requires structured programming of counseling and education.
- **Partial Hospital Program (PH or PHP)**, sometimes known as “Day Treatment” is characterized by:
 - Individual has a moderate risk of severe withdrawal.
 - Generally features 20 or more hours per week of clinically-intensive programming.
 - Adolescents receive services often during school hours and typically have access to educational services (or are coordinated with school).
 - Psychiatric and medical consultation usually within 8 hours by phone or 48 in person.
 - Highly structured, distinct clinical services required.
 - Clinically-managed, low-intensity residential services.
 - No withdrawal risk, or minimal or stable withdrawal.
 - Typically in a halfway house, group or other supportive living environment with 24-hour staff.



- Individuals who because of specific functional limitations need safe and stable living environment and 24-hour Care.
- Services are community based, not hospital based.
- Clinical services usually no less than 5 hours per week.
- Community and house meetings, emphasis on community recovery.
- **Qualitative analysis** - The testing of a substance or mixture to determine its chemical constituents, also known as presumptive testing.
- **Quantitative test** - A test that determines the amount of a substance per unit volume or unit weight, also known as confirmatory testing.
- **Early and Periodic Screening, Diagnostic and Treatment (EPSDT)** - this benefit provides comprehensive and preventive health care services for children under age 21 who are enrolled in Medicaid. EPDST is key to ensuring that children and adolescents receive appropriate preventive, dental, mental health, and developmental, and specialty services through early diagnosis and treatment. The program specifically covers comprehensive health and developmental histories, immunizations, health education, vision services, dental services, hearing services, and any additional health care diagnostic and treatment services for physical and mental illnesses that are coverable under the federal Medicaid program and found to be medically necessary to treat, correct or reduce illnesses and conditions discovered, regardless of whether the service is covered in a state's Medicaid plan. Under the EPSDT program, any Medicaid provider can find a problem, make a referral or provide treatment. This includes doctors, nurses, dentists, physical therapists, occupational therapists, speech therapists, psychologists, psychiatrists and other health care professionals.
- **Outpatient Treatment Programs (OTP) drug testing requirements** – for substance use disorder treatment, in the US Federal Code, “OTPs must provide adequate testing or analysis for drugs of abuse, including at least eight random drug abuse tests per year, per patient in maintenance treatment, in accordance with generally accepted clinical practice. For patients in short-term detoxification treatment, the OTP shall perform at least one initial drug abuse test. For patients receiving long-term detoxification treatment, the program shall perform initial and monthly random tests on each patient.”
- **Medication Assisted Treatment (MAT)** – treatment of opioid SUD with buprenorphine, methadone, or Vivitrol
- **Random alcohol and drug test** – A laboratory test administered at an irregular interval not known in advance by the individual to be tested to detect the presence of alcohol, drugs of abuse, or other mood altering substances in the individual.
- **Independent laboratory** – A laboratory certified to perform diagnostic and/or clinical tests independent of an institution or a provider's office.
- **Participating/Non-participating** – Participating means in-network and contracted with CareSource. Non-participating means out-of-network, not contracted by CareSource.

D. POLICY

- I. **Prior Authorization:** Prior authorization is required for drug testing as outlined in this policy.
 - A. CareSource will consider all prior authorization requests when they are medically necessary to the member's treatment and care, or if they fall within the standards of care under EPDST guidelines.
 1. For all members, prior authorization for drug testing is not required in the emergency room (ER) setting when it is needed to evaluate acute overdose.
 2. For members age 6 and younger, prior authorizations are not required for drug testing, and there is no limit on the number of drug tests for a child in this age group.
 3. For members age 7 and older, prior authorization for drug testing is required when:
 - 3.1 The member reaches the limits imposed by this policy within the rolling 90-day time period (See Section D-X, *Quantity Limitations*, below); or,
 - 3.2 The type of drug test or type of sample used for the drug testing is not covered by this policy.



NOTE: Although the drug testing covered by this policy may or may not require a prior authorization, CareSource may request documentation to support medical necessity. Appropriate and complete documentation must be presented at the time of review to validate medical necessity

II. Clinical Situation

A. The member's clinical situation warrants additional testing and is medically necessary as indicated by **ONE or more of the following**.

1. The member is receiving Intensive Outpatient Services (IOP) or Partial Hospital Services (PH or PHP sometimes known as "Day Treatment") for Substance Use Disorder (SUD). **ALL OF THE FOLLOWING**

1.1 Member meets criteria for Opioid Use Disorder

1.2 Testing frequency as indicated by **ONE OF THE FOLLOWING**.

a. Testing is ordered no more frequently than weekly.

b. Testing required above minimum guideline thresholds as indicated by the **TWO or more** of the following:

(1) Poor participation in services.

(2) Collateral information from member's support network reporting recent use.

(3) Evidence of intoxication or behavior suggesting renewed use

(4) Recent deterioration in functioning (loss of job, school, active BH symptoms).

(5) State Prescription Monitoring Program shows DEA drug prescriptions that member did not disclose.

1.3 Provider has documented current or planned action to support member if drug test result shows unexpected result or medication not disclosed by member and includes **TWO OR MORE** of the following:

a. MAT dose adjustment.

b. Second opinion or consultation with another prescriber.

c. Level of Care increased to **ONE OF THE FOLLOWING**:

(1) Partial Hospital Services (PHP).

(2) Residential.

(3) Inpatient.

d. Planned changes in **TWO OR MORE** of the following:

(1) Individual Counseling.

(2) Group counseling.

(3) Prescriber visits.

(4) Narcotic anonymous visits/AA visits.

(5) High-risk living environment.

e. Other.

2. The member is in Induction Phase of Medication Assisted Treatment (MAT) for Substance Use Disorder (SUD) with buprenorphine/naloxone products, buprenorphine products, or methadone and the medical record includes documentation that supports **ALL OF THE FOLLOWING** criteria:

2.1 Member meets criteria for Opioid Use Disorder

2.2 Testing frequency as indicated by **ONE OF THE FOLLOWING**.

a. Testing is ordered no more frequently than weekly during the induction.

b. Testing required above minimum guideline thresholds as indicated by the **TWO OR MORE** of the following.

(1) Poor participation in services.

(2) Collateral information from member's support network reporting recent use.

(3) Evidence of intoxication or behavior suggesting renewed use.

(4) Recent deterioration in functioning (loss of job, school, active BH symptoms).



- (5) State Prescription Monitoring Program shows DEA drug prescriptions that member did not disclose.
- 2.3 Provider has documented current or planned action to support member if drug test result shows unexpected result or medication not disclosed by member and includes **TWO OR MORE** of the following:
 - a. MAT dose adjustment.
 - b. Second opinion or consultation with another prescriber.
 - c. Level of Care increased to **ONE** of the following:
 - (1) Opioid Treatment Program.
 - (2) Intensive Outpatient Program (IOP).
 - (3) Partial Hospital Services (PHP).
 - (4) Residential.
 - (5) Inpatient.
 - d. Planned changes in **TWO OR MORE** of the following:
 - (1) Individual Counseling.
 - (2) Group counseling.
 - (3) Prescriber visits.
 - (4) Narcotic anonymous visits/AA visits.
 - (5) High-risk living environment.
 - e. Other.
- 2.4 Member demonstrates all of the following:
 - a. Readiness for treatment.
 - b. Adheres to program rules and expectations.
 - c. No unsafe behaviors putting self or others at risk.
- 2.5 Provider documents that member is in the appropriate level of care for the service being provided.
- 2.6 Induction documentation shows member was in mild or higher withdrawal at the time of induction including **ONE OR MORE** of the following:
 - a. Score from a validated opioid withdrawal scale [(e.g. Clinical Opioid Withdrawal Scale (COWS) or Clinical Institute Narcotic Assessment (CINA)].
 - b. Documentation demonstrates that member had the following withdrawal symptoms after stopping or reducing an opioid by **THREE OR MORE** of the following:
 - (1) Dysphoric mood.
 - (2) Nausea or vomiting.
 - (3) Muscle aches.
 - (4) Lacrimation or rhinorrhea.
 - (5) Pupillary dilation, piloerection or sweating.
 - (6) Diarrhea.
 - (7) Yawning.
 - (8) Fever.
 - (9) Insomnia.
- 3. The member's behaviors demonstrate potential risk of diversion and the documentation supports **ALL of the following** criteria:
 - 3.1 State Prescription Monitoring Program results reveal **THREE or more** of the following:
 - a. Scheduled DEA drug appears that member did not disclose.
 - b. Member using more than 4 prescribers to obtain Scheduled DEA drug within past 90 days.
 - c. Member is using more than 4 pharmacies to obtain Scheduled DEA drug within past 90 days.
 - d. 12 or more Scheduled DEA drug prescriptions within last 90 days.
 - 3.2 Provider documented risk factors including **THREE or more** of the following:
 - a. Requests for early refills.
 - b. Recent drug screen does not show MAT drug or metabolite.



- c. Member claims lost prescription, lost medication, or stolen medication.
 - d. Pill counts (or film counts) are not correct.
 - e. Collateral information from member's support network alleging diversion.
 - f. Multiple recent ED visits where DEA drugs are prescribed (e.g., pain complaints).
 - g. Involvement in criminal justice system during treatment.
- 3.3 Provider documents planned consequence if diversion likely based on result of this drug test order result and other risk factor data.
4. The member is being treated for chronic pain and the medical record includes **ALL of the following**:
- 4.1 Member has a chronic pain diagnosis.
 - 4.2 Testing frequency is indicated by **ONE OF THE FOLLOWING**:
 - a. Testing ordered no more frequently than 4 times per year using **ONE OF THE FOLLOWING** validated risk tools:
 - (1) Screener and Opioid Assessment for Patients with Pain (SOAPP-R).
 - (2) Opioid Risk Tool (ORT).
 - (3) Other (Please NOTE).
 - b. Testing required above minimum guideline thresholds as indicated by the **ONE OR MORE** of the following:
 - (1) Documented use of drug/substances other than as prescribed (misuse), or substance-related disorder symptoms as indicated by **TWO OR MORE of the following**:
 - i. Poor participation in services.
 - ii. Collateral information from member's support network reports misuse or abuse of medication, use of medication not prescribed, or diverting medication.
 - iii. Evidence of intoxication or behaviors suggesting substance-related disorder.
 - iv. Recent deterioration in functioning (loss of job, school, important relationships, new BH symptoms).
 - v. State Prescription Monitoring Program shows DEA drug prescriptions that member did not disclose.
 - (2) Current or planned action taken to support member at risk for addiction is documented includes **ONE OR MORE of the following**:
 - i. Provide addiction assessment on site if behavioral health services are integrated.
 - ii. Refer for addiction assessment and treatment program.
 - iii. Introduction of alternative pain therapies without addictive properties.
 - iv. Use of motivational interviewing or other technique to motivate member to change.
5. The member is receiving Residential Level of Service for Substance Use Disorder (SUD) and **ALL OF THE FOLLOWING** criteria are met.
- 5.1 Member meets criteria for opioid use disorder.
 - 5.2 Testing frequency is indicated by **ONE OF THE FOLLOWING**:
 - a. Testing ordered no more frequently than monthly.
 - b. Testing required above minimum guideline thresholds as indicated by the **TWO OR MORE of the following**:
 - (1) Poor participation in services.
 - (2) Collateral information from member's support network reporting recent use.
 - (3) Evidence of intoxication or behavior suggesting renewed use.
 - (4) Recent deterioration in functioning (loss of job, school, active BH symptoms).



- (5) State Prescription Monitoring Program shows DEA drug prescriptions that member did not disclose.
- 5.3 Provider has documented current or planned action to be taken to support member at risk for dropping out of treatment if drug test result shows medication other than prescribed medications and includes **TWO OR MORE of the following**:
 - a. MAT dose adjustment.
 - b. Second opinion or consultation with another prescriber.
 - c. Level of Care increased to **ONE OF THE FOLLOWING**:
 - (1) Higher Intensity Residential.
 - (2) Inpatient.
 - d. Planned changes in **TWO OR MORE** of the following:
 - (1) Individual Counseling.
 - (2) Group counseling.
 - (3) Prescriber visits.
 - (4) Narcotic anonymous visits/AA visits.
 - (5) High-risk living environment.
 - e. Other.
- 5.4 Drug/substance testing is NOT being ordered as a program requirement to remain in residential program.
- 5.5 Drug/substance testing is NOT for pre-employment testing or to meet federal requirements in the transportation industry to retain employment.
6. The member is pregnant and provider documentation supports medical necessity of requested test.
7. The member is under the age of 21 and provider documentation supports medical necessity of requested test.

III. General Criteria

- A. The member's medical record includes documentation that supports **ALL OF THE FOLLOWING** General Criteria for coverage:
 1. Order for drug testing specifies the type of test to be performed as indicated by ONE of the following:
 - 1.1 A **QUALITATIVE** (presumptive) test is medically necessary beyond limits of CareSource Drug Testing Policy for the Clinical Situation(s) applicable in Section II above.
 - 1.2 A **QUANTITATIVE** (definitive/confirmatory) test is medically necessary beyond limits of CareSource Drug Testing Policy necessity for the Clinical Situation(s) applicable in Section II above as indicated by **ONE OF THE FOLLOWING**:
 - a. A qualitative/presumptive test was performed and requires confirmation, and **ALL OF THE FOLLOWING** criteria are met:
 - (1) A quantitative is required of a qualitative test result shows an unexpected finding or is inconclusive.
 - (2) The member contests the result of the qualitative/presumptive drug test performed.
 - b. Testing is requested for a drug/substance that has no qualitative/presumptive test equivalent and **ALL OF THE FOLLOWING** criteria are met for coverage:
 - (1) Provider intends to change treatment plan based on a confirmation of a contested positive result and documents change in the clinical record
 - (2) Drug/substance to be tested meets **ONE OF THE FOLLOWING**:
 - i. A MAT drug or metabolite (e.g. buprenorphine or methadone)
 - ii. A synthetic or semi-synthetic opioid is documented as one of the member's drug/substance of choice, or the member periodically uses one of these opioids.



been obtained by the provider or lab. A random basis is defined as a basis which the patient cannot predict ahead of time. For example, testing performed at every clinical visit is not random.

- E. CareSource does not provide coverage for drug testing as a requirement to stay in a facility, for example, in sober living or residential location. Other than medically necessary indications for testing, drug testing required for a residential program is included in the cost of and payment for that program.
 - F. Providers and laboratories will need to ensure specimen integrity appropriate for the stability of the drug agent being tested, until the prior authorization process is completed, for example, freezing a specimen.
- VII. **Provider Orders: CareSource requires that the ordering provider's name appear in the appropriate lines of the claims forms; any claim that does not include this information is incomplete and therefore not billable to and will not be reimbursed by CareSource.** A signed and dated provider order for the drug testing and/or testing is required. The provider's order must specifically match the number, level and complexity of the testing components performed.
- VIII. **Non-participating providers:** Non-participating providers are not covered for drug testing laboratory services. Non-participating providers may use participating laboratories for drug testing services.
- IX. **Documentation Requirements:** All documentation must be accurate, complete, maintained in the member's medical record and available to CareSource upon request. The following documentation requirements apply:
- A. Medical record documentation (e.g., history and physical, progress notes) maintained by the ordering provider/treating provider must indicate the medical necessity for performing a qualitative/presumptive drug test.
 - B. Every page of the record must be legible and include appropriate member identification information (e.g., complete name, dates of service(s)).
 - C. The record must include the identity of the physician or non-physician practitioner responsible for and providing the care of the member.
 - D. The submitted medical record should support the use of the selected ICD-10-CM code(s) with appropriate indications for urine drug testing.
 - E. The submitted CPT/HCPCS code should accurately describe the service performed.
 - F. Copies of test results alone without the proper provider's order for the test are not sufficient documentation of medical necessity to support a claim.
 - G. Drug testing records and related entries in a member's medical record must be provided to CareSource upon request for auditing of medical necessity. Documentation must support medical necessity and specify why each test is ordered. Documentation must also support the number of analytes requested for testing, and what action the provider will take upon the findings.
- X. **Quantity Limitations**
- A. CareSource will reimburse for up to 5 qualitative/presumptive tests in any rolling 90 day period for each member.
 - B. CareSource will reimburse 5 dates of service for quantitative/confirmatory tests in any rolling 90 day period for each member.
 - C. Within these limits, only 1 multi-panel test, (i.e., testing for each category of a drug class, including metabolite(s) (if performed,)) may be billed per day (same date of service (DOS)) unless the ordering provider or providing lab has obtained prior authorization from CareSource.
 - D. CareSource will cover only one qualitative/presumptive test per date of service.
 - E. Each CPT code is counted as a test toward these limits.
 - F. Prior authorization must be obtained by the ordering/referring provider or lab for any



drug testing performed exceeding these limits. CareSource will consider all such requests when they are medically necessary to the member's line of treatment, or if they fall within the standards of care under EPDST guidelines.

XI. Confirmatory and Duplicative Testing

- A. Routine multi-drug quantitative/confirmatory testing is not billable to and will not be reimbursed by CareSource. Quantitative/confirmatory testing must be individualized for the member and medically necessary. Routine confirmations (quantitative) of drug tests with negative results are not covered by CareSource without review and prior authorization. Quantitative/confirmatory testing is covered for a negative drug/drug class test when the negative finding is inconsistent with the member's documented medical history and/or current documented chronic pain medication list, and indications substantiated in the medical record.
- B. Routine nonspecific or wholesale orders for drug testing (qualitative), confirmation or (quantitative) drugs of abuse testing are not billable.

XII. Independent Laboratories

- A. Drug testing conducted for CareSource members by non-participating labs or facilities is not billable to and will not be reimbursed by CareSource, even if such tests were ordered by a participating provider.
- B. CareSource may require documentation of FDA-approved complexity level for instrumented equipment, and/or CLIA Certificate of Registration, Compliance, or Accreditation as a high complexity lab.
- C. Both participating providers and non-participating providers may potentially order laboratory tests for CareSource members
- D. Only participating independent laboratories can bill for quantitative/confirmatory drug tests.
- E. Laboratories must have the appropriate level of CLIA certification for the testing performed and be contracted (participating) with CareSource.
- F. Claims are not billable to CareSource if submitted by laboratories that are non-participating (not contracted) with CareSource.
- G. The ordering/referring provider must include the clinical indication/medical necessity and any required prior authorizations in the order for the drug test as outlined above.
- H. The independent laboratory performing the drug testing must maintain hard copy documentation of the lab results, along with copies of the ordering/referring provider's order for the drug test and any required prior authorizations.
- I. Participating laboratories performing drug testing services must bill CareSource directly. CareSource does not allow pass-through billing of services. Any claim submitted by a provider which includes services ordered by that provider but are performed by a person or entity other than that provider or a direct employee of that provider, is not billable to CareSource.

XIII. Other Non-billable Drug Testing

- A. Standing orders set up between a provider and laboratory which are prewritten and/or result in the same drugs and drug classes to be tested on a routine, repeat basis, are not billable to and will not be reimbursed by CareSource.
- B. Drug testing is not billable to and will not be reimbursed by CareSource if required by a third party such as:
 - 1. For medico-legal purposes (e.g., court-ordered drug testing);
 - 2. For employment purposes (e.g., as a pre-requisite for employment or as a requirement for continuation of employment);
 - 3. As a condition of:
 - 3.1 Participation in school or community athletic activities or programs.
 - 3.2 Participation in school or community extra circular activities or programs.
 - 4. As a component of a routine physical/medical examination; e.g. (enrollment in



school, enrollment in the military, etc.), EXCEPT for once yearly screening in EPSDT programs.

5. As a component of medical examination for any other administrative purposes not listed above (e.g., for purposes of marriage licensure, insurance eligibility, etc.).
6. As a program requirement to live in sober housing or residential services. Other than medically necessary indications for testing, drug testing required for a residential program is included in the cost of and payment for that program.

NOTE: Compliance with the provisions in this policy may be monitored and addressed through post payment data analysis, subsequent medical review audits, recovery of overpayments identified, and provider prepay review.

E. CONDITIONS OF COVERAGE

HCPCS
CPT

AUTHORIZATION PERIOD

F. RELATED POLICIES/RULES

Drug Testing Reimbursement Policy (PY-0020):

<https://www.caresource.com/providers/ohio/ohio-providers/payment-policies/>

G. REVIEW/REVISION HISTORY

DATES		ACTION
Date Issued	01/01/2014	New Policy.
Date Revised	04/05/2016, 02/08/2017, 3/22/2017, 07/26/2017	
	11/29/2017	Updated definitions of testing; conditions of coverage clarified; testing limits redefined, revisions to quantity limits and prior authorization requirements, updated clinical criteria.
Date Effective	01/01/2018	

H. REFERENCES

1. Ohio Administrative Code, Medicaid Alcohol and Drug Addiction Services. (2012, October 1). Retrieved on 8/15/2016 from <http://codes.ohio.gov/oac/5160-30>
2. Ohio Administrative Code, Medicaid Treatment services. (2012, July 1). Retrieved from on 8/15/2016 from <http://codes.ohio.gov/oac/3793%3A2-1-08>
3. Ohio Medicaid Fee Schedule Rates. (2016, August). Retrieved on 8/15/2016 from <http://medicaid.ohio.gov/Portals/0/Providers/FeeScheduleRates/App-DD.pdf>
4. Ohio Medicaid Fee Schedule Rates and Covered CPT Codes. (2016, January). Retrieved from on 8/15/2016 <http://medicaid.ohio.gov/Portals/0/Providers/FeeScheduleRates/CPT-HCPS-2016.pdf>
5. A. Barthwell, "Statement of Consensus on the Proper Utilization of Urine Testing in Identifying and Treating Substance Use Disorders," 2015. [Online]. Available: <http://farronline.org/wp-content/uploads/2015/11/Final-Report-Statement-of-Consensus-on-the-Proper-Utilization-of-Urine-Testing-in-Identifying-and-Treating-Substance-Abuse-Disorders.pdf>
6. A. Pesce, C. West, K. Egan City and J. Strickland, "Interpretation of urine drug testing in pain patients," Pain Medicine, vol. 13, no. 7, pp. 868-85, 2012.



7. Mayo Clinic, "Approximate detection times of drugs of abuse," Oct 2016. [Online]. Available: <http://www.mayomedicallaboratories.com/test-info/drug-book/viewall.html>
8. K. E. Moeller, K. C. Lee and J. C. Kissack, "Urine drug screening: Practical guide for clinicians," Mayo Clinic Proceedings, vol. 83, no. 1, pp. 66-76, Jan 2008.
9. S. Vakili, S. Currie and N. el-Guebaly, "Evaluating the utility of drug testing in an outpatient addiction program," Addictive Disorders and their Treatment, vol. 8, no. 1, pp. 22-32, 2009.
10. Jaffe, S. Molnar, N. Williams, E. Wong, T. Todd, C. Caputo, J. Tolentino and S. Ye, "Review and recommendations for drug testing in substance use treatment contexts," Journal of Reward Deficiency Syndrome and Addiction Science, vol. 2, no. 1, pp. 28-45, 2016.
11. K. Dolan, D. Rouen and J. Kimber, "An overview of the use of urine, hair, sweat and saliva to detect drug use," Drug and Alcohol Review, vol. 23, no. 2, pp. 213-217, 2004.
12. A. G. Verstraete, "Detection times of drugs of abuse in blood, urine, and oral fluid," Therapeutic Drug Monitoring, vol. 26, no. 2, pp. 200-205, 2004.
13. ASAM, Principles of Addiction Medicine, 5th Edition ed., R. K. Ries, D. A. Fiellin, S. C. Miller and R. Saitz, Eds., Philadelphia, PA: Lippincott Williams & Wilkins, 2014.
14. A. Rzetelny, B. Zeller, N. Miller, K. E. City, K. L. Kirsh and S. D. Passik, "Counselors' clinical use of definitive drug testing results in their work with substance-use patients: A qualitative study," International Journal of Mental Health and Addiction, vol. 14, no. 1, pp. 64-80, 2016.
15. J. Dupouy, V. Macmier, H. Catala, M. Lavit, S. Oustric and M. Lapeyre-Mestre, "Does urine drug abuse screening help for managing patients? A systematic review," Drug and Alcohol Dependence, vol. 136, pp. 11-20, 2014.
16. E. Y. Hilario, M. L. Griffin, R. K. McHugh, K. A. McDermott, H. S. Connery, G. M. Fitzmaurice and R. D. Weiss, "Denial of urinalysis-confirmed opioid use in prescription opioid dependence," Journal of Substance Abuse Treatment, vol. 48, no. 1, pp. 85-90, 2015.
17. ASAM, "Drug Testing: A White Paper of the American Society of Addiction Medicine," American Society of Addiction Medicine, Chevy Chase, MD, 2013.
18. Quest Diagnostics Health Trends™ Prescription Drug Monitoring Report 2015, Prescription Drug Misuse in America, Diagnostic Insights in the Continuing Drug Epidemic Battle. Accessed on December 8, 2016. Located at https://www.questdiagnostics.com/dms/Documents/health-trends/Health_Trends_27281_MI4854_V5_LG_082715_Small.pdf
19. Ohio Administrative Code, Chapter 4723-6 Alternative Program for Chemical Dependency/Substance Use Disorder Monitoring "Random alcohol and drug screen" definition. Retrieved 3/2/2017 from <http://codes.ohio.gov/oac/4723-6> .
20. Drug abuse testing services, in the United States Federal Code, CFR 42, Part 8 § 12(f)(6) Retrieved on 3/2/2017 from <https://www.law.cornell.edu/cfr/text/42/8.12>
21. Early and Periodic Screening, Diagnostic, and Treatment | Medicaid.gov. (n.d.). Retrieved from <https://www.medicaid.gov/medicaid/benefits/epsdt/index.html>
22. Ohio Department of Medicaid - Healthchek.(n.d.). Retrieved from <http://medicaid.ohio.gov/FOROHIOANS/Programs/Healthchek.aspx>
23. Consensus Statement. Appropriate Use of Drug Testing in Clinical Addiction Medicine. *Journal of Addiction Medicine*, June 2017

This guideline contains custom content that has been modified from the standard care guidelines and has not been reviewed or approved by MCG Health, LLC.

The Medical Policy Statement detailed above has received due consideration as defined in the Medical Policy Statement Policy and is approved.