

REIMBURSEMENT POLICY STATEMENT OHIO MEDICAID

| Policy Name | Poli | cy Number | Date Effective | | |
|--------------|----------------|-----------|----------------|--|--|
| Drug Testing | | PY-0020 | 7/1/2019 | | |
| Policy Type | | | | | |
| Medical | Administrative | Pharmacy | REIMBURSEMENT | | |

Reimbursement Policies prepared by CSMG Co. and its affiliates (including CareSource) are intended to provide a general reference regarding billing, coding and documentation guidelines. Coding methodology, regulatory requirements, industry-standard claims editing logic, benefits design and other factors are considered in developing Reimbursement Policies.


In addition to this Policy, Reimbursement of services is subject to member benefits and eligibility on the date of service, medical necessity, adherence to plan policies and procedures, claims editing logic, provider contractual agreement, and applicable referral, authorization, notification and utilization management guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any federal or state coverage mandate, Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

This Policy does not ensure an authorization or Reimbursement of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced herein. If there is a conflict between this Policy and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination

CSMG Co. and its affiliates may use reasonable discretion in interpreting and applying this Policy to services provided in a particular case and may modify this Policy at any time.

Contents of Policy

| <u>REIN</u> | MBURSEMENT POLICY STATEMENT | 1 |
|-------------|-----------------------------|---|
| TABL | LE OF CONTENTS | 1 |
| <u>A.</u> | SUBJECT | 2 |
| <u>B.</u> | BACKGROUND | 2 |
| <u>C.</u> | <u>DEFINITIONS</u> | 2 |
| <u>D.</u> | POLICY | 3 |
| <u>E.</u> | CONDITIONS OF COVERAGE | 6 |
| <u>F.</u> | RELATED POLICIES/RULES | 7 |
| <u>G.</u> | REVIEW/REVISION HISTORY | 7 |
| <u>H.</u> | REFERENCES | 8 |
| <u>l.</u> | APPENDIX A | 9 |



Effective Date: 7/1/2019



B. Background

Reimbursement policies are designed to assist you when submitting claims to CareSource. They are routinely updated to promote accurate coding and policy clarification. These proprietary policies are not a guarantee of payment. Reimbursement for claims may be subject to limitations and/or qualifications. Reimbursement will be established based upon a review of the actual services provided to a member and will be determined when the claim is received for processing. Health care providers and their office staff are encouraged to use self-service channels to verify member's eligibility.

It is the responsibility of the submitting provider to submit the most accurate and appropriate CPT/HCPCS code(s) for the product or service that is being provided. The inclusion of a code does not imply any right to reimbursement or guarantee claims payment. Claims submitted to CareSource must be complete in all respects; and all use of the Health Insurance Claim Form CMS-1500 must comply with the most recent version of the Medicare Claims Processing Manual.

Drug testing is a part of medical care during the initial assessment, ongoing monitoring, and recovery phase for members with substance use disorder (SUD); for members who are at risk for abuse/misuse of drugs; or for other medical conditions. The drug test guides a provider in diagnosing and planning the member's care when prescription medications or illegal drugs are of concern.

Urine is the most common specimen to monitor drug use. There are two main types of urine drug testing (UDT): presumptive/qualitative and confirmatory/quantitative. Drug testing is sometimes also referred to as toxicology testing.

C. Definitions

- **Presumptive/Qualitative test** The testing of a substance or mixture to determine its chemical constituents, also known as qualitative testing.
- Confirmatory/Quantitative test A test that determines the amount of a substance per unit volume or unit weight, also known as quantitative or definitive testing.
- Early and Periodic Screening, Diagnostic and Treatment (EPSDT) This benefit provides comprehensive and preventive health care services for children under age 21 who are enrolled in Medicaid.
- Random drug test A laboratory drug test administered at an irregular interval that is not known in advance by the member.
- **Independent laboratory** A laboratory certified to perform diagnostic and/or clinical tests independent of an institution or a provider's office.
- Participating/non-participating Participating means in-network and contracted with CareSource. "Non-participating," means out-of-network, not contracted with CareSource.
- Qualified Laboratories: When an out-of-network qualified laboratory provides
 toxicology test results to the referring health care provider within two business days
 of receipt of the test specimen, the MCP shall pay that laboratory at least sixty
 percent of the Medicaid laboratory services fee schedule. For the purposes of this

Effective Date: 7/1/2019

requirement, a qualified laboratory is a laboratory that is enrolled with Medicaid as an independent laboratory, and that **meets all of the following conditions**:

- 1. Is accredited by the College of American Pathologists; and
- 2. Is approved by the New York Clinical Laboratory Evaluation Program; and
- 3. Indicates to the MCP that it is providing services and billing as a qualified laboratory
- Residential services Ohio Administrative code defines residential services as "These services are co-occurring capable, co-occurring enhanced, and complexity capable in nature and provided by addiction treatment, mental health and general medical personnel in a twenty four hour treatment setting. Services are provided in Ohio department of mental health and addiction services certified permanent facilities which are staffed twenty four hours a day."

NOTE: Clinical guidelines, definitions, standards, and scenarios for drug testing are outlined in detail within the CareSource Drug Testing Medical Policy, MM-0054. Please refer to this policy for in-depth information on medical necessity for drug testing, documentation requirements, and CareSource monitoring and review of drug testing claims.

D. Policy

- I. General Criteria for Coverage
 - A. Documentation must support medical necessity.
 - B. Documentation must include the ICD-10 code demonstrating appropriate indication for UDT.
 - C. The submitted CPT/HCPCS code must accurately describe the service performed.
 - D. CareSource requires that the ordering provider's name appear in the appropriate lines of the claims forms.
- II. Prior Authorization (PA)
 - A. CareSource will consider all prior authorization requests when they are medically necessary to the member's treatment and care, or if they fall within the standards of care under EPDST guidelines.
 - 1. CareSource will require a PA for UDT tests >30 presumptive and/or > 12 confirmatory UDT per member per calendar year
 - 2. PA is required for any non-participating provider with CareSource for nonemergency room setting.
 - 3. PA is required for any non-participating, non-qualified lab/facility with CareSource for non-emergency room setting.
 - 4. PA is required for any non-participating, qualified lab/facility with CareSource for non-emergency room setting.
 - 5. PA is not required in an emergency room setting. UDT utilization will be monitored by CareSource.
 - 6. PA needs to make a clear case for medical necessity for the level of testing being requested.

¹ http://codes.ohio.gov/oac/5160-27-09v1

Effective Date: 7/1/2019

- B. Providers and laboratories will need to ensure specimen integrity appropriate for the stability of the drug agent being tested until the PA process is complete i.e. freezing specimen.
- C. Must submit appropriate clinical documentation with PA request to determine appropriate medical necessity.
- D. If needed, the licensed practitioner that is operating in his/her scope of practice must obtain the prior authorization.

III. Quantity Limitations

- A. CareSource will cover up to 30 presumptive and 12 definitive UDT per member per calendar year.
 - 1. CareSource will cover up to 30 presumptive UDT per member per calendar year.
 - 2. CareSource will cover up to 12 definitive UDT per member per calendar year.
- B. For presumptive tests, each CPT code is counted as one test.
- C. For confirmatory tests, all CPT tests performed on the same date of service count as one test.

IV. Laboratory

- A. CareSource laboratories performing drug testing services must bill CareSource directly. **CareSource does not allow pass-through billing of services.** Any claim submitted by a provider which includes services ordered by that provider, but are performed by a person or entity other than that provider or a direct employee of that provider, is not billable to CareSource.
- V. Early and Periodic Screening, Diagnostic and Treatment (EPSDT) is billable for comprehensive and preventive health care service for children under age 21.

VI. Non-Urine Testing

- A. CareSource will reimburse blood testing in emergency room settings.
- B. Drug testing with blood samples performed in any other setting outside of an emergency room is a non-covered benefit.
- C. Hair, saliva, or other body fluid testing for controlled substance monitoring has limited support in medical evidence and is not covered

VII. Confirmatory Testing

- A. Routine multi-drug confirmatory testing is not billable and will not be reimbursed by CareSource.
- B. Confirmatory testing must be individualized for the member and medically necessary. Routine confirmatory drug tests with negative presumptive results are not covered by CareSource.
- C. Confirmatory testing is billable when documentation supports
 - 1. How the test results will guide plan of care i.e. modification of treatment plan, consultation with specialist **AND ONE** of the following:
 - a. Presumptive testing was negative for prescription medications AND provider was expecting the test to be positive for prescribed medication AND member reports taking medication as prescribed OR

Effective Date: 7/1/2019

- Presumptive testing was positive for prescription drug with abuse potential that was not prescribed by provider AND the member disputes the presumptive testing results OR
- c. Presumptive testing was positive for illegal drug **AND** the member disputes the presumptive testing results **OR**
- d. A substance or metabolite is needed to be identified that cannot be identified by presumptive testing. (e.g. semi-synthetic and synthetic opioids, certain benzodiazepines).

VIII. Non-Billable Drug Testing

- A. Testing that is not individualized such as
 - 1. Reflexive testing.
 - 2. Routine orders.
 - 3. Standard orders.
 - 4. Preprinted orders.
 - 5. Requesting a broad spectrum of tests that a machine is capable of doing solely because a result may be positive.
 - 6. Large arbitrary panels.
 - 7. Universal testing.
 - 8. Conduct additional testing as needed.
- B. Testing required by third parties such as
 - 1. Testing ordered by a court or other medico-legal purpose such as child custody.
 - 2. Testing for pre-employment or random testing that is a requirement of employment.
 - 3. Physician's health programs (recovery for physicians, dentists, veterinarians, pharmacists, etc.).
 - 4. School entry or testing for athletics.
 - 5. Testing required for military service.
 - 6. Testing in residential facility, partial hospital, or sober living as a condition to remain in that community.
 - 7. Testing with another pay source that is primary such as a county, state or federal agency.
 - 8. Testing for marriage license.
 - 9. Forensic.
 - 10. Testing for other admin purposes.
 - 11. Routine physical/medical examination EXCEPT for the EPSDT program.
- C. Testing for validity of specimen
 - It is included in the payment for the test and will not be reimbursed separately.
- D. Blood drug testing when completed outside of the emergency room.
- E. Hair, saliva, or other body fluid testing for controlled substance monitoring.
- F. Any type of drug testing not addressed in this policy.
- G. Routine nonspecific or wholesale orders including routine drug panels.
- H. Routine use of confirmatory testing following a negative presumptive expected result.
- I. Custom Profiles, standing orders, drug screen panel, custom panel, blanket orders, reflex testing or conduct additional testing as needed orders.
- J. A confirmatory test prior to discussing results of presumptive test with member.

Effective Date: 7/1/2019

NOTE: Compliance with the provisions in this policy may be monitored and addressed through post payment data analysis, subsequent medical review audits, recovery of overpayments identified, and provider prepay review.

E. CONDITIONS OF COVERAGE

Reimbursement is dependent on, but not limited to, submitting Ohio Medicaid approved HCPCS and CPT codes along with appropriate modifiers and ICD-10 codes. Please refer to the Ohio Medicaid fee schedule.

The following list(s) of codes is provided as a reference. This list may not be all inclusive and is subject to updates. Please refer to the above referenced source for the most current coding information.

| Codes | Qualitative/Presumptive Tests-Description | | | | |
|-------|--|--|--|--|--|
| 80305 | Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; capable of being read by direct optical observation only (eg, utilizing immunoassay [eg, dipsticks, cups, cards, or cartridges]), includes sample validation when performed, per date of service | | | | |
| 80306 | Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; read by instrument assisted direct optical observation (eg, utilizing immunoassay [eg, dipsticks, cups, cards, or cartridges]), includes sample validation when performed, per date of service | | | | |
| 80307 | Drug test(s), presumptive, any number of drug classes, any number of devices or procedures; by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service | | | | |
| Codes | Quantitative/Confirmatory Tests-Description | | | | |
| 80320 | alcohols | | | | |
| 80321 | alcohol biomarkers 1 or 2 | | | | |
| 80322 | alcohol biomarkers 3 or more | | | | |
| 80323 | alkaloids, not otherwise specified | | | | |
| 80324 | amphetamines 1 or 2 | | | | |
| 80325 | amphetamines 3 or 4 | | | | |
| 80326 | amphetamines 5 or more | | | | |
| 80327 | anabolic steroids, 1 or 2 | | | | |
| 80328 | anabolic steroid, 3 or more | | | | |
| 80329 | analgesics, non-opioid, 1 or 2 | | | | |
| 80330 | analgesics, non-opioid 3-5 | | | | |
| 80331 | analgesics, non-opioid 6 or more | | | | |
| 80332 | antidepressants, serotonergic class 1 or 2 | | | | |
| 80333 | antidepressants, serotonergic class 3-5 | | | | |
| 80334 | antidepressants, serotonergic class 6 or more | | | | |
| 80335 | antidepressants, tricyclic and other cyclicals 1 or 2 | | | | |
| 80336 | antidepressants, tricyclic and other cyclicals 3-5 | | | | |
| 80337 | antidepressants, tricyclic and other cyclicals 6 or more | | | | |
| 80338 | antidepressants not otherwise specified | | | | |
| 80339 | antiepileptics, not otherwise specified 1-3 | | | | |
| 80340 | antiepileptics, not otherwise specified 4-6 | | | | |
| 80341 | antiepileptics, not otherwise specified 7 or more | | | | |

Drug Testing OHIO MEDICAID PY-0020 Effective Date: 7/1/2019

| 80342 | antipsychotics, not otherwise specified 1-3 | | | | | |
|---|---|--|--|--|--|--|
| 80343 | antipsychotics, not otherwise specified 4-6 | | | | | |
| 80344 antipsychotics, not otherwise specified 7 or more | | | | | | |
| 80345 | | | | | | |
| 80346 | benzodiazepines, 1-12 | | | | | |
| 80347 | benzodiazepines, 13 or more | | | | | |
| 80348 | buprenorphine | | | | | |
| 80349 | cannabinoids, natural | | | | | |
| 80350 | cannabinoids, synthetic 1-3 | | | | | |
| 80351 | cannabinoids, synthetic 4-6 | | | | | |
| 80352 | cannabinoids, synthetic 7 or more | | | | | |
| 80353 | cocaine | | | | | |
| 80354 | fentanyl | | | | | |
| 80355 | gabapentin, non-blood | | | | | |
| 80356 | heroin metabolite | | | | | |
| 80357 | ketamine and norketamine | | | | | |
| 80358 | methadone | | | | | |
| 80359 | MDA, MDEA, MDMA | | | | | |
| 80360 | methylphenidate | | | | | |
| 80361 | | | | | | |
| 80362 opioids and opiate analogs, 1 or 2 | | | | | | |
| 80363 | opioids and opiate analogs, 3 or 4 | | | | | |
| 80364 | opioids and opiate analogs, 5 or more | | | | | |
| 80365 | oxycodone | | | | | |
| 80366 | pregabalin | | | | | |
| 80367 | propoxphene | | | | | |
| 80368 | sedative hypnotics (non benzodiazepines) | | | | | |
| 80369 | skeletal muscle relaxants 1 or 2 | | | | | |
| 80370 | skeletal muscle relaxants 3 or more | | | | | |
| 80371 | stimulants, synthetic | | | | | |
| 80372 | tapentadol | | | | | |
| 80373 | tramadol | | | | | |
| 80374 | stereoisomer (enantiomer) analysis, single drug class | | | | | |
| 80375 | drug, or substance definitive, qualitative or quantitative, not otherwise specified 1-3 | | | | | |
| 80376 | drug, or substance definitive, qualitative or quantitative, not otherwise specified 4-6 | | | | | |
| 80377 | drug, or substance definitive, qualitative or quantitative, not otherwise specified 7 or more | | | | | |
| 83992 | phencyclidine (PCP) | | | | | |
| <i>y</i> | | | | | | |

F. RELATED POLICIES/RULES

CareSource Drug Testing Medical Policy MM-0054

G. REVIEW/REVISION HISTORY

| DATE | | ACTION |
|--------------|------------|--------|
| Date Issued | 11/29/2017 | |
| Date Revised | 3/8/2017 | |
| | 5/31/2017 | |
| | 10/1/2017 | |
| | 11/29/2017 | |
| | 2/16/2018 | |
| | 5/13/2019 | |

Effective Date: 7/1/2019

| | 7/1/2019 | Updated requireme | | indications, | quantity | limits, | and | PA |
|----------------|----------------------|--|--|--------------|----------|---------|-----|----|
| | 7/8/2019 9/6/2019 | Updated qualified laboratories per ODM guidance Added OH PA form | | | | | | |
| Date Effective | 7/1/2019 | | | | | | | |

H. REFERENCES

- A. Jaffe, S. Molnar, N. Williams, E. Wong, T. Todd, C. Caputo, J. Tolentino and S. Ye. (2016). Review and recommendations for drug testing in substance use treatment contexts. *Journal of Reward Deficiency Syndrome and Addiction Science*. Retrieved on 12/11/20iction Science18 from https://blumsrewarddeficiencysyndrome.com/ets/articles/v1n1/jrdsas-025-adi-jaffe.pdf
- A. Rzetelny, B. Zeller, N. Miller, K. E. City, K. L. Kirsh and S. D. Passik. (2016) Counselors' clinical use of definitive drug testing results in their work with substance-use patients: A qualitative study. *International Journal of Mental Health and Addiction*. Retrieved on 12/13/2018 from
 - https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4710647/pdf/11469 2015 Article 9569.pdf
- American Society of Addiction Medicine (Revised 2010). Public Policy Statement on Drug Testing as a Component of Addiction Treatment and Monitoring Programs and in other Clinical Settings. Retrieved on 12/11/2018 from https://www.asam.org/docs/default-source/public-policy-statements/1drug-testing---clinical-10-10.pdf?sfvrsn=1b11ac97 0#search="urine drug testing"
- Jarvis, M, Williams, J, Hurford, M, Lindsay, D, Lincoln, P, Giles, L, Luongo, P, Safarian, T. (2017) *Journal of Addiction Medicine*. Retrieved on 12/13/2018 from https://journals.lww.com/journaladdictionmedicine/Fulltext/2017/06000/Appropriate_Use_of_Drug Testing in Clinical.1.aspx
- Dowell, D., Haegerich, T. M., & Chou, R. (2016). CDC Guideline for Prescribing Opioids for Chronic Pain — United States, 2016. MMWR. Recommendations and Reports Retrieved on 12/11/2018 from http://dx.doi.org/10.15585/mmwr.rr6501e1
- eCFR Code of Federal Regulations. (n.d.). Retrieved on 12/11/2018 from https://www.ecfr.gov/cgibin/retrieveECFR?gp=3&SID=7282616ac574225f795d5849935efc45&ty=HTML&h=L&n=pt42 .1.8&r=PART#se42.1.8 12
- 7. Lawriter OAC 5160-27-09 Substance use disorder treatment services. (n.d.). Retrieved from http://codes.ohio.gov/oac/5160-27-09v1
- 8. Medicaid. Early and Periodic Screening, Diagnostic, and Treatment. (n.d.) Retrieved on 12/11/2018 from https://www.medicaid.gov/medicaid/benefits/epsdt/index.html
- 9. Owen, G, Burton, A, Schade, C, Passik, S. (2012) Urine Drug Testing: Current Recommendations and Best Practices. Pain Physician *Journal*. Retrieved 12/13/2018 from http://www.painphysicianjournal.com/current/pdf?article=MTcxMA%3D%3D&journal=68
- U.S. Department of Veterans Affairs (2014) Pain Management Opioid Safety VA Educational Guide. Retrieved on 12/11/2018 from https://www.va.gov/PAINMANAGEMENT/docs/OSI_1_Tookit_Provider_AD_Educational_Guide 7 17.pdf
- 11. Washington State Interagency Guideline on Opioid Dosing for Chronic Non-cancer Pain. (2017) Retrieved on 12/11/2018 from https://kbml.ky.gov/prescribing-substance-abuse/Documents/Resources%20SAWashington%20State%20Interagency%20Guideline%2 0on%20Opioid%20Dosing%20for%20Chronic%20Non-Cancer%20Pain%20Urine%20Drug%20Testing%20Guidance.pdf

The Reimbursement Policy Statement detailed above has received due consideration as defined in the Reimbursement Policy Statement Policy and is approved.



Effective Date: 7/1/2019

APPENDIX A

OHIO URINE DRUG SCREEN PRIOR AUTHORIZATION (PA) REQUEST FORM

The Clinical Advisory Group of the Ohio Department of Mental Health and Addiction Services established broad guidelines to appropriate clinical use of urine drug screening for patients with a substance use disorder. These guidelines took into account ease of access for patients by eliminating barriers to care, as well as account for patient safety, acuity, risk of relapse/overdose, level of care, and sustained abstinence.

| Date of | f Request: | | |
|----------------|-----------------------------------|--|---|
| <u>Patient</u> | t Information | | |
| | Last Name: | | First Name: |
| | DOB: | Member ID: | Patient phone # |
| <u>Provide</u> | er Information | _ | |
| 1. | Ordering Provider | Name: | |
| 1. | Tax ID: | NPI: | Phone |
| | Fax: | | |
| 2. | Service Provider (L | aboratory/Facility) Name | 2: |
| | Tax ID: | NPI: | Phone |
| | Fax: | | |
| Reason | n for request: (Check | | |
| | | | nt Other |
| Patient | t's current phase of o | are: 🗆 Induction 🗆 Stabi | ilization 🛘 Maintenance 🗖 Long term maintenance 🗸 Relapse |
| | | | ; □ not yet determined |
| List dat | te of testing if differe | nt than the date of this Pa | A request: |
| 1. | Presumptive (sele | ect one): 🗆 80305 🗆 80306 | 6 □ 80307 |
| 2. | Confirmatory – inc | clude type of test (s): | |
| For Pati | ients with Chronic Pa | ain on Opioid Therapy - Pr | rovide results of most recent screening. |
| Δdditic | onal Clinical Informa | tion | |
| Additio | <u>Sital Cililical Illiolilla</u> | <u></u> | |
| | ent currently pregnar | | |
| | | | <u> </u> |
| Has pa | | to MAT over past 3 mont | |
| Has me | , | ne 🗆 Most of time 🗆 Erra tion been observed: 🗆 Ye | |
| | | | be considered with this completed form. |
| TTOVIA | | | |
| | Form completed by | /: | Phone number: |
| | | | |
| | | | |

² OHIO URINE DRUG SCREEN PRIOR AUTHORIZATION (PA) REQUEST FORM T0977

² Definition of Relapse: (ASAM National Practice Guideline (2015) A process in which an individual who has established abstinence or sobriety experiences recurrence of signs and symptoms of active addiction, often including resumption of the pathological pursuit of reward and/or relief through the use of substances and other behaviors.