



## REIMBURSEMENT POLICY STATEMENT OHIO MEDICAID

<b>Original Issue Date</b>	<b>Next Annual Review</b>	<b>Effective Date</b>
12/01/2018	12/01/2019	12/01/2018
<b>Policy Name</b>		<b>Policy Number</b>
Molecular Diagnostic Testing for Hepatitis B and C		PY-0447
<b>Policy Type</b>		
Medical	Administrative	Pharmacy
<b>REIMBURSEMENT</b>		

Reimbursement Policies prepared by CSMG Co. and its affiliates (including CareSource) are intended to provide a general reference regarding billing, coding and documentation guidelines. Coding methodology, regulatory requirements, industry-standard claims editing logic, benefits design and other factors are considered in developing Reimbursement Policies.


In addition to this Policy, Reimbursement of services is subject to member benefits and eligibility on the date of service, medical necessity, adherence to plan policies and procedures, claims editing logic, provider contractual agreement, and applicable referral, authorization, notification and utilization management guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any federal or state coverage mandate, Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

This Policy does not ensure an authorization or Reimbursement of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced herein. If there is a conflict between this Policy and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination.

CSMG Co. and its affiliates may use reasonable discretion in interpreting and applying this Policy to services provided in a particular case and may modify this Policy at any time.

### Contents of Policy

<u>REIMBURSEMENT POLICY STATEMENT</u> .....	1
<u>TABLE OF CONTENTS</u> .....	1
<u>A. SUBJECT</u> .....	2
<u>B. BACKGROUND</u> .....	2
<u>C. DEFINITIONS</u> .....	2
<u>D. POLICY</u> .....	3
<u>E. CONDITIONS OF COVERAGE</u> .....	3
<u>F. RELATED POLICIES/RULES</u> .....	3
<u>G. REVIEW/REVISION HISTORY</u> .....	3
<u>H. REFERENCES</u> .....	4



## A. SUBJECT

### Molecular Diagnostic Testing for Hepatitis B and C

## B. BACKGROUND

Molecular testing, following a diagnosis or suspected diagnosis can help guide appropriate therapy by identifying specific therapeutic targets and appropriate pharmaceutical interventions. Molecular diagnostic testing utilizes Polymerase Chain Reaction (PCR), a genetic amplification technique that only requires small quantities of DNA, for example, 0.1 mg of DNA from a single cell, to achieve DNA analysis in a shorter laboratory processing time. Knowing the gene sequence, or at minimum the borders of the target segment of DNA to be amplified, is a prerequisite to a successful PCR amplification of DNA.


*“Hepatitis B is a liver infection caused by the Hepatitis B virus (HBV). Hepatitis B is transmitted when blood, semen, or another body fluid from a person infected with the Hepatitis B virus enters the body of someone who is not infected. This can happen through sexual contact; sharing needles, syringes, or other drug-injection equipment; or from mother to baby at birth. For some people, hepatitis B is an acute, or short-term, illness but for others, it can become a long-term, chronic infection. Risk for chronic infection is related to age at infection: approximately 90% of infected infants become chronically infected, compared with 2%–6% of adults. Chronic Hepatitis B can lead to serious health issues, like cirrhosis or liver cancer. The best way to prevent Hepatitis B is by getting vaccinated.” (1)*

*“Hepatitis C is a liver infection caused by the Hepatitis C virus (HCV). Hepatitis C is a blood-borne virus. Today, most people become infected with the Hepatitis C virus by sharing needles or other equipment to inject drugs. For some people, hepatitis C is a short-term illness but for 70%–85% of people who become infected with Hepatitis C, it becomes a long-term, chronic infection. Chronic Hepatitis C is a serious disease than can result in long-term health problems, even death. The majority of infected persons might not be aware of their infection because they are not clinically ill. There is no vaccine for Hepatitis C. The best way to prevent Hepatitis C is by avoiding behaviors that can spread the disease, especially injecting drugs.” (1)*

All facilities in the United States that perform laboratory testing on human specimens for health assessment or the diagnosis, prevention, or treatment of disease are regulated under the Clinical Laboratory Improvement Amendments of 1988 (CLIA). Waived tests include test systems cleared by the FDA for home use and those tests approved for waiver under the CLIA criteria. Although CLIA requires that waived tests must be simple and have a low risk for erroneous results, this does not mean that waived tests are completely error-proof. CareSource may periodically require review of a provider’s office testing policies and procedures when performing CLIA-waived tests.

## C. DEFINITIONS

- **Polymerase Chain Reaction (PCR)** - a genetic amplification technique also known as a Nucleic Acid Amplification Test (NAAT)
- **Medically Necessary**- Health care services or supplies needed to diagnosis or treat an illness, injury, condition, disease or its symptoms and that meet the accepted standards of medicine.



**D. POLICY**

- I. No Prior Authorization is required for the Molecular Diagnostic Testing by PCR addressed in this policy.
- II. CareSource considers Molecular Diagnostic Testing by PCR medically necessary for Hepatitis B and C infection, when submitted with any combination of the CPT and diagnosis codes listed in the Conditions of Coverage in this policy
- III. CareSource does not consider Molecular Diagnostic Testing by PCR for Hepatitis B and C to be medically necessary when billed with any other diagnosis code and will not provide reimbursement for those services.
- IV. Conventional testing, such as serology or blood tests, are viewed as low cost and should be utilized before the higher cost Molecular Diagnostic Testing by PCR.

**E. CONDITIONS OF COVERAGE**

CODE	DESCRIPTION
<b>87516</b>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique
<b>87517</b>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, quantification
<b>87521</b>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, amplified probe technique, includes reverse transcription when performed
<b>87522</b>	Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed
<b>B16.0</b>	Acute hepatitis B with delta-agent with hepatic coma
<b>B16.1</b>	Acute hepatitis B with delta-agent without hepatic coma
<b>B16.2</b>	Acute hepatitis B without delta-agent with hepatic coma
<b>B16.9</b>	Acute hepatitis B without delta-agent and without hepatic coma
<b>B17.0</b>	Acute delta-(super) infection of hepatitis B carrier
<b>B18.0</b>	Chronic viral hepatitis B with delta-agent
<b>B18.1</b>	Chronic viral hepatitis B without delta-agent
<b>B19.10</b>	Unspecified viral hepatitis B without hepatic coma
<b>B19.11</b>	Unspecified viral hepatitis B with hepatic coma
<b>B17.10</b>	Acute hepatitis C without hepatic coma
<b>B17.11</b>	Acute hepatitis C with hepatic coma
<b>B18.2</b>	Chronic viral hepatitis C
<b>B18.9</b>	Chronic viral hepatitis, unspecified
<b>B19.20</b>	Unspecified viral hepatitis C without hepatic coma
<b>B19.21</b>	Unspecified viral hepatitis C with hepatic coma
<b>O98.411</b>	Viral hepatitis complicating pregnancy, third trimester
<b>O98.412</b>	Viral hepatitis complicating pregnancy, second trimester
<b>O98.413</b>	Viral hepatitis complicating pregnancy, third trimester
<b>O98.419</b>	Viral hepatitis complicating pregnancy, unspecified trimester
<b>O98.42</b>	Viral hepatitis complicating childbirth
<b>O98.43</b>	Viral hepatitis complicating the puerperium

**F. RELATED POLICIES/RULES**

N/A



### G. REVIEW/REVISION HISTORY

DATE		ACTION
Date Issued	12/01/2018	
Date Revised	11/07/2018	Revised to reflect next review date of 12/01/2019
Date Effective		

### H. REFERENCES

1. Division of Viral Hepatitis Home Page | Division of Viral Hepatitis | CDC. (2015, May 31). Retrieved July 3, 2018, from [www.cdc.gov/hepatitis](http://www.cdc.gov/hepatitis)

**The Reimbursement Policy Statement detailed above has received due consideration as defined in the Reimbursement Policy Statement Policy and is approved.**

Archived