



P.O. Box 8738
Dayton, OH 45401-8738

2024

CareSource Dual Advantage™ (HMO D-SNP)
Formulary
(List of Covered Drugs)

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN.

This formulary was updated on 03/01/2024

For more recent information or other questions, please contact CareSource Dual Advantage Member Services at **1-833-230-2020** or **TTY 1-833-711-4711 or 711**, 8 a.m. to 8 p.m. Monday through Friday, and from October 1 through March 31, the same hours seven days a week, or visit **CareSource.com/DSNP**.

Formulary ID: 00024246, Version #: 9

CareSource is an HMO with a Medicare contract. Enrollment in CareSource depends on contract renewal.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means CareSource. When it refers to “plan” or “our plan,” it means CareSource Dual Advantage™ (HMO D-SNP).

This document includes the list of the drugs (formulary) for our plan which is current as of 03/01/2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

What is the CareSource Dual Advantage Formulary?

A formulary is a list of covered drugs selected by CareSource in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. CareSource will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a CareSource network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an

exception, and you can find information in the section below titled “How do I request an exception to the CareSource Dual Advantage’s Formulary?”

Drugs removed from the market. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary, or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the CareSource Dual Advantage’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 03/01/2024. To get updated information about the drugs covered by CareSource please contact us. Our contact information appears on the front and back cover pages. Mid-year non-maintenance formulary changes occurring after the date the formulary was last updated will be distributed to you as notification by mail. We will update our formulary with the new information. The updated formulary will be posted on our website or can be obtained by calling us.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 2. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular”. If you know what your drug is used for, look for the category name in the list that begins on page 2. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 90. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

CareSource covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from CareSource before you fill your prescriptions. If you don’t get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, CareSource provides 30 tablets per prescription for Simvastatin 80 MG tablet. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, CareSource requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition,

we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 2. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask us to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the CareSource Dual Advantage’s formulary?” below for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by CareSource Dual Advantage.
- You can ask us to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the CareSource Dual Advantage’s Formulary?

You can ask us to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, CareSource Dual Advantage will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug or

additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If your treatment setting or the place where you receive and take your medicine changes, we may cover a one-time temporary supply of your drugs up to a 31-day supply. These changes may include:

- Being discharged from a hospital to your home.
- Ending a skilled-nursing facility Medicare Part A stay where payments included all pharmacy charges and now you need to use your Part D plan.
- Changing from hospice status to go back to standard Medicare Part A and Part B coverage.
- Being discharged from chronic psychiatric hospitals with highly individualized drug regimens.

- Ending a long-term care (LTC) facility stay and returning to the community.

For more information

For more detailed information about your plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about CareSource Dual Advantage, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Mail-Order Pharmacy

You can get your eligible Medicare Part D drugs shipped to you through our mail-order pharmacy. We work with Express Scripts® to offer these services to you. You have the option to fill your drugs up to a 102-day supply. It normally takes up to 10 days from the time you place your order to receive your order. If your mail order is delayed, please call Express Scripts at 1-800-351-0567 to check on it. They are open 24 hours a day, 7 days a week. You can also check online at www.Express-Scripts.com. Just sign in and provide an order number, Rx number or member information. You can also sign up for automated mail-order delivery.

CareSource Dual Advantage Formulary

The formulary that begins below provides coverage information about the drugs covered by CareSource. If you have trouble finding your drug in the list, turn to the Index that begins on page 90.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., COUMADIN) and generic drugs are listed in lower-case italics (e.g., *warfarin*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

CareSource Dual Advantage members have no copays for prescription drugs if you receive “Extra Help”

Tiers are groups of drugs on our Drug List.

Tier 1: Preferred Generic drugs have a \$0 copay

Tier 2: Generic drugs have a \$0 copay

Tier 3: Preferred Brand drugs have a \$0 copay

Tier 4: Non-Preferred drugs have a \$0 copay

Tier 5: Generic and Brand Specialty drugs have a \$0 copay

If you have questions, call us at **1-833-230-2020 (TTY: 1-833-711-4711 or 711)**. We are open 8 a.m. to 8 p.m. Monday through Friday, and from October 1 through March 31 we are open the same hours, seven days a week.

As a CareSource Dual Advantage member, you have no copays for Medicare covered Part D prescription drugs as long as you receive “Extra Help”.

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug

List of Abbreviations

B/D PA: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance medications (such as high blood pressure medications. Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics.

NDS: NDS indicates that the drug is limited to 30 days' supply at retail or mail-order.

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

V: This vaccine is provided to adults at no cost when used based on recommendations by the Centers for Disease Control and Prevention's (CDC Advisory Committee on Immunization Practices (ACIP).

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D PA: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

NDS: NDS indicates that the drug is limited to 30 days' supply at retail or mail-order.

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

V: This vaccine is provided to adults at no cost when used based on recommendations by the Centers for Disease Control and Prevention's (CDC) Advisory Committee on Immunization Practices (ACIP).

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| ANTI - INFECTIVES | | |
| ANTIFUNGAL AGENTS | | |
| ABELCET | 4 | B/D PA |
| <i>amphotericin b</i> | 4 | B/D PA; MO |
| <i>caspofungin</i> | 4 | |
| <i>clotrimazole mucous membrane</i> | 2 | MO |
| CRESEMBA ORAL | 5 | PA; NDS |
| <i>fluconazole</i> | 2 | MO |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 400 mg/200 ml</i> | 4 | PA |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i> | 4 | PA; MO |
| <i>flucytosine</i> | 5 | MO; NDS |
| <i>griseofulvin microsize</i> | 4 | MO |
| <i>griseofulvin ultramicrosize</i> | 4 | MO |
| <i>itraconazole oral capsule</i> | 4 | MO; QL (120 per 30 days) |
| <i>itraconazole oral solution</i> | 4 | MO |
| <i>ketoconazole oral</i> | 2 | MO |
| <i>micafungin</i> | 5 | MO; NDS |
| <i>nystatin oral</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| <i>posaconazole oral tablet, delayed release (dr/ec)</i> | 5 | PA; MO; QL (96 per 30 days); NDS |
| <i>terbinafine hcl oral</i> | 2 | MO |
| <i>voriconazole intravenous</i> | 5 | PA; MO; NDS |
| <i>voriconazole oral suspension for reconstitution</i> | 5 | PA; MO; NDS |
| <i>voriconazole oral tablet</i> | 4 | PA; MO |
| ANTIVIRALS | | |
| <i>abacavir</i> | 3 | MO |
| <i>abacavir-lamivudine</i> | 3 | MO |
| <i>acyclovir oral capsule</i> | 2 | MO |
| <i>acyclovir oral suspension 200 mg/5 ml</i> | 4 | MO |
| <i>acyclovir oral tablet</i> | 2 | MO |
| <i>acyclovir sodium intravenous solution</i> | 4 | B/D PA; MO |
| <i>adefovir</i> | 4 | MO |
| <i>amantadine hcl</i> | 2 | MO |
| APRETUDE | 5 | MO; NDS |
| APTIVUS | 5 | MO; NDS |
| <i>atazanavir</i> | 4 | MO |
| BARACLUDGE ORAL SOLUTION | 5 | MO; NDS |
| BIKTARVY | 5 | MO; NDS |
| CABENUVA | 5 | MO; NDS |
| <i>cidofovir</i> | 5 | B/D PA; MO; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| CIMDUO | 5 | MO; NDS |
| COMPLERA | 5 | MO; NDS |
| <i>darunavir</i> | 5 | MO; NDS |
| DELSTRIGO | 5 | MO; NDS |
| DESCOVY | 5 | MO; NDS |
| DOVATO | 5 | MO; NDS |
| EDURANT | 5 | MO; NDS |
| <i>efavirenz</i> | 4 | MO |
| <i>efavirenz-emtricitabin-tenofof</i> | 5 | MO; NDS |
| <i>efavirenz-lamivu-tenofof disop</i> | 5 | MO; NDS |
| <i>emtricitabine</i> | 4 | MO |
| <i>emtricitabine-tenofovir (tdf)</i> | 4 | MO |
| EMTRIVA ORAL SOLUTION | 3 | MO |
| <i>entecavir</i> | 4 | MO |
| EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG | 5 | PA; MO; QL (28 per 28 days); NDS |
| EPCLUSA ORAL PELLETS IN PACKET 200-50 MG | 5 | PA; MO; QL (56 per 28 days); NDS |
| EPCLUSA ORAL TABLET 200-50 MG | 5 | PA; MO; QL (56 per 28 days); NDS |
| EPCLUSA ORAL TABLET 400-100 MG | 5 | PA; MO; QL (28 per 28 days); NDS |
| <i>etravirine</i> | 5 | MO; NDS |
| EVOTAZ | 5 | MO; NDS |
| <i>famciclovir</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| <i>fosamprenavir</i> | 4 | MO |
| FUZEON SUBCUTANEOUS RECON SOLN | 5 | MO; NDS |
| <i>ganciclovir sodium intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>ganciclovir sodium intravenous solution</i> | 2 | B/D PA |
| GENVOYA | 5 | MO; NDS |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG | 5 | PA; MO; QL (28 per 28 days); NDS |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG | 5 | PA; MO; QL (56 per 28 days); NDS |
| HARVONI ORAL TABLET 45-200 MG | 5 | PA; MO; QL (56 per 28 days); NDS |
| HARVONI ORAL TABLET 90-400 MG | 5 | PA; MO; QL (28 per 28 days); NDS |
| INTELENCE ORAL TABLET 25 MG | 4 | MO |
| ISENTRESS HD | 5 | MO; NDS |
| ISENTRESS ORAL POWDER IN PACKET | 5 | MO; NDS |
| ISENTRESS ORAL TABLET | 5 | MO; NDS |
| ISENTRESS ORAL TABLET,CHEWAB LE 100 MG | 5 | MO; NDS |
| ISENTRESS ORAL TABLET,CHEWAB LE 25 MG | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| JULUCA | 5 | MO; NDS |
| LAGEVRIO (EUA) | 1 | QL (40 per 180 days) |
| <i>lamivudine</i> | 3 | MO |
| <i>lamivudine-zidovudine</i> | 3 | MO |
| LEXIVA ORAL SUSPENSION | 4 | MO |
| <i>lopinavir-ritonavir oral solution</i> | 4 | MO |
| <i>lopinavir-ritonavir oral tablet</i> | 3 | MO |
| <i>maraviroc</i> | 5 | MO; NDS |
| <i>nevirapine oral suspension</i> | 4 | |
| <i>nevirapine oral tablet</i> | 3 | MO |
| <i>nevirapine oral tablet extended release 24 hr</i> | 4 | MO |
| NORVIR ORAL POWDER IN PACKET | 4 | MO |
| ODEFSEY | 5 | MO; NDS |
| <i>oseltamivir</i> | 3 | MO |
| PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG | 1 | QL (20 per 180 days) |
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG | 1 | QL (30 per 180 days) |
| PIFELTRO | 5 | MO; NDS |
| PREVYMIS INTRAVENOUS | 5 | PA; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--------------------------------------|-----------|----------------------------------|
| PREVYMIS ORAL | 5 | PA; MO; QL (30 per 30 days); NDS |
| PREZCOBIX | 5 | MO; NDS |
| PREZISTA ORAL SUSPENSION | 5 | MO; NDS |
| PREZISTA ORAL TABLET 150 MG, 75 MG | 4 | MO |
| RELENZA DISKHALER | 4 | MO |
| RETROVIR INTRAVENOUS | 3 | MO |
| REYATAZ ORAL POWDER IN PACKET | 5 | MO; NDS |
| <i>ribavirin oral capsule</i> | 3 | MO |
| <i>ribavirin oral tablet 200 mg</i> | 3 | MO |
| <i>rimantadine</i> | 4 | MO |
| <i>ritonavir</i> | 3 | MO |
| RUKOBIA | 5 | MO; NDS |
| SELZENTRY ORAL SOLUTION | 3 | MO |
| SELZENTRY ORAL TABLET 25 MG, 75 MG | 3 | MO |
| STRIBILD | 5 | MO; NDS |
| SUNLENCA | 5 | NDS |
| SYMTUZA | 5 | MO; NDS |
| SYNAGIS | 5 | MO; LA; NDS |
| <i>tenofovir disoproxil fumarate</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------------|
| TIVICAY ORAL TABLET 10 MG | 3 | |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 5 | MO; NDS |
| TIVICAY PD | 5 | MO; NDS |
| TRIUMEQ | 5 | MO; NDS |
| TRIUMEQ PD | 5 | MO; NDS |
| TRIZIVIR | 5 | NDS |
| TROGARZO | 5 | MO; LA; NDS |
| <i>valacyclovir oral tablet 1 gram</i> | 2 | MO; QL (120 per 30 days) |
| <i>valacyclovir oral tablet 500 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>valganciclovir oral recon soln</i> | 5 | MO; NDS |
| <i>valganciclovir oral tablet</i> | 3 | MO |
| VEKLURY | 5 | NDS |
| VEMLIDY | 5 | MO; NDS |
| VIRACEPT ORAL TABLET | 5 | MO; NDS |
| VIREAD ORAL POWDER | 5 | MO; NDS |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 4 | MO |
| VOSEVI | 5 | PA; MO; QL (28 per 28 days); NDS |
| XOFLUZA ORAL TABLET 40 MG, 80 MG | 3 | MO |
| <i>zidovudine oral capsule</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>zidovudine oral syrup</i> | 3 | MO |
| <i>zidovudine oral tablet</i> | 2 | MO |
| CEPHALOSPORINS | | |
| <i>cefaclor oral capsule</i> | 2 | MO |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml</i> | 2 | MO |
| <i>cefaclor oral suspension for reconstitution 250 mg/5 ml, 375 mg/5 ml</i> | 2 | |
| <i>cefaclor oral tablet extended release 12 hr</i> | 4 | MO |
| <i>cefadroxil oral capsule</i> | 2 | MO |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 2 | MO |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i> | 4 | MO |
| <i>cefazolin injection recon soln 1 gram, 500 mg</i> | 4 | MO |
| <i>cefazolin injection recon soln 10 gram, 100 gram, 300 g</i> | 4 | |
| <i>cefazolin intravenous recon soln 1 gram</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>cefdinir oral capsule</i> | 2 | MO |
| <i>cefdinir oral suspension for reconstitution</i> | 3 | MO |
| <i>cefepime in dextrose, iso-osm</i> | 4 | |
| <i>cefepime injection</i> | 4 | MO |
| <i>cefixime</i> | 4 | MO |
| <i>cefoxitin in dextrose, iso-osm</i> | 4 | PA |
| <i>cefoxitin intravenous recon soln 1 gram, 2 gram</i> | 4 | PA; MO |
| <i>cefoxitin intravenous recon soln 10 gram</i> | 4 | PA |
| <i>cefpodoxime</i> | 4 | MO |
| <i>cefprozil</i> | 2 | MO |
| <i>ceftazidime injection recon soln 1 gram, 2 gram</i> | 4 | PA; MO |
| <i>ceftazidime injection recon soln 6 gram</i> | 4 | PA |
| <i>ceftriaxone in dextrose, iso-os</i> | 4 | MO |
| <i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i> | 4 | MO |
| <i>ceftriaxone injection recon soln 10 gram</i> | 4 | |
| <i>ceftriaxone intravenous</i> | 4 | MO |
| <i>cefuroxime axetil oral tablet</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 4 | PA; MO |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram</i> | 4 | PA; MO |
| <i>cefuroxime sodium intravenous recon soln 7.5 gram</i> | 4 | PA |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 2 | MO |
| <i>cephalexin oral suspension for reconstitution</i> | 2 | MO |
| <i>tazicef injection</i> | 4 | PA; MO |
| <i>tazicef intravenous</i> | 4 | PA |
| TEFLARO | 5 | PA; MO; NDS |
| ERYTHROMYCINS / OTHER MACROLIDES | | |
| <i>azithromycin intravenous</i> | 4 | PA; MO |
| <i>azithromycin oral packet</i> | 3 | MO |
| <i>azithromycin oral suspension for reconstitution</i> | 2 | MO |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i> | 2 | |
| <i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i> | 2 | MO |
| <i>clarithromycin</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------------------|
| DIFICID ORAL TABLET | 5 | MO; QL (20 per 10 days); NDS |
| <i>e.e.s. 400 oral tablet</i> | 4 | MO |
| <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i> | 4 | MO |
| <i>erythrocin (as stearate) oral tablet 250 mg</i> | 4 | |
| <i>erythromycin ethylsuccinate oral tablet</i> | 4 | MO |
| <i>erythromycin oral</i> | 4 | MO |
| MISCELLANEOUS ANTIINFECTIVES | | |
| <i>albendazole</i> | 5 | MO; NDS |
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i> | 4 | PA; MO |
| ARIKAYCE | 5 | PA; LA; NDS |
| <i>atovaquone</i> | 4 | MO |
| <i>atovaquone-proguanil</i> | 4 | MO |
| <i>aztreonam</i> | 4 | PA; MO |
| <i>bacitracin intramuscular</i> | 4 | |
| CAYSTON | 5 | PA; MO; LA; QL (84 per 56 days); NDS |
| <i>chloramphenicol sod succinate</i> | 4 | |
| <i>chloroquine phosphate</i> | 2 | MO |
| <i>clindamycin hcl</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------|
| <i>clindamycin in 5 % dextrose</i> | 4 | PA; MO |
| <i>clindamycin phosphate injection</i> | 4 | PA; MO |
| <i>clindamycin phosphate intravenous</i> | 4 | PA; MO |
| COARTEM | 4 | MO |
| <i>colistin (colistimethate na)</i> | 4 | PA; MO; QL (30 per 10 days) |
| <i>dapsone oral</i> | 3 | MO |
| DAPTOMYCIN INTRAVENOUS RECON SOLN 350 MG | 5 | MO; NDS |
| <i>daptomycin intravenous recon soln 500 mg</i> | 5 | MO; NDS |
| EMVERM | 5 | MO; NDS |
| <i>ertapenem</i> | 4 | PA; MO; QL (14 per 14 days) |
| <i>ethambutol</i> | 3 | MO |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/50 ml</i> | 4 | PA; MO |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 80 mg/100 ml</i> | 4 | PA |
| <i>gentamicin injection solution 40 mg/ml</i> | 4 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------|
| <i>gentamicin sulfate (ped) (pf)</i> | 4 | PA; MO |
| <i>hydroxychloroquine oral tablet 200 mg</i> | 2 | MO |
| <i>imipenem-cilastatin</i> | 4 | PA; MO |
| <i>isoniazid injection</i> | 4 | |
| <i>isoniazid oral</i> | 2 | MO |
| <i>ivermectin oral</i> | 3 | PA; MO; QL (20 per 30 days) |
| <i>lincomycin</i> | 4 | PA |
| <i>linezolid in dextrose 5%</i> | 4 | PA; MO |
| <i>linezolid oral suspension for reconstitution</i> | 5 | MO; NDS |
| <i>linezolid oral tablet</i> | 4 | MO |
| <i>linezolid-0.9% sodium chloride</i> | 4 | PA |
| <i>mefloquine</i> | 2 | MO |
| <i>meropenem intravenous recon soln 1 gram</i> | 4 | PA; QL (30 per 10 days) |
| <i>meropenem intravenous recon soln 500 mg</i> | 4 | PA; QL (10 per 10 days) |
| <i>metro i.v.</i> | 4 | PA; MO |
| <i>metronidazole in nacl (iso-os)</i> | 4 | PA; MO |
| <i>metronidazole oral tablet</i> | 2 | MO |
| <i>neomycin</i> | 2 | MO |
| <i>nitazoxanide</i> | 5 | MO; NDS |
| <i>paromomycin</i> | 4 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| <i>pentamidine inhalation</i> | 4 | B/D PA; MO; QL (1 per 28 days) |
| <i>pentamidine injection</i> | 4 | MO |
| <i>praziquantel</i> | 4 | MO |
| PRIFTIN | 3 | MO |
| PRIMAQUINE | 4 | MO |
| <i>pyrazinamide</i> | 4 | MO |
| <i>pyrimethamine</i> | 5 | PA; MO; NDS |
| <i>quinine sulfate</i> | 4 | MO |
| <i>rifabutin</i> | 4 | MO |
| <i>rifampin intravenous</i> | 4 | MO |
| <i>rifampin oral</i> | 3 | MO |
| SIRTURO | 5 | PA; LA; NDS |
| STREPTOMYCIN | 5 | PA; MO; QL (60 per 30 days); NDS |
| <i>tigecycline</i> | 5 | PA; MO; NDS |
| <i>tinidazole</i> | 3 | MO |
| TOBI PODHALER | 5 | MO; QL (224 per 56 days); NDS |
| <i>tobramycin in 0.225 % nacl</i> | 5 | PA; MO; QL (280 per 28 days); NDS |
| <i>tobramycin inhalation</i> | 5 | PA; MO; QL (224 per 28 days); NDS |
| <i>tobramycin sulfate injection recon soln</i> | 4 | PA; QL (9 per 14 days) |
| <i>tobramycin sulfate injection solution</i> | 4 | PA; MO |
| TRECTOR | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 500 MG/100 ML | 3 | PA; QL (1000 per 10 days) |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 750 MG/150 ML | 3 | PA; QL (4050 per 10 days) |
| VANCOMYCIN INJECTION | 4 | PA; QL (1 per 10 days) |
| <i>vancomycin intravenous recon soln 1,000 mg</i> | 4 | PA; MO; QL (20 per 10 days) |
| <i>vancomycin intravenous recon soln 10 gram</i> | 4 | PA; QL (2 per 10 days) |
| <i>vancomycin intravenous recon soln 5 gram</i> | 4 | PA; QL (4 per 10 days) |
| <i>vancomycin intravenous recon soln 500 mg</i> | 4 | PA; MO; QL (10 per 10 days) |
| <i>vancomycin intravenous recon soln 750 mg</i> | 4 | PA; MO; QL (27 per 10 days) |
| <i>vancomycin oral capsule 125 mg</i> | 4 | PA; MO; QL (40 per 10 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------|
| <i>vancomycin oral capsule 250 mg</i> | 4 | PA; MO; QL (80 per 10 days) |
| VIBATIV INTRAVENOUS RECON SOLN 750 MG | 5 | PA; NDS |
| XIFAXAN ORAL TABLET 200 MG | 3 | QL (9 per 30 days) |
| XIFAXAN ORAL TABLET 550 MG | 5 | MO; QL (90 per 30 days); NDS |
| PENICILLINS | | |
| <i>amoxicillin oral capsule</i> | 1 | MO |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 400 mg/5 ml</i> | 1 | MO |
| <i>amoxicillin oral suspension for reconstitution 200 mg/5 ml, 250 mg/5 ml</i> | 2 | MO |
| <i>amoxicillin oral tablet</i> | 1 | MO |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 2 | MO |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution</i> | 2 | MO |
| <i>amoxicillin-pot clavulanate oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i> | 4 | MO |
| <i>amoxicillin-pot clavulanate oral tablet, chewable</i> | 2 | MO |
| <i>ampicillin oral capsule 500 mg</i> | 2 | MO |
| <i>ampicillin sodium injection</i> | 4 | PA; MO |
| <i>ampicillin sodium intravenous</i> | 4 | PA |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i> | 4 | PA; MO |
| <i>ampicillin-sulbactam injection recon soln 15 gram</i> | 4 | PA |
| <i>ampicillin-sulbactam intravenous</i> | 4 | PA |
| AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML | 4 | MO |
| BICILLIN C-R | 3 | PA; MO |
| BICILLIN L-A | 4 | PA; MO |
| <i>dicloxacillin</i> | 2 | MO |
| <i>nafcillin in dextrose iso-osm</i> | 4 | PA |
| <i>nafcillin injection recon soln 1 gram, 2 gram</i> | 4 | PA; MO |
| <i>nafcillin injection recon soln 10 gram</i> | 5 | PA; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>nafcillin intravenous recon soln 2 gram</i> | 4 | PA |
| <i>oxacillin in dextrose(iso-osm)</i> | 4 | PA |
| <i>oxacillin injection recon soln 1 gram, 10 gram</i> | 4 | PA |
| <i>oxacillin injection recon soln 2 gram</i> | 4 | PA; MO |
| PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 1 MILLION UNIT/50 ML | 3 | PA |
| PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 2 MILLION UNIT/50 ML, 3 MILLION UNIT/50 ML | 4 | PA |
| <i>penicillin g potassium</i> | 4 | PA; MO |
| <i>penicillin g sodium</i> | 4 | PA; MO |
| <i>penicillin v potassium</i> | 2 | MO |
| <i>pfizerpen-g</i> | 4 | PA |
| <i>piperacillin-tazobactam intravenous recon soln 13.5 gram, 40.5 gram</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i> | 4 | MO |
| QUINOLONES | | |
| <i>ciprofloxacin hcl oral tablet 100 mg</i> | 2 | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> | 1 | MO |
| <i>ciprofloxacin hcl oral tablet 750 mg</i> | 2 | MO |
| <i>ciprofloxacin in 5 % dextrose</i> | 4 | PA; MO |
| <i>ciprofloxacin oral suspension, microcapsule recon 500 mg/5 ml</i> | 4 | |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i> | 4 | PA |
| <i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i> | 4 | PA; MO |
| <i>levofloxacin intravenous</i> | 4 | PA; MO |
| <i>levofloxacin oral solution</i> | 4 | MO |
| <i>levofloxacin oral tablet</i> | 2 | MO |
| <i>moxifloxacin oral</i> | 3 | MO |
| <i>moxifloxacin-sod.chloride(iso)</i> | 4 | PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| SULFA'S / RELATED AGENTS | | |
| <i>sulfadiazine</i> | 4 | MO |
| <i>sulfamethoxazole-trimethoprim intravenous</i> | 4 | PA; MO |
| <i>sulfamethoxazole-trimethoprim oral suspension</i> | 2 | MO |
| <i>sulfamethoxazole-trimethoprim oral tablet</i> | 1 | MO |
| TETRACYCLINES | | |
| <i>demeclocycline</i> | 4 | MO |
| <i>doxy-100</i> | 4 | PA; MO |
| <i>doxycycline hyclate intravenous</i> | 4 | PA |
| <i>doxycycline hyclate oral capsule</i> | 2 | MO |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg, 50 mg</i> | 2 | MO |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 2 | MO |
| <i>doxycycline monohydrate oral suspension for reconstitution</i> | 4 | MO |
| <i>doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg</i> | 2 | MO |
| <i>minocycline oral capsule</i> | 2 | MO |
| <i>minocycline oral tablet</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>mondoxyne nl oral capsule 100 mg</i> | 2 | |
| <i>tetracycline oral capsule</i> | 4 | MO |

URINARY TRACT AGENTS

| | | |
|---|---|----|
| <i>methenamine hippurate</i> | 3 | MO |
| <i>methenamine mandelate oral tablet 0.5 g</i> | 2 | MO |
| <i>methenamine mandelate oral tablet 1 gram</i> | 2 | |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> | 3 | MO |
| <i>nitrofurantoin monohyd/m-cryst</i> | 3 | MO |
| <i>trimethoprim</i> | 2 | MO |

ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

ADJUNCTIVE AGENTS

| | | |
|--|---|-----------------|
| <i>dexrazoxane hcl</i> | 5 | B/D PA; MO; NDS |
| ELITEK | 5 | MO; NDS |
| KEPIVANCE INTRAVENOUS RECON SOLN 5.16 MG | 5 | NDS |
| KHAPZORY INTRAVENOUS RECON SOLN 175 MG | 5 | B/D PA; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>leucovorin calcium oral</i> | 3 | MO |
| <i>levoleucovorin calcium intravenous recon soln</i> | 5 | B/D PA; MO; NDS |
| <i>levoleucovorin calcium intravenous solution</i> | 5 | B/D PA; NDS |
| <i>mesna</i> | 2 | B/D PA; MO |
| MESNEX ORAL | 5 | MO; NDS |
| VISTOGARD | 5 | PA; NDS |
| XGEVA | 5 | B/D PA; MO; NDS |

ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

| | | |
|---------------------------------------|---|-----------------------------------|
| <i>abiraterone oral tablet 250 mg</i> | 5 | PA; MO; QL (120 per 30 days); NDS |
| <i>abiraterone oral tablet 500 mg</i> | 5 | PA; MO; QL (60 per 30 days); NDS |
| ABRAXANE | 5 | B/D PA; MO; NDS |
| ADCETRIS | 5 | B/D PA; MO; NDS |
| ADSTILADRIN | 5 | PA; NDS |
| AKEEGA | 5 | PA; LA; QL (60 per 30 days); NDS |
| ALECENSA | 5 | PA; MO; QL (240 per 30 days); NDS |
| ALIQOPA | 5 | B/D PA; LA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 5 | PA; QL (30 per 30 days); NDS |
| ALUNBRIG ORAL TABLET 30 MG | 5 | PA; QL (60 per 30 days); NDS |
| ALUNBRIG ORAL TABLETS,DOSE PACK | 5 | PA; QL (30 per 180 days); NDS |
| <i>anastrozole</i> | 2 | MO |
| <i>arsenic trioxide intravenous solution 1 mg/ml</i> | 5 | B/D PA; NDS |
| <i>arsenic trioxide intravenous solution 2 mg/ml</i> | 5 | B/D PA; MO; NDS |
| ASPARLAS | 5 | PA; NDS |
| AUGTYRO | 5 | PA; MO; QL (240 per 30 days); NDS |
| AYVAKIT | 5 | PA; LA; QL (30 per 30 days); NDS |
| <i>azacitidine</i> | 5 | B/D PA; MO; NDS |
| <i>azathioprine oral tablet 50 mg</i> | 2 | B/D PA; MO |
| <i>azathioprine sodium</i> | 2 | B/D PA; MO |
| BALVERSA | 5 | PA; LA; NDS |
| BAVENCIO | 5 | B/D PA; LA; NDS |
| BELEODAQ | 5 | B/D PA; NDS |
| <i>bendamustine intravenous recon soln</i> | 5 | B/D PA; MO; NDS |
| BENDEKA | 5 | B/D PA; MO; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------------|
| BESPONSA | 5 | B/D PA; MO; LA; NDS |
| <i>bexarotene</i> | 5 | PA; MO; NDS |
| <i>bicalutamide</i> | 2 | MO |
| <i>bleomycin</i> | 2 | B/D PA |
| BLINCYTO INTRAVENOUS KIT | 5 | B/D PA; NDS |
| BORTEZOMIB INJECTION RECON SOLN 1 MG, 2.5 MG | 5 | B/D PA; NDS |
| <i>bortezomib injection recon soln 3.5 mg</i> | 5 | B/D PA; MO; NDS |
| BOSULIF ORAL CAPSULE 100 MG | 5 | PA; QL (90 per 30 days); NDS |
| BOSULIF ORAL CAPSULE 50 MG | 5 | PA; QL (30 per 30 days); NDS |
| BOSULIF ORAL TABLET 100 MG | 5 | PA; MO; QL (90 per 30 days); NDS |
| BOSULIF ORAL TABLET 400 MG, 500 MG | 5 | PA; MO; QL (30 per 30 days); NDS |
| BRAFTOVI | 5 | PA; MO; LA; QL (180 per 30 days); NDS |
| BRUKINSA | 5 | PA; LA; QL (120 per 30 days); NDS |
| <i>busulfan</i> | 5 | B/D PA; NDS |
| CABOMETYX | 5 | PA; MO; LA; QL (30 per 30 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| CALQUENCE | 5 | PA; LA; QL (60 per 30 days); NDS |
| CALQUENCE (ACALABRUTINIB MAL) | 5 | PA; LA; QL (60 per 30 days); NDS |
| CAPRELSA ORAL TABLET 100 MG | 5 | PA; LA; QL (60 per 30 days); NDS |
| CAPRELSA ORAL TABLET 300 MG | 5 | PA; LA; QL (30 per 30 days); NDS |
| <i>carboplatin intravenous solution</i> | 2 | B/D PA; MO |
| <i>carmustine intravenous recon soln 100 mg</i> | 5 | B/D PA; MO; NDS |
| <i>cisplatin intravenous solution</i> | 2 | B/D PA; MO |
| <i>cladribine</i> | 5 | B/D PA; MO; NDS |
| <i>clofarabine</i> | 5 | B/D PA; NDS |
| COLUMVI | 5 | PA; MO; NDS |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1) | 5 | PA; MO; QL (56 per 28 days); NDS |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 5 | PA; MO; QL (112 per 28 days); NDS |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY) | 5 | PA; MO; QL (84 per 28 days); NDS |
| COPIKTRA | 5 | PA; LA; QL (60 per 30 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------------------|
| COSMEGEN | 5 | B/D PA; MO; NDS |
| COTELLIC | 5 | PA; MO; LA; QL (63 per 28 days); NDS |
| <i>cyclophosphamide intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>cyclophosphamide oral capsule</i> | 3 | B/D PA; MO |
| CYCLOPHOSPHAMIDE ORAL TABLET 25 MG | 3 | B/D PA |
| CYCLOPHOSPHAMIDE ORAL TABLET 50 MG | 3 | B/D PA; MO |
| <i>cyclosporine intravenous</i> | 2 | B/D PA |
| <i>cyclosporine modified oral capsule</i> | 3 | B/D PA; MO |
| <i>cyclosporine modified oral solution</i> | 3 | B/D PA |
| <i>cyclosporine oral capsule</i> | 3 | B/D PA; MO |
| CYRAMZA | 5 | B/D PA; MO; NDS |
| <i>cytarabine</i> | 2 | B/D PA; MO |
| <i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i> | 2 | B/D PA; MO |
| <i>cytarabine (pf) injection solution 20 mg/ml</i> | 2 | B/D PA |
| <i>dacarbazine</i> | 2 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------------|
| <i>dactinomycin</i> | 2 | B/D PA; MO |
| DANYELZA | 5 | PA; NDS |
| DARZALEX | 5 | B/D PA; MO; LA; NDS |
| <i>daunorubicin</i> | 2 | B/D PA |
| DAURISMO ORAL TABLET 100 MG | 5 | PA; MO; QL (30 per 30 days); NDS |
| DAURISMO ORAL TABLET 25 MG | 5 | PA; MO; QL (60 per 30 days); NDS |
| <i>decitabine</i> | 5 | B/D PA; MO; NDS |
| <i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 80 mg/8 ml (10 mg/ml)</i> | 5 | B/D PA; NDS |
| <i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i> | 5 | B/D PA; MO; NDS |
| <i>doxorubicin intravenous recon soln 10 mg</i> | 2 | B/D PA |
| <i>doxorubicin intravenous recon soln 50 mg</i> | 2 | B/D PA; MO |
| <i>doxorubicin intravenous solution 10 mg/5 ml, 20 mg/10 ml, 50 mg/25 ml</i> | 2 | B/D PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| <i>doxorubicin intravenous solution 2 mg/ml</i> | 2 | B/D PA |
| <i>doxorubicin, peg-liposomal</i> | 5 | B/D PA; MO; NDS |
| DROXIA | 3 | MO |
| ELIGARD | 3 | PA; MO |
| ELIGARD (3 MONTH) | 3 | PA; MO |
| ELIGARD (4 MONTH) | 3 | PA; MO |
| ELIGARD (6 MONTH) | 3 | PA; MO |
| ELREXFIO | 5 | PA; NDS |
| ELZONRIS | 5 | PA; LA; NDS |
| EMCYT | 5 | MO; NDS |
| EMPLICITI | 5 | B/D PA; MO; NDS |
| ENVARBUS XR | 4 | B/D PA; MO |
| <i>epirubicin intravenous solution 200 mg/100 ml</i> | 2 | B/D PA |
| EPKINLY | 5 | PA; NDS |
| ERBITUX | 5 | B/D PA; MO; NDS |
| ERIVEDGE | 5 | PA; MO; QL (30 per 30 days); NDS |
| ERLEADA ORAL TABLET 240 MG | 5 | PA; MO; QL (30 per 30 days); NDS |
| ERLEADA ORAL TABLET 60 MG | 5 | PA; MO; QL (120 per 30 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| <i>erlotinib oral tablet 100 mg, 150 mg</i> | 5 | PA; MO; QL (30 per 30 days); NDS |
| <i>erlotinib oral tablet 25 mg</i> | 5 | PA; MO; QL (60 per 30 days); NDS |
| ERWINASE | 5 | B/D PA; NDS |
| ETOPOPHOS | 4 | B/D PA; MO |
| <i>etoposide intravenous</i> | 2 | B/D PA; MO |
| <i>everolimus (antineoplastic) oral tablet</i> | 5 | PA; MO; QL (30 per 30 days); NDS |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg</i> | 5 | PA; MO; QL (330 per 30 days); NDS |
| <i>everolimus (antineoplastic) oral tablet for suspension 3 mg</i> | 5 | PA; MO; QL (240 per 30 days); NDS |
| <i>everolimus (antineoplastic) oral tablet for suspension 5 mg</i> | 5 | PA; MO; QL (180 per 30 days); NDS |
| <i>everolimus (immunosuppressive) oral tablet 0.25 mg</i> | 4 | B/D PA; MO |
| <i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg</i> | 5 | B/D PA; MO; NDS |
| <i>exemestane</i> | 4 | MO |
| EXKIVITY | 5 | PA; LA; QL (120 per 30 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | 5 | PA; MO; NDS |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG | 4 | PA; MO |
| <i>floxuridine</i> | 2 | B/D PA |
| <i>fludarabine intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>fludarabine intravenous solution</i> | 2 | B/D PA |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 500 mg/10 ml</i> | 2 | B/D PA; MO |
| <i>fluorouracil intravenous solution 2.5 gram/50 ml, 5 gram/100 ml</i> | 2 | B/D PA |
| FOLOTYN | 5 | B/D PA; MO; NDS |
| FOTIVDA | 5 | PA; LA; QL (21 per 28 days); NDS |
| FRUZAQLA ORAL CAPSULE 1 MG | 5 | PA; QL (84 per 28 days); NDS |
| FRUZAQLA ORAL CAPSULE 5 MG | 5 | PA; QL (21 per 28 days); NDS |
| <i>fulvestrant</i> | 5 | B/D PA; MO; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------------|
| FYARRO | 5 | PA; NDS |
| GAVRETO | 5 | PA; MO; LA; QL (120 per 30 days); NDS |
| GAZYVA | 5 | B/D PA; MO; NDS |
| <i>gefitinib</i> | 5 | PA; MO; QL (30 per 30 days); NDS |
| <i>gemcitabine intravenous recon soln 1 gram, 200 mg</i> | 2 | B/D PA; MO |
| <i>gemcitabine intravenous recon soln 2 gram</i> | 2 | B/D PA |
| <i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i> | 2 | B/D PA; MO |
| GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML | 3 | B/D PA |
| <i>gengraf</i> | 3 | B/D PA; MO |
| GILOTRIF | 5 | PA; MO; QL (30 per 30 days); NDS |
| GLEOSTINE | 5 | MO; NDS |
| HALAVEN | 5 | B/D PA; MO; NDS |
| <i>hydroxyurea</i> | 2 | MO |
| IBRANCE | 5 | PA; MO; QL (21 per 28 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------------|
| ICLUSIG | 5 | PA; QL (30 per 30 days); NDS |
| <i>idarubicin</i> | 2 | B/D PA; MO |
| IDHIFA | 5 | PA; MO; LA; QL (30 per 30 days); NDS |
| <i>ifosfamide intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>ifosfamide intravenous solution 1 gram/20 ml</i> | 2 | B/D PA; MO |
| <i>ifosfamide intravenous solution 3 gram/60 ml</i> | 2 | B/D PA |
| <i>imatinib oral tablet 100 mg</i> | 5 | PA; MO; QL (180 per 30 days); NDS |
| <i>imatinib oral tablet 400 mg</i> | 5 | PA; MO; QL (60 per 30 days); NDS |
| IMBRUVICA ORAL CAPSULE 140 MG | 5 | PA; QL (120 per 30 days); NDS |
| IMBRUVICA ORAL CAPSULE 70 MG | 5 | PA; QL (30 per 30 days); NDS |
| IMBRUVICA ORAL SUSPENSION | 5 | PA; QL (324 per 30 days); NDS |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG | 5 | PA; QL (30 per 30 days); NDS |
| IMFINZI | 5 | B/D PA; MO; LA; NDS |
| IMJUDO | 5 | PA; MO; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------------|
| INLYTA ORAL TABLET 1 MG | 5 | PA; MO; QL (180 per 30 days); NDS |
| INLYTA ORAL TABLET 5 MG | 5 | PA; MO; QL (120 per 30 days); NDS |
| INQOVI | 5 | PA; MO; QL (5 per 28 days); NDS |
| INREBIC | 5 | PA; MO; LA; QL (120 per 30 days); NDS |
| <i>irinotecan intravenous solution 100 mg/5 ml</i> | 2 | B/D PA; MO |
| <i>irinotecan intravenous solution 300 mg/15 ml, 500 mg/25 ml</i> | 5 | B/D PA; NDS |
| <i>irinotecan intravenous solution 40 mg/2 ml</i> | 5 | B/D PA; MO; NDS |
| ISTODAX | 5 | B/D PA; MO; NDS |
| IXEMPRA | 5 | B/D PA; MO; NDS |
| JAKAFI | 5 | PA; MO; QL (60 per 30 days); NDS |
| JAYPIRCA ORAL TABLET 100 MG | 5 | PA; MO; QL (60 per 30 days); NDS |
| JAYPIRCA ORAL TABLET 50 MG | 5 | PA; MO; QL (30 per 30 days); NDS |
| JEMPERLI | 5 | PA; MO; NDS |
| JEVTANA | 5 | B/D PA; MO; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| KADCYLA | 5 | PA; MO; NDS |
| <i>kemoplat</i> | 2 | B/D PA |
| KEYTRUDA | 5 | PA; NDS |
| KIMMTRAK | 5 | PA; NDS |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 5 | PA; MO; QL (49 per 28 days); NDS |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 5 | PA; MO; QL (70 per 28 days); NDS |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 5 | PA; MO; QL (91 per 28 days); NDS |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA; MO; QL (21 per 28 days); NDS |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | 5 | PA; MO; QL (42 per 28 days); NDS |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | 5 | PA; MO; QL (63 per 28 days); NDS |
| KOSELUGO | 5 | PA; NDS |
| KRAZATI | 5 | PA; QL (180 per 30 days); NDS |
| KYPROLIS | 5 | B/D PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| <i>lapatinib</i> | 5 | PA; MO; QL (180 per 30 days); NDS |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i> | 5 | PA; MO; QL (28 per 28 days); NDS |
| <i>lenalidomide oral capsule 2.5 mg, 20 mg</i> | 5 | PA; QL (28 per 28 days); NDS |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG | 5 | PA; MO; QL (30 per 30 days); NDS |
| LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X 2), 24 MG/DAY (10 MG X 2-4 MG X 1) | 5 | PA; MO; QL (90 per 30 days); NDS |
| LENVIMA ORAL CAPSULE 14 MG/DAY (10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) | 5 | PA; MO; QL (60 per 30 days); NDS |
| <i>letrozole</i> | 2 | MO |
| LEUKERAN | 5 | MO; NDS |
| <i>leuprolide subcutaneous kit</i> | 5 | PA; MO; NDS |
| LIBTAYO | 5 | PA; LA; NDS |
| LONSURF | 5 | PA; MO; NDS |
| LORBRENA ORAL TABLET 100 MG | 5 | PA; MO; QL (30 per 30 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------------|
| LORBRENA ORAL TABLET 25 MG | 5 | PA; MO; QL (90 per 30 days); NDS |
| LUMAKRAS | 5 | PA; MO; NDS |
| LUNSUMIO | 5 | PA; MO; NDS |
| LUPRON DEPOT | 5 | PA; MO; NDS |
| LYNPARZA | 5 | PA; MO; QL (120 per 30 days); NDS |
| LYSODREN | 5 | NDS |
| LYTGOBI | 5 | PA; LA; NDS |
| MARGENZA | 5 | PA; NDS |
| MATULANE | 5 | NDS |
| <i>megestrol oral suspension 400 mg/10 ml (10 ml)</i> | 3 | PA |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i> | 3 | PA; MO |
| <i>megestrol oral suspension 625 mg/5 ml (125 mg/ml)</i> | 4 | PA; MO |
| <i>megestrol oral tablet</i> | 3 | PA; MO |
| MEKINIST ORAL RECON SOLN | 5 | PA; MO; QL (1200 per 30 days); NDS |
| MEKINIST ORAL TABLET 0.5 MG | 5 | PA; MO; QL (90 per 30 days); NDS |
| MEKINIST ORAL TABLET 2 MG | 5 | PA; MO; QL (30 per 30 days); NDS |
| MEKTOVI | 5 | PA; MO; LA; QL (180 per 30 days); NDS |
| <i>melphalan</i> | 2 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>melfalan hcl</i> | 5 | B/D PA; NDS |
| <i>mercaptopurine</i> | 3 | MO |
| <i>methotrexate sodium</i> | 2 | B/D PA; MO |
| <i>methotrexate sodium (pf) injection recon soln</i> | 2 | B/D PA |
| <i>methotrexate sodium (pf) injection solution</i> | 2 | B/D PA; MO |
| <i>mitomycin intravenous recon soln 20 mg, 5 mg</i> | 2 | B/D PA; MO |
| <i>mitomycin intravenous recon soln 40 mg</i> | 5 | B/D PA; MO; NDS |
| <i>mitoxantrone</i> | 2 | B/D PA; MO |
| MONJUVI | 5 | PA; LA; NDS |
| <i>mycophenolate mofetil (hcl)</i> | 4 | B/D PA; MO |
| <i>mycophenolate mofetil oral capsule</i> | 3 | B/D PA; MO |
| <i>mycophenolate mofetil oral suspension for reconstitution</i> | 5 | B/D PA; MO; NDS |
| <i>mycophenolate mofetil oral tablet</i> | 3 | B/D PA; MO |
| <i>mycophenolate sodium</i> | 4 | B/D PA; MO |
| MYLOTARG | 5 | B/D PA; MO; LA; NDS |
| <i>nelarabine</i> | 5 | B/D PA; MO; NDS |
| NERLYNX | 5 | PA; MO; LA; NDS |
| <i>nilutamide</i> | 5 | PA; MO; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------------|
| NINLARO | 5 | PA; MO; QL (3 per 28 days); NDS |
| NUBEQA | 5 | PA; MO; LA; QL (120 per 30 days); NDS |
| NULOJIX | 5 | B/D PA; MO; NDS |
| <i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i> | 5 | PA; MO; NDS |
| <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i> | 4 | PA; MO |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml)</i> | 4 | PA; MO |
| <i>octreotide acetate injection syringe 50 mcg/ml (1 ml)</i> | 4 | PA |
| <i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i> | 5 | PA; MO; NDS |
| ODOMZO | 5 | PA; MO; LA; QL (30 per 30 days); NDS |
| OJJAARA | 5 | PA; QL (30 per 30 days); NDS |
| ONCASPAR | 5 | B/D PA; NDS |
| ONIVYDE | 5 | B/D PA; NDS |
| ONUREG | 5 | PA; MO; QL (14 per 28 days); NDS |
| OPDIVO | 5 | PA; MO; NDS |
| OPDUALAG | 5 | PA; MO; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| ORGOVYX | 5 | PA; LA; QL (30 per 28 days); NDS |
| ORSERDU ORAL TABLET 345 MG | 5 | PA; QL (30 per 30 days); NDS |
| ORSERDU ORAL TABLET 86 MG | 5 | PA; QL (90 per 30 days); NDS |
| <i>oxaliplatin intravenous recon soln</i> | 2 | B/D PA; MO |
| <i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i> | 2 | B/D PA; MO |
| <i>oxaliplatin intravenous solution 200 mg/40 ml</i> | 2 | B/D PA |
| <i>paclitaxel</i> | 2 | B/D PA; MO |
| PADCEV | 5 | PA; MO; NDS |
| <i>paraplatin</i> | 2 | B/D PA |
| <i>pazopanib</i> | 5 | PA; MO; QL (120 per 30 days); NDS |
| PEMAZYRE | 5 | PA; LA; QL (28 per 28 days); NDS |
| <i>pemetrexed disodium intravenous recon soln 1,000 mg, 500 mg</i> | 5 | B/D PA; MO; NDS |
| <i>pemetrexed disodium intravenous recon soln 100 mg</i> | 4 | B/D PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------------|
| <i>pemetrexed disodium intravenous recon soln 750 mg</i> | 5 | B/D PA; NDS |
| PERJETA | 5 | B/D PA; MO; NDS |
| PIQRAY | 5 | PA; MO; NDS |
| POLIVY | 5 | PA; MO; NDS |
| POMALYST | 5 | PA; MO; LA; NDS |
| PORTRAZZA | 5 | B/D PA; MO; NDS |
| POTELIGEO | 5 | PA; NDS |
| PROGRAF INTRAVENOUS | 3 | B/D PA; MO |
| PROGRAF ORAL GRANULES IN PACKET | 4 | B/D PA; MO |
| PURIXAN | 5 | NDS |
| QINLOCK | 5 | PA; LA; QL (90 per 30 days); NDS |
| RETEVMO ORAL CAPSULE 40 MG | 5 | PA; MO; LA; QL (180 per 30 days); NDS |
| RETEVMO ORAL CAPSULE 80 MG | 5 | PA; MO; LA; QL (120 per 30 days); NDS |
| REZLIDHIA | 5 | PA; QL (60 per 30 days); NDS |
| REZUROCK | 5 | PA; LA; QL (30 per 30 days); NDS |
| <i>romidepsin intravenous recon soln</i> | 5 | B/D PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------------------|
| ROZLYTREK ORAL CAPSULE 100 MG | 5 | PA; MO; QL (150 per 30 days); NDS |
| ROZLYTREK ORAL CAPSULE 200 MG | 5 | PA; MO; QL (90 per 30 days); NDS |
| ROZLYTREK ORAL PELLETS IN PACKET | 5 | PA; QL (336 per 28 days); NDS |
| RUBRACA | 5 | PA; MO; LA; QL (120 per 30 days); NDS |
| RUXIENCE | 5 | PA; MO; NDS |
| RYBREVANT | 5 | PA; MO; NDS |
| RYDAPT | 5 | PA; MO; QL (224 per 28 days); NDS |
| RYLAZE | 5 | PA; NDS |
| SANDIMMUNE ORAL SOLUTION | 4 | B/D PA |
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE RECON | 5 | PA; MO; NDS |
| SARCLISA | 5 | PA; LA; NDS |
| SCEMBLIX ORAL TABLET 20 MG | 5 | PA; MO; QL (600 per 30 days); NDS |
| SCEMBLIX ORAL TABLET 40 MG | 5 | PA; MO; QL (300 per 30 days); NDS |
| SIGNIFOR | 5 | PA; NDS |
| SIMULECT | 3 | B/D PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------------------|
| <i>sirolimus oral solution</i> | 5 | B/D PA; MO; NDS |
| <i>sirolimus oral tablet</i> | 4 | B/D PA; MO |
| SOLTAMOX | 5 | MO; NDS |
| SOMATULINE DEPOT | 5 | PA; MO; NDS |
| <i>sorafenib</i> | 5 | PA; MO; QL (120 per 30 days); NDS |
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 80 MG | 5 | PA; MO; QL (30 per 30 days); NDS |
| SPRYCEL ORAL TABLET 20 MG, 70 MG | 5 | PA; MO; QL (60 per 30 days); NDS |
| STIVARGA | 5 | PA; MO; QL (84 per 28 days); NDS |
| <i>sunitinib malate</i> | 5 | PA; MO; QL (30 per 30 days); NDS |
| TABLOID | 4 | MO |
| TABRECTA | 5 | PA; MO; NDS |
| <i>tacrolimus oral</i> | 3 | B/D PA; MO |
| TAFINLAR ORAL CAPSULE | 5 | PA; MO; QL (120 per 30 days); NDS |
| TAFINLAR ORAL TABLET FOR SUSPENSION | 5 | PA; MO; QL (840 per 28 days); NDS |
| TAGRISSO | 5 | PA; MO; LA; QL (30 per 30 days); NDS |
| TALVEY | 5 | PA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| TALZENNA | 5 | PA; MO; QL (30 per 30 days); NDS |
| <i>tamoxifen</i> | 2 | MO |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG | 5 | PA; MO; QL (112 per 28 days); NDS |
| TASIGNA ORAL CAPSULE 50 MG | 5 | PA; MO; QL (120 per 30 days); NDS |
| TAZVERIK | 5 | PA; LA; NDS |
| TECENTRIQ | 5 | B/D PA; MO; LA; NDS |
| TECVAYLI | 5 | PA; NDS |
| TEMODAR INTRAVENOUS | 5 | B/D PA; MO; NDS |
| <i>temsirolimus</i> | 5 | B/D PA; MO; NDS |
| TEPMETKO | 5 | PA; LA; NDS |
| THALOMID ORAL CAPSULE 100 MG, 50 MG | 5 | PA; MO; QL (28 per 28 days); NDS |
| THALOMID ORAL CAPSULE 150 MG, 200 MG | 5 | PA; MO; QL (56 per 28 days); NDS |
| <i>thiotepa injection recon soln 100 mg</i> | 5 | B/D PA; NDS |
| <i>thiotepa injection recon soln 15 mg</i> | 5 | B/D PA; MO; NDS |
| TIBSOVO | 5 | PA; NDS |
| TIVDAK | 5 | PA; MO; NDS |
| <i>topotecan</i> | 5 | B/D PA; MO; NDS |
| <i>toremifene</i> | 5 | MO; NDS |
| TRAZIMERA | 5 | B/D PA; MO; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 4 | PA; MO |
| <i>tretinoin (antineoplastic)</i> | 5 | MO; NDS |
| TRODELVY | 5 | PA; LA; NDS |
| TRUQAP | 5 | PA; QL (64 per 28 days); NDS |
| TUKYSA ORAL TABLET 150 MG | 5 | PA; LA; QL (120 per 30 days); NDS |
| TUKYSA ORAL TABLET 50 MG | 5 | PA; LA; QL (300 per 30 days); NDS |
| TURALIO ORAL CAPSULE 125 MG | 5 | PA; LA; QL (120 per 30 days); NDS |
| UNITUXIN | 5 | B/D PA; NDS |
| <i>valrubicin</i> | 5 | B/D PA; MO; NDS |
| VANFLYTA | 5 | PA; QL (56 per 28 days); NDS |
| VECTIBIX | 5 | B/D PA; MO; NDS |
| VENCLEXTA ORAL TABLET 10 MG | 4 | PA; LA; QL (60 per 30 days) |
| VENCLEXTA ORAL TABLET 100 MG | 5 | PA; LA; QL (120 per 30 days); NDS |
| VENCLEXTA ORAL TABLET 50 MG | 5 | PA; LA; QL (30 per 30 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|------------------------------|-----------|---------------------------------------|
| VENCLEXTA STARTING PACK | 5 | PA; LA; QL (42 per 180 days); NDS |
| VERZENIO | 5 | PA; MO; LA; QL (60 per 30 days); NDS |
| <i>vinblastine</i> | 2 | B/D PA; MO |
| <i>vincristine</i> | 2 | B/D PA; MO |
| <i>vinorelbine</i> | 2 | B/D PA; MO |
| VITRAKVI ORAL CAPSULE 100 MG | 5 | PA; MO; LA; QL (60 per 30 days); NDS |
| VITRAKVI ORAL CAPSULE 25 MG | 5 | PA; MO; LA; QL (180 per 30 days); NDS |
| VITRAKVI ORAL SOLUTION | 5 | PA; MO; LA; QL (300 per 30 days); NDS |
| VIZIMPRO | 5 | PA; MO; QL (30 per 30 days); NDS |
| VONJO | 5 | PA; QL (120 per 30 days); NDS |
| VOTRIENT | 5 | PA; MO; QL (120 per 30 days); NDS |
| VYXEOS | 5 | B/D PA; NDS |
| WELIREG | 5 | PA; LA; NDS |
| XALKORI ORAL CAPSULE | 5 | PA; MO; QL (60 per 30 days); NDS |
| XALKORI ORAL PELLETT | 5 | PA; QL (60 per 30 days); NDS |
| XATMEP | 4 | B/D PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------------|
| XERMELO | 5 | PA; LA; QL (84 per 28 days); NDS |
| XOSPATA | 5 | PA; LA; QL (90 per 30 days); NDS |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80MG TWICE WEEK (160 MG/WEEK) | 5 | PA; LA; NDS |
| XTANDI ORAL CAPSULE | 5 | PA; MO; QL (120 per 30 days); NDS |
| XTANDI ORAL TABLET 40 MG | 5 | PA; MO; QL (120 per 30 days); NDS |
| XTANDI ORAL TABLET 80 MG | 5 | PA; MO; QL (60 per 30 days); NDS |
| YERVOY | 5 | B/D PA; MO; NDS |
| YONDELIS | 5 | B/D PA; NDS |
| ZALTRAP | 5 | B/D PA; MO; NDS |
| ZANOSAR | 4 | B/D PA; MO |
| ZEJULA ORAL CAPSULE | 5 | PA; MO; LA; QL (90 per 30 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|-----------------------------------|-----------|--------------------------------------|
| ZEJULA ORAL TABLET 100 MG | 5 | PA; MO; LA; QL (90 per 30 days); NDS |
| ZEJULA ORAL TABLET 200 MG, 300 MG | 5 | PA; MO; LA; QL (30 per 30 days); NDS |
| ZELBORAF | 5 | PA; MO; QL (240 per 30 days); NDS |
| ZEPZELCA | 5 | PA; NDS |
| ZIRABEV | 5 | B/D PA; MO; NDS |
| ZOLADEX | 4 | PA; MO |
| ZOLINZA | 5 | PA; MO; QL (120 per 30 days); NDS |
| ZYDELIG | 5 | PA; MO; QL (60 per 30 days); NDS |
| ZYKADIA | 5 | PA; MO; QL (90 per 30 days); NDS |
| ZYNLONTA | 5 | PA; LA; NDS |
| ZYNYZ | 5 | PA; NDS |

AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH

ANTICONVULSANTS

| | | |
|-----------------------------------|---|-------------------------------|
| APTIOM ORAL TABLET 200 MG | 5 | MO; QL (180 per 30 days); NDS |
| APTIOM ORAL TABLET 400 MG | 5 | MO; QL (90 per 30 days); NDS |
| APTIOM ORAL TABLET 600 MG, 800 MG | 5 | MO; QL (60 per 30 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------------|
| BRIVIACT INTRAVENOUS | 4 | MO; QL (600 per 30 days) |
| BRIVIACT ORAL SOLUTION | 5 | MO; QL (600 per 30 days); NDS |
| BRIVIACT ORAL TABLET | 5 | MO; QL (60 per 30 days); NDS |
| <i>carbamazepine oral capsule, er multiphase 12 hr</i> | 3 | MO |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> | 2 | MO |
| <i>carbamazepine oral tablet</i> | 2 | MO |
| <i>carbamazepine oral tablet extended release 12 hr</i> | 3 | MO |
| <i>carbamazepine oral tablet, chewable</i> | 2 | MO |
| <i>clobazam oral suspension</i> | 4 | PA; MO; QL (480 per 30 days) |
| <i>clobazam oral tablet</i> | 4 | PA; MO; QL (60 per 30 days) |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>clonazepam oral tablet 2 mg</i> | 2 | MO; QL (300 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 2 mg</i> | 2 | MO; QL (300 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| DIACOMIT | 5 | PA; LA; NDS |
| <i>diazepam rectal</i> | 4 | MO |
| DILANTIN 30 MG | 4 | MO |
| <i>divalproex</i> | 2 | MO |
| EPIDIOLEX | 5 | PA; MO; LA; NDS |
| <i>epitol</i> | 2 | MO |
| EPRONTIA | 4 | PA; MO |
| <i>ethosuximide</i> | 3 | MO |
| <i>felbamate oral suspension</i> | 5 | MO; NDS |
| <i>felbamate oral tablet</i> | 4 | MO |
| FINTEPLA | 5 | PA; LA; QL (360 per 30 days); NDS |
| <i>fosphenytoin</i> | 2 | MO |
| FYCOMPA ORAL SUSPENSION | 5 | MO; QL (720 per 30 days); NDS |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG | 5 | MO; QL (30 per 30 days); NDS |
| FYCOMPA ORAL TABLET 2 MG | 4 | MO; QL (60 per 30 days) |
| FYCOMPA ORAL TABLET 4 MG, 6 MG | 5 | MO; QL (60 per 30 days); NDS |
| <i>gabapentin oral capsule 100 mg, 400 mg</i> | 2 | MO; QL (270 per 30 days) |
| <i>gabapentin oral capsule 300 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml</i> | 3 | MO; QL (2160 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| <i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i> | 3 | QL (2160 per 30 days) |
| <i>gabapentin oral tablet 600 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>gabapentin oral tablet 800 mg</i> | 2 | MO; QL (120 per 30 days) |
| GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG | 3 | PA; MO; QL (30 per 30 days) |
| GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 450 MG, 750 MG, 900 MG | 3 | PA; MO; QL (60 per 30 days) |
| GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 600 MG | 3 | PA; MO; QL (90 per 30 days) |
| <i>lacosamide intravenous</i> | 3 | MO; QL (1200 per 30 days) |
| <i>lacosamide oral solution</i> | 4 | QL (1200 per 30 days) |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>lacosamide oral tablet 50 mg</i> | 3 | MO; QL (120 per 30 days) |
| <i>lamotrigine oral tablet</i> | 1 | MO |
| <i>lamotrigine oral tablet disintegrating, dose pk</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| <i>lamotrigine oral tablet, chewable dispersible</i> | 2 | MO |
| <i>lamotrigine oral tablet, disintegrating</i> | 4 | MO |
| <i>lamotrigine oral tablets, dose pack</i> | 4 | MO |
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 500 mg/100 ml</i> | 2 | MO |
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,500 mg/100 ml</i> | 2 | |
| <i>levetiracetam intravenous</i> | 2 | MO |
| <i>levetiracetam oral solution 100 mg/ml</i> | 2 | MO |
| <i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i> | 2 | |
| <i>levetiracetam oral tablet</i> | 2 | MO |
| <i>levetiracetam oral tablet extended release 24 hr</i> | 2 | MO |
| <i>methsuximide</i> | 4 | MO |
| NAYZILAM | 5 | PA; MO; QL (10 per 30 days); NDS |
| <i>oxcarbazepine oral suspension</i> | 4 | MO |
| <i>oxcarbazepine oral tablet</i> | 3 | MO |
| <i>phenobarbital oral elixir</i> | 4 | PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| <i>phenobarbital oral tablet 100 mg, 15 mg, 30 mg, 60 mg</i> | 3 | PA |
| <i>phenobarbital oral tablet 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg</i> | 3 | PA; MO |
| <i>phenobarbital sodium injection solution 130 mg/ml</i> | 2 | MO |
| <i>phenobarbital sodium injection solution 65 mg/ml</i> | 2 | |
| <i>phenytoin oral suspension 100 mg/4 ml</i> | 2 | |
| <i>phenytoin oral suspension 125 mg/5 ml</i> | 2 | MO |
| <i>phenytoin oral tablet, chewable</i> | 2 | MO |
| <i>phenytoin sodium extended oral capsule 100 mg</i> | 2 | MO |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> | 2 | |
| <i>phenytoin sodium intravenous solution</i> | 2 | |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> | 3 | MO; QL (90 per 30 days) |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> | 3 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| <i>pregabalin oral solution</i> | 3 | MO; QL (900 per 30 days) |
| PRIMIDONE ORAL TABLET 125 MG | 4 | MO |
| <i>primidone oral tablet 250 mg, 50 mg</i> | 2 | MO |
| <i>roweepra oral tablet 500 mg</i> | 2 | MO |
| <i>rufinamide oral suspension</i> | 5 | PA; MO; NDS |
| <i>rufinamide oral tablet 200 mg</i> | 4 | PA; MO |
| <i>rufinamide oral tablet 400 mg</i> | 5 | PA; MO; NDS |
| SPRITAM | 4 | MO |
| <i>subvenite</i> | 1 | MO |
| <i>subvenite starter (blue) kit</i> | 4 | MO |
| <i>subvenite starter (green) kit</i> | 4 | MO |
| <i>subvenite starter (orange) kit</i> | 4 | MO |
| SYMPAZAN ORAL FILM 10 MG, 20 MG | 5 | PA; MO; QL (60 per 30 days); NDS |
| SYMPAZAN ORAL FILM 5 MG | 4 | PA; MO; QL (60 per 30 days) |
| <i>tiagabine</i> | 4 | MO |
| <i>topiramate oral capsule, sprinkle</i> | 2 | PA; MO |
| <i>topiramate oral tablet</i> | 2 | PA; MO |
| <i>valproate sodium</i> | 2 | MO |
| <i>valproic acid</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 2 | MO |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i> | 2 | |
| VALTOCO | 5 | PA; MO; QL (10 per 30 days); NDS |
| <i>vigabatrin</i> | 5 | PA; MO; LA; NDS |
| <i>vigadrone</i> | 5 | PA; LA; NDS |
| <i>vigpoder</i> | 5 | PA; LA; NDS |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) | 5 | MO; QL (56 per 28 days); NDS |
| XCOPRI ORAL TABLET 100 MG | 5 | MO; QL (120 per 30 days); NDS |
| XCOPRI ORAL TABLET 150 MG, 200 MG | 5 | MO; QL (60 per 30 days); NDS |
| XCOPRI ORAL TABLET 50 MG | 5 | MO; QL (240 per 30 days); NDS |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14) | 4 | MO; QL (28 per 180 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 5 | MO; QL (28 per 180 days); NDS |
| ZONISADE | 5 | PA; MO; NDS |
| <i>zonisamide</i> | 2 | PA; MO |
| ZTALMY | 5 | PA; LA; QL (1080 per 30 days); NDS |

ANTIPARKINSONISM AGENTS

| | | |
|--|---|--------------------------------------|
| APOKYN | 5 | PA; MO; LA; QL (90 per 30 days); NDS |
| <i>apomorphine</i> | 5 | PA; QL (90 per 30 days); NDS |
| <i>benztropine injection</i> | 2 | MO |
| <i>benztropine oral</i> | 2 | PA; MO |
| <i>bromocriptine</i> | 4 | MO |
| <i>carbidopa</i> | 2 | MO |
| <i>carbidopa-levodopa oral tablet</i> | 2 | MO |
| <i>carbidopa-levodopa oral tablet extended release</i> | 2 | MO |
| <i>carbidopa-levodopa oral tablet, disintegrating</i> | 2 | |
| <i>carbidopa-levodopa-entacapone</i> | 4 | MO |
| <i>entacapone</i> | 4 | MO |
| NEUPRO | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>pramipexole oral tablet</i> | 2 | MO |
| <i>rasagiline</i> | 4 | MO |
| <i>ropinirole oral tablet</i> | 2 | MO |
| <i>ropinirole oral tablet extended release 24 hr</i> | 4 | MO |
| <i>selegiline hcl</i> | 2 | MO |

MIGRAINE / CLUSTER HEADACHE THERAPY

| | | |
|--|---|-----------------------------|
| AIMOVIG AUTOINJECTOR | 3 | PA; MO; QL (1 per 30 days) |
| <i>dihydroergotamine injection</i> | 5 | NDS |
| <i>dihydroergotamine nasal</i> | 5 | QL (8 per 28 days); NDS |
| <i>eletriptan</i> | 4 | MO; QL (18 per 28 days) |
| EMGALITY PEN | 3 | PA; MO; QL (2 per 30 days) |
| EMGALITY SUBCUTANEOUS SYRINGE 120 MG/ML | 3 | PA; MO; QL (2 per 30 days) |
| <i>ergotamine-caffeine</i> | 3 | MO |
| <i>naratriptan</i> | 3 | MO; QL (18 per 28 days) |
| NURTEC ODT | 3 | PA; QL (16 per 30 days) |
| QULIPTA | 3 | PA; MO; QL (30 per 30 days) |
| <i>rizatriptan oral tablet</i> | 2 | MO; QL (36 per 28 days) |
| <i>rizatriptan oral tablet, disintegrating</i> | 3 | MO; QL (36 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| <i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> | 4 | MO; QL (18 per 28 days) |
| <i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> | 4 | MO; QL (36 per 28 days) |
| <i>sumatriptan succinate oral</i> | 2 | MO; QL (18 per 28 days) |
| <i>sumatriptan succinate subcutaneous cartridge</i> | 4 | MO; QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector</i> | 4 | MO; QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous solution</i> | 4 | MO; QL (8 per 28 days) |
| UBRELVY | 3 | PA; QL (20 per 30 days) |
| <i>zolmitriptan oral</i> | 4 | MO; QL (18 per 28 days) |
| MISCELLANEOUS NEUROLOGICAL THERAPY | | |
| BRIUMVI | 5 | PA; MO; QL (24 per 180 days); NDS |
| <i>dalfampridine</i> | 3 | PA; MO; QL (60 per 30 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i> | 5 | PA; MO; QL (14 per 30 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> | 5 | PA; MO; QL (120 per 180 days); NDS |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i> | 5 | PA; MO; QL (60 per 30 days); NDS |
| <i>donepezil oral tablet 10 mg, 5 mg</i> | 1 | MO |
| <i>donepezil oral tablet 23 mg</i> | 4 | MO |
| <i>donepezil oral tablet,disintegrating</i> | 1 | MO |
| <i>fingolimod</i> | 5 | PA; MO; QL (30 per 30 days); NDS |
| FIRDAPSE | 5 | PA; LA; NDS |
| <i>galantamine oral capsule,ext rel. pellets 24 hr</i> | 3 | MO |
| <i>galantamine oral solution</i> | 4 | MO |
| <i>galantamine oral tablet</i> | 3 | MO |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> | 5 | PA; QL (30 per 30 days); NDS |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> | 5 | PA; QL (12 per 28 days); NDS |
| <i>glatopa subcutaneous syringe 20 mg/ml</i> | 5 | PA; MO; QL (30 per 30 days); NDS |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> | 5 | PA; MO; QL (12 per 28 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| INGREZZA | 5 | PA; LA; QL (30 per 30 days); NDS |
| INGREZZA INITIATION PACK | 5 | PA; LA; QL (28 per 180 days); NDS |
| KESIMPTA PEN | 5 | PA; MO; QL (1.6 per 28 days); NDS |
| <i>memantine oral capsule,sprinkle,er 24hr</i> | 4 | PA; MO |
| <i>memantine oral solution</i> | 3 | PA; MO |
| <i>memantine oral tablet</i> | 2 | PA; MO |
| NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK | 3 | PA |
| NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR | 3 | PA; MO |
| NUEDEXTA | 5 | PA; MO; NDS |
| RADICAVA ORS | 5 | PA; MO; NDS |
| RADICAVA ORS STARTER KIT SUSP | 5 | PA; MO; NDS |
| <i>rivastigmine</i> | 4 | MO |
| <i>rivastigmine tartrate</i> | 3 | MO |
| <i>teriflunomide</i> | 5 | PA; MO; QL (30 per 30 days); NDS |
| <i>tetrabenazine oral tablet 12.5 mg</i> | 5 | PA; MO; QL (240 per 30 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| <i>tetrabenazine oral tablet 25 mg</i> | 5 | PA; MO; QL (120 per 30 days); NDS |
| VUMERITY | 5 | PA; MO; QL (120 per 30 days); NDS |
| ZEPOSIA | 5 | PA; MO; QL (30 per 30 days); NDS |
| ZEPOSIA STARTER KIT (28-DAY) | 5 | PA; MO; QL (28 per 180 days); NDS |
| ZEPOSIA STARTER PACK (7-DAY) | 5 | PA; MO; QL (7 per 180 days); NDS |
| MUSCLE RELAXANTS / ANTISPASMODIC THERAPY | | |
| <i>baclofen oral tablet</i> | 2 | MO |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 4 | PA; MO |
| <i>dantrolene intravenous</i> | 2 | |
| <i>dantrolene oral</i> | 4 | MO |
| LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML, 500 MCG/ML | 3 | B/D PA; MO |
| LIORESAL INTRATHECAL SOLUTION 50 MCG/ML | 3 | B/D PA |
| <i>pyridostigmine bromide oral tablet 60 mg</i> | 3 | MO |
| <i>pyridostigmine bromide oral tablet extended release</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| <i>revonto</i> | 2 | |
| <i>tizanidine oral tablet</i> | 2 | MO |
| NARCOTIC ANALGESICS | | |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i> | 2 | MO; QL (4500 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i> | 2 | MO; QL (180 per 30 days) |
| BELBUCA | 3 | PA; MO; QL (60 per 30 days) |
| <i>buprenorphine hcl injection syringe</i> | 2 | |
| <i>buprenorphine hcl sublingual</i> | 2 | MO |
| <i>buprenorphine transdermal patch</i> | 4 | PA; MO; QL (4 per 28 days) |
| <i>endocet</i> | 3 | MO; QL (360 per 30 days) |
| <i>fentanyl citrate (pf) injection solution</i> | 2 | |
| <i>fentanyl citrate (pf) intravenous syringe 100 mcg/2 ml (50 mcg/ml)</i> | 2 | |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 5 | PA; MO; QL (120 per 30 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------|
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> | 4 | PA; MO; QL (120 per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 4 | PA; MO; QL (10 per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> | 3 | MO; QL (5550 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg</i> | 3 | MO; QL (390 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | MO; QL (360 per 30 days) |
| <i>hydrocodone-ibuprofen</i> | 3 | MO; QL (50 per 30 days) |
| <i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 2 mg/ml</i> | 4 | |
| <i>hydromorphone (pf) injection solution 10 mg/ml</i> | 4 | MO |
| <i>hydromorphone injection solution 1 mg/ml</i> | 4 | |
| <i>hydromorphone injection solution 2 mg/ml</i> | 4 | MO |
| <i>hydromorphone injection syringe 1 mg/ml, 4 mg/ml</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------------|
| <i>hydromorphone injection syringe 2 mg/ml</i> | 4 | |
| <i>hydromorphone oral liquid</i> | 4 | MO; QL (2400 per 30 days) |
| <i>hydromorphone oral tablet</i> | 3 | MO; QL (180 per 30 days) |
| <i>hydromorphone oral tablet extended release 24 hr</i> | 4 | PA; MO; QL (60 per 30 days) |
| <i>methadone injection solution</i> | 3 | |
| <i>methadone intensol</i> | 3 | PA; MO; QL (90 per 30 days) |
| <i>methadone oral concentrate</i> | 3 | PA; QL (90 per 30 days) |
| <i>methadone oral solution 10 mg/5 ml</i> | 3 | PA; MO; QL (600 per 30 days) |
| <i>methadone oral solution 5 mg/5 ml</i> | 3 | PA; MO; QL (1200 per 30 days) |
| <i>methadone oral tablet 10 mg</i> | 3 | PA; MO; QL (120 per 30 days) |
| <i>methadone oral tablet 5 mg</i> | 3 | PA; MO; QL (240 per 30 days) |
| <i>methadose oral concentrate</i> | 3 | PA; MO; QL (90 per 30 days) |
| <i>morphine (pf) injection solution 0.5 mg/ml</i> | 4 | |
| <i>morphine (pf) injection solution 1 mg/ml</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------|
| <i>morphine concentrate oral solution</i> | 3 | MO; QL (900 per 30 days) |
| <i>morphine injection syringe 4 mg/ml</i> | 4 | MO |
| <i>morphine intravenous solution 10 mg/ml, 4 mg/ml</i> | 4 | MO |
| <i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml</i> | 4 | |
| <i>morphine oral solution</i> | 3 | MO; QL (900 per 30 days) |
| <i>morphine oral tablet</i> | 3 | MO; QL (180 per 30 days) |
| <i>morphine oral tablet extended release</i> | 3 | PA; MO; QL (120 per 30 days) |
| <i>oxycodone oral capsule</i> | 3 | MO; QL (360 per 30 days) |
| <i>oxycodone oral concentrate</i> | 4 | MO; QL (180 per 30 days) |
| <i>oxycodone oral solution</i> | 3 | MO; QL (1200 per 30 days) |
| <i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i> | 3 | MO; QL (180 per 30 days) |
| <i>oxycodone oral tablet 5 mg</i> | 3 | MO; QL (360 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | MO; QL (360 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--|
| OXYCONTIN, ORAL ONLY, EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG | 3 | PA; MO; QL (90 per 30 days) |
| OXYCONTIN, ORAL ONLY, EXT.REL.12 HR 80 MG | 5 | PA; MO; QL (60 per 30 days); NDS |

NON-NARCOTIC ANALGESICS

| | | |
|--|---|--------------------------|
| <i>buprenorphine-naloxone sublingual film 12-3 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 2-0.5 mg</i> | 3 | MO; QL (360 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 4-1 mg, 8-2 mg</i> | 3 | MO; QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 8-2 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>butorphanol injection</i> | 2 | MO |
| <i>butorphanol nasal</i> | 4 | MO; QL (10 per 28 days) |
| <i>celecoxib</i> | 2 | MO |
| <i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i> | 2 | |
| <i>diclofenac potassium oral tablet 50 mg</i> | 2 | MO |
| <i>diclofenac sodium oral</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|---------------------------|
| <i>diclofenac sodium topical gel 1 %</i> | 3 | MO; QL (1000 per 28 days) |
| <i>diclofenac-misoprostol</i> | 4 | MO |
| <i>diflunisal</i> | 3 | MO |
| <i>ec-naproxen</i> | 2 | |
| <i>etodolac oral capsule</i> | 3 | MO |
| <i>etodolac oral tablet</i> | 3 | MO |
| <i>etodolac oral tablet extended release 24 hr</i> | 4 | MO |
| <i>flurbiprofen oral tablet 100 mg</i> | 2 | MO |
| <i>ibu</i> | 1 | MO |
| <i>ibuprofen oral suspension</i> | 2 | MO |
| <i>ibuprofen oral tablet 400 mg, 800 mg</i> | 1 | MO |
| <i>ibuprofen oral tablet 600 mg</i> | 1 | |
| <i>meloxicam oral tablet</i> | 1 | MO; QL (30 per 30 days) |
| <i>nabumetone</i> | 2 | MO |
| <i>nalbuphine</i> | 2 | MO |
| <i>naloxone injection solution</i> | 2 | MO |
| <i>naloxone injection syringe</i> | 2 | MO |
| <i>naloxone nasal</i> | 2 | MO |
| <i>naltrexone</i> | 2 | MO |
| <i>naproxen oral tablet</i> | 1 | MO |
| <i>naproxen oral tablet, delayed release (dr/ec)</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------------|
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 2 | MO |
| <i>oxaprozin oral tablet</i> | 4 | MO |
| <i>piroxicam</i> | 3 | MO |
| <i>salsalate</i> | 1 | MO |
| <i>sulindac</i> | 2 | MO |
| <i>tramadol oral tablet 50 mg</i> | 2 | MO; QL (240 per 30 days) |
| <i>tramadol-acetaminophen</i> | 2 | MO; QL (240 per 30 days) |
| VIVITROL | 5 | MO; NDS |
| ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9- 0.71 MG, 5.7-1.4 MG | 3 | MO; QL (30 per 30 days) |
| ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG | 3 | MO; QL (60 per 30 days) |
| PSYCHOTHERAPEUTIC DRUGS | | |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 720 MG/2.4 ML | 5 | MO; QL (2.4 per 56 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 960 MG/3.2 ML | 5 | MO; QL (3.2 per 56 days); NDS |
| ABILIFY MAINTENA | 5 | MO; QL (1 per 28 days); NDS |
| <i>amitriptyline</i> | 2 | MO |
| <i>amoxapine</i> | 3 | MO |
| <i>aripiprazole oral solution</i> | 4 | MO |
| <i>aripiprazole oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| <i>aripiprazole oral tablet, disintegrating</i> | 4 | MO; QL (60 per 30 days) |
| ARISTADA INITIO | 5 | MO; QL (4.8 per 365 days); NDS |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 1,064 MG/3.9 ML | 5 | MO; QL (3.9 per 56 days); NDS |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 441 MG/1.6 ML | 5 | MO; QL (1.6 per 28 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------------|
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML | 5 | MO; QL (2.4 per 28 days); NDS |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML | 5 | MO; QL (3.2 per 28 days); NDS |
| <i>armodafinil</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>asenapine maleate</i> | 4 | MO; QL (60 per 30 days) |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> | 4 | MO; QL (30 per 30 days) |
| AUVELITY | 5 | ST; MO; QL (60 per 30 days); NDS |
| <i>bupropion hcl oral tablet</i> | 2 | MO |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>bupropion hcl oral tablet extended release 24 hr 300 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>bupropion hcl oral tablet sustained-release 12 hr</i> | 2 | MO; QL (60 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------|
| <i>bupirone</i> | 2 | MO |
| CAPLYTA | 4 | MO; QL (30 per 30 days) |
| <i>chlorpromazine injection</i> | 2 | MO |
| <i>chlorpromazine oral</i> | 4 | MO |
| <i>citalopram oral solution</i> | 3 | MO |
| <i>citalopram oral tablet</i> | 1 | MO; QL (30 per 30 days) |
| <i>clomipramine</i> | 4 | MO |
| <i>clonidine hcl oral tablet extended release 12 hr</i> | 4 | MO |
| <i>clorazepate dipotassium oral tablet 15 mg</i> | 3 | PA; MO; QL (180 per 30 days) |
| <i>clorazepate dipotassium oral tablet 3.75 mg</i> | 3 | PA; MO; QL (90 per 30 days) |
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> | 3 | PA; MO; QL (360 per 30 days) |
| <i>clozapine oral tablet</i> | 3 | |
| <i>clozapine oral tablet, disintegrating</i> | 4 | |
| <i>desipramine</i> | 2 | MO |
| <i>desvenlafaxine succinate</i> | 3 | MO; QL (30 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i> | 4 | MO |
| <i>dextroamphetamine-amphetamine oral tablet</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------------|
| <i>diazepam injection</i> | 2 | PA |
| <i>diazepam intensol</i> | 2 | PA; MO; QL (240 per 30 days) |
| <i>diazepam oral concentrate</i> | 2 | PA; QL (240 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 2 | PA; MO; QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml, 5 ml)</i> | 2 | PA; QL (1200 per 30 days) |
| <i>diazepam oral tablet</i> | 2 | PA; MO; QL (120 per 30 days) |
| <i>doxepin oral capsule</i> | 4 | MO |
| <i>doxepin oral concentrate</i> | 4 | MO |
| <i>doxepin oral tablet</i> | 3 | MO; QL (30 per 30 days) |
| DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG | 4 | QL (60 per 30 days) |
| DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG | 4 | QL (90 per 30 days) |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> | 2 | MO; QL (60 per 30 days) |
| EMSAM | 5 | MO; NDS |
| <i>escitalopram oxalate oral solution</i> | 2 | MO |
| <i>escitalopram oxalate oral tablet</i> | 1 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| <i>eszopiclone</i> | 4 | MO; QL (30 per 30 days) |
| FANAPT ORAL TABLET | 4 | MO; QL (60 per 30 days) |
| FANAPT ORAL TABLETS,DOSE PACK | 4 | MO; QL (8 per 180 days) |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK | 3 | QL (28 per 180 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR | 3 | MO; QL (30 per 30 days) |
| <i>flumazenil</i> | 2 | |
| <i>fluoxetine (pmdd) oral tablet 10 mg</i> | 2 | QL (240 per 30 days) |
| <i>fluoxetine (pmdd) oral tablet 20 mg</i> | 2 | QL (120 per 30 days) |
| <i>fluoxetine oral capsule 10 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>fluoxetine oral capsule 20 mg</i> | 1 | MO; QL (90 per 30 days) |
| <i>fluoxetine oral capsule 40 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>fluoxetine oral capsule, delayed release(dr/ec)</i> | 2 | MO; QL (4 per 28 days) |
| <i>fluoxetine oral solution</i> | 2 | MO |
| <i>fluoxetine oral tablet 10 mg</i> | 2 | MO; QL (240 per 30 days) |
| <i>fluoxetine oral tablet 20 mg</i> | 2 | MO; QL (120 per 30 days) |
| <i>fluphenazine decanoate</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------|
| <i>fluphenazine hcl</i> | 4 | MO |
| <i>fluvoxamine oral capsule, extended release 24hr</i> | 4 | MO; QL (60 per 30 days) |
| <i>fluvoxamine oral tablet 100 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>fluvoxamine oral tablet 25 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>fluvoxamine oral tablet 50 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>haloperidol</i> | 2 | MO |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i> | 4 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> | 4 | MO |
| <i>haloperidol lactate injection</i> | 4 | MO |
| <i>haloperidol lactate intramuscular</i> | 2 | |
| <i>haloperidol lactate oral</i> | 2 | MO |
| <i>imipramine hcl</i> | 4 | MO |
| <i>imipramine pamoate</i> | 4 | MO |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | 5 | MO; QL (3.5 per 180 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------------|
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | 5 | MO; QL (5 per 180 days); NDS |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 5 | MO; QL (0.75 per 28 days); NDS |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 5 | MO; QL (1 per 28 days); NDS |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 5 | MO; QL (1.5 per 28 days); NDS |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 3 | MO; QL (0.25 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 5 | MO; QL (0.5 per 28 days); NDS |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | 5 | MO; QL (0.88 per 90 days); NDS |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | 5 | MO; QL (1.32 per 90 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------|
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 5 | MO; QL (1.75 per 90 days); NDS |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | 5 | MO; QL (2.63 per 90 days); NDS |
| <i>lithium carbonate</i> | 1 | MO |
| <i>lithium citrate</i> | 2 | |
| <i>lorazepam injection solution</i> | 2 | PA; MO |
| <i>lorazepam injection syringe 2 mg/ml</i> | 2 | PA; MO |
| <i>lorazepam intensol</i> | 2 | PA; QL (150 per 30 days) |
| <i>lorazepam oral concentrate</i> | 2 | PA; MO; QL (150 per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> | 2 | PA; MO; QL (90 per 30 days) |
| <i>lorazepam oral tablet 2 mg</i> | 2 | PA; MO; QL (150 per 30 days) |
| <i>loxapine succinate</i> | 2 | MO |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> | 5 | MO; QL (30 per 30 days); NDS |
| <i>lurasidone oral tablet 80 mg</i> | 5 | MO; QL (60 per 30 days); NDS |
| MARPLAN | 4 | MO |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| <i>methylphenidate hcl oral solution</i> | 4 | MO |
| <i>methylphenidate hcl oral tablet</i> | 3 | MO |
| <i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i> | 4 | MO |
| <i>methylphenidate hcl oral tablet, chewable</i> | 4 | MO |
| <i>mirtazapine oral tablet</i> | 2 | MO |
| <i>mirtazapine oral tablet, disintegrating</i> | 3 | MO |
| <i>modafinil oral tablet 100 mg</i> | 3 | PA; MO; QL (30 per 30 days) |
| <i>modafinil oral tablet 200 mg</i> | 3 | PA; MO; QL (60 per 30 days) |
| <i>molindone oral tablet 10 mg, 25 mg</i> | 4 | |
| <i>molindone oral tablet 5 mg</i> | 4 | MO |
| <i>nefazodone</i> | 4 | MO |
| <i>nortriptyline oral capsule</i> | 2 | MO |
| <i>nortriptyline oral solution</i> | 4 | MO |
| NUPLAZID | 4 | PA; MO; QL (30 per 30 days) |
| <i>olanzapine intramuscular</i> | 4 | MO |
| <i>olanzapine oral tablet</i> | 2 | MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| <i>olanzapine oral tablet,disintegrating</i> | 4 | MO; QL (30 per 30 days) |
| <i>olanzapine-fluoxetine</i> | 4 | MO |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> | 4 | MO; QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>paroxetine hcl oral suspension</i> | 4 | MO |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>paroxetine hcl oral tablet 30 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>paroxetine hcl oral tablet extended release 24 hr</i> | 3 | MO; QL (60 per 30 days) |
| <i>perphenazine</i> | 4 | MO |
| PERSERIS | 5 | MO; QL (1 per 30 days); NDS |
| <i>phenelzine</i> | 3 | MO |
| <i>pimozide</i> | 4 | MO |
| <i>protriptyline</i> | 4 | MO |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>quetiapine oral tablet 300 mg, 400 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i> | 3 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| <i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>ramelteon</i> | 3 | MO; QL (30 per 30 days) |
| REXULTI ORAL TABLET | 4 | MO; QL (30 per 30 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML | 3 | MO; QL (2 per 28 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML | 5 | MO; QL (2 per 28 days); NDS |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i> | 3 | MO; QL (2 per 28 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> | 5 | MO; QL (2 per 28 days); NDS |
| <i>risperidone oral solution</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>risperidone oral tablet 4 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>risperidone oral tablet, disintegrating 4 mg</i> | 4 | MO; QL (120 per 30 days) |
| SECUADO | 5 | MO; QL (30 per 30 days); NDS |
| <i>sertraline oral concentrate</i> | 4 | MO |
| <i>sertraline oral tablet 100 mg, 50 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>sertraline oral tablet 25 mg</i> | 1 | MO; QL (30 per 30 days) |
| SODIUM OXYBATE | 5 | PA; LA; QL (540 per 30 days); NDS |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3) | 5 | PA; MO; NDS |
| <i>thioridazine</i> | 3 | MO |
| <i>thiothixene</i> | 2 | MO |
| <i>tranlycypromine</i> | 4 | MO |
| <i>trazodone</i> | 1 | MO |
| <i>trifluoperazine</i> | 3 | MO |
| <i>trimipramine</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------|
| TRINTELLIX | 3 | MO; QL (30 per 30 days) |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML | 5 | MO; QL (0.28 per 28 days); NDS |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 125 MG/0.35 ML | 5 | MO; QL (0.35 per 28 days); NDS |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 150 MG/0.42 ML | 5 | MO; QL (0.42 per 56 days); NDS |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 200 MG/0.56 ML | 5 | MO; QL (0.56 per 56 days); NDS |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 250 MG/0.7 ML | 5 | MO; QL (0.7 per 56 days); NDS |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 50 MG/0.14 ML | 5 | MO; QL (0.14 per 28 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------------|
| UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 75 MG/0.21 ML | 5 | MO; QL (0.21 per 28 days); NDS |
| <i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>venlafaxine oral capsule,extended release 24hr 75 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>venlafaxine oral tablet</i> | 2 | MO; QL (90 per 30 days) |
| VERSACLOZ | 5 | NDS |
| <i>vilazodone</i> | 3 | MO; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE | 4 | MO; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE,DOSE PACK | 4 | MO; QL (7 per 180 days) |
| <i>zaleplon oral capsule 10 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>zaleplon oral capsule 5 mg</i> | 4 | MO; QL (30 per 30 days) |
| <i>ziprasidone hcl</i> | 3 | MO; QL (60 per 30 days) |
| <i>ziprasidone mesylate</i> | 4 | MO |
| <i>zolpidem oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| ZURZUVAE | 5 | PA; MO; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------------|
| ZYPREXA RELPREVV INTRAMUSCULA R SUSPENSION FOR RECONSTITUTIO N 210 MG | 3 | MO; QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULA R SUSPENSION FOR RECONSTITUTIO N 300 MG | 5 | MO; QL (2 per 28 days); NDS |
| ZYPREXA RELPREVV INTRAMUSCULA R SUSPENSION FOR RECONSTITUTIO N 405 MG | 5 | MO; QL (1 per 28 days); NDS |

CARDIOVASCULAR, HYPERTENSION / LIPIDS

ANTIARRHYTHMIC AGENTS

| | | |
|--|---|------------|
| <i>adenosine</i> | 2 | |
| <i>amiodarone intravenous solution</i> | 2 | B/D PA; MO |
| <i>amiodarone intravenous syringe</i> | 2 | B/D PA |
| <i>amiodarone oral tablet 100 mg, 200 mg</i> | 2 | MO |
| <i>amiodarone oral tablet 400 mg</i> | 2 | |
| <i>dofetilide</i> | 4 | MO |
| <i>flecainide</i> | 2 | MO |
| <i>ibutilide fumarate</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>lidocaine (pf) intravenous</i> | 2 | |
| <i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 4 mg/ml (0.4 %), 8 mg/ml (0.8 %)</i> | 4 | |
| <i>mexiletine</i> | 3 | MO |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> | 2 | MO |
| <i>procainamide injection</i> | 2 | |
| <i>propafenone oral capsule, extended release 12 hr</i> | 4 | MO |
| <i>propafenone oral tablet</i> | 2 | MO |
| <i>quinidine sulfate oral tablet</i> | 2 | MO |
| <i>sorine oral tablet 120 mg, 160 mg</i> | 2 | MO |
| <i>sorine oral tablet 80 mg</i> | 2 | |
| <i>sotalol af</i> | 2 | |
| <i>sotalol oral</i> | 2 | MO |
| ANTIHYPERTENSIVE THERAPY | | |
| <i>acebutolol</i> | 2 | MO |
| <i>aliskiren</i> | 4 | MO |
| <i>amiloride</i> | 2 | MO |
| <i>amiloride-hydrochlorothiazide</i> | 2 | MO |
| <i>amlodipine</i> | 1 | MO |
| <i>amlodipine-benazepril</i> | 1 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------|
| <i>amlodipine-olmesartan</i> | 1 | MO |
| <i>amlodipine-valsartan</i> | 1 | MO |
| <i>amlodipine-valsartan-hcthiazid</i> | 2 | MO |
| <i>atenolol</i> | 1 | MO |
| <i>atenolol-chlorthalidone</i> | 1 | MO |
| <i>benazepril</i> | 1 | MO |
| <i>benazepril-hydrochlorothiazide</i> | 1 | MO |
| <i>betaxolol oral</i> | 3 | MO |
| <i>bisoprolol fumarate</i> | 2 | MO |
| <i>bisoprolol-hydrochlorothiazide</i> | 1 | MO |
| <i>bumetanide injection</i> | 4 | MO |
| <i>bumetanide oral</i> | 2 | MO |
| <i>candesartan</i> | 1 | MO |
| <i>candesartan-hydrochlorothiazid</i> | 2 | MO |
| <i>captopril oral tablet 100 mg, 50 mg</i> | 2 | MO |
| <i>captopril oral tablet 12.5 mg, 25 mg</i> | 1 | MO |
| <i>captopril-hydrochlorothiazide</i> | 2 | |
| <i>cartia xt</i> | 2 | MO |
| <i>carvedilol</i> | 1 | MO |
| <i>chlorothiazide sodium</i> | 2 | MO |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 2 | MO |
| <i>clonidine transdermal patch</i> | 4 | MO; QL (4 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| <i>clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)</i> | 2 | |
| <i>clonidine hcl oral tablet</i> | 1 | MO |
| <i>diltiazem hcl intravenous</i> | 2 | |
| <i>diltiazem hcl oral capsule,ext.rel 24h degradable</i> | 2 | MO |
| <i>diltiazem hcl oral capsule,extended release 12 hr</i> | 2 | MO |
| <i>diltiazem hcl oral capsule,extended release 24 hr</i> | 2 | MO |
| <i>diltiazem hcl oral capsule,extended release 24hr</i> | 2 | MO |
| <i>diltiazem hcl oral tablet</i> | 2 | MO |
| <i>diltiazem hcl oral tablet extended release 24 hr 120 mg, 180 mg, 240 mg, 420 mg</i> | 2 | MO |
| <i>diltiazem hcl oral tablet extended release 24 hr 300 mg, 360 mg</i> | 2 | |
| <i>dilt-xr</i> | 2 | MO |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>doxazosin oral tablet 8 mg</i> | 2 | MO; QL (60 per 30 days) |
| EDARBI | 3 | MO |
| EDARBYCLOR | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| <i>enalapril maleate oral tablet</i> | 1 | MO |
| <i>enalaprilat intravenous solution</i> | 2 | |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> | 1 | |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i> | 1 | MO |
| <i>eplerenone</i> | 3 | MO |
| <i>esmolol intravenous solution</i> | 2 | |
| <i>ethacrynate sodium</i> | 5 | NDS |
| <i>felodipine</i> | 2 | MO |
| <i>fosinopril</i> | 1 | MO |
| <i>fosinopril-hydrochlorothiazide</i> | 1 | MO |
| <i>furosemide injection solution</i> | 4 | MO |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 2 | MO |
| <i>furosemide oral tablet</i> | 1 | MO |
| <i>hydralazine</i> | 2 | MO |
| <i>hydrochlorothiazide</i> | 1 | MO |
| <i>indapamide</i> | 1 | MO |
| <i>irbesartan</i> | 1 | MO |
| <i>irbesartan-hydrochlorothiazide</i> | 1 | MO |
| <i>isosorbide-hydralazine</i> | 3 | MO; QL (180 per 30 days) |
| <i>isradipine</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| KERENDIA | 3 | PA; QL (30 per 30 days) |
| <i>labetalol intravenous solution</i> | 2 | |
| <i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i> | 2 | |
| <i>labetalol oral</i> | 2 | MO |
| <i>lisinopril</i> | 1 | MO |
| <i>lisinopril-hydrochlorothiazide</i> | 1 | MO |
| <i>losartan</i> | 1 | MO |
| <i>losartan-hydrochlorothiazide</i> | 1 | MO |
| <i>mannitol 20 %</i> | 4 | |
| <i>mannitol 25 % intravenous solution</i> | 2 | MO |
| <i>matzim la</i> | 2 | MO |
| <i>metolazone</i> | 2 | MO |
| <i>metoprolol succinate</i> | 1 | MO |
| <i>metoprolol ta-hydrochlorothiaz</i> | 2 | MO |
| <i>metoprolol tartrate intravenous</i> | 2 | |
| <i>metoprolol tartrate oral</i> | 1 | MO |
| <i>metyrosine</i> | 5 | PA; MO; NDS |
| <i>minoxidil oral</i> | 2 | MO |
| <i>moexipril</i> | 1 | MO |
| <i>nadolol</i> | 4 | MO |
| <i>nebivolol</i> | 2 | MO |
| <i>nicardipine intravenous solution</i> | 2 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>nicardipine oral</i> | 4 | MO |
| <i>nifedipine oral tablet extended release</i> | 2 | MO |
| <i>nifedipine oral tablet extended release 24hr</i> | 2 | MO |
| <i>nimodipine</i> | 4 | MO |
| <i>nisoldipine</i> | 4 | MO |
| <i>olmesartan</i> | 1 | MO |
| <i>olmesartan-amlodipin-hcthiiazid</i> | 2 | MO |
| <i>olmesartan-hydrochlorothiazide</i> | 1 | MO |
| <i>osmitrol 20 %</i> | 4 | |
| <i>perindopril erbumine</i> | 1 | MO |
| <i>phentolamine</i> | 2 | |
| <i>pindolol</i> | 3 | MO |
| <i>prazosin</i> | 2 | MO |
| <i>propranolol intravenous</i> | 2 | |
| <i>propranolol oral capsule,extended release 24 hr</i> | 2 | MO |
| <i>propranolol oral solution</i> | 2 | MO |
| <i>propranolol oral tablet</i> | 1 | MO |
| <i>quinapril</i> | 1 | |
| <i>quinapril-hydrochlorothiazide</i> | 1 | |
| <i>ramipril</i> | 1 | MO |
| <i>spironolactone oral tablet</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| <i>spironolacton-hydrochlorothiaz</i> | 2 | MO |
| <i>taztia xt</i> | 2 | MO |
| <i>telmisartan</i> | 1 | MO |
| <i>telmisartan-amlodipine</i> | 2 | MO |
| <i>telmisartan-hydrochlorothiazid</i> | 2 | MO |
| <i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>terazosin oral capsule 10 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>tiadylt er</i> | 2 | MO |
| <i>timolol maleate oral</i> | 4 | MO |
| <i>toremide oral</i> | 2 | MO |
| <i>trandolapril</i> | 1 | MO |
| <i>trandolapril-verapamil</i> | 2 | MO |
| <i>treprostinil sodium</i> | 5 | PA; MO; LA; NDS |
| <i>triamterene-hydrochlorothiazid</i> | 1 | MO |
| UPTRAVI ORAL | 5 | PA; MO; LA; NDS |
| <i>valsartan oral tablet</i> | 1 | MO |
| <i>valsartan-hydrochlorothiazide</i> | 1 | MO |
| <i>veletri</i> | 2 | B/D PA; MO |
| <i>verapamil intravenous</i> | 2 | |
| <i>verapamil oral capsule, 24 hr er pellet ct</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| <i>verapamil oral capsule,ext rel. pellets 24 hr</i> | 2 | MO |
| <i>verapamil oral tablet</i> | 1 | MO |
| <i>verapamil oral tablet extended release</i> | 2 | MO |
| COAGULATION THERAPY | | |
| <i>aminocaproic acid intravenous</i> | 2 | MO |
| <i>aminocaproic acid oral</i> | 5 | MO; NDS |
| <i>aspirin-dipyridamole</i> | 4 | MO |
| BRILINTA | 3 | MO |
| CABLIVI INJECTION KIT | 5 | PA; LA; NDS |
| CEPROTIN (BLUE BAR) | 3 | PA; MO |
| CEPROTIN (GREEN BAR) | 3 | PA; MO |
| <i>cilostazol</i> | 2 | MO |
| <i>clopidogrel oral tablet 300 mg</i> | 2 | MO |
| <i>clopidogrel oral tablet 75 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>dabigatran etexilate oral capsule 150 mg, 75 mg</i> | 4 | MO |
| <i>dipyridamole intravenous</i> | 2 | |
| <i>dipyridamole oral</i> | 4 | MO |
| DOPTELET (10 TAB PACK) | 5 | PA; MO; LA; NDS |
| DOPTELET (15 TAB PACK) | 5 | PA; MO; LA; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------|
| DOPTELET (30 TAB PACK) | 5 | PA; MO; LA; NDS |
| ELIQUIS | 3 | MO |
| ELIQUIS DVT-PE TREAT 30D START | 3 | MO |
| <i>enoxaparin subcutaneous solution</i> | 2 | MO; QL (30 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> | 4 | MO; QL (28 per 28 days) |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> | 4 | MO; QL (22.4 per 28 days) |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml, 60 mg/0.6 ml</i> | 4 | MO; QL (16.8 per 28 days) |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> | 4 | MO; QL (11.2 per 28 days) |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> | 5 | MO; NDS |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml)</i> | 3 | |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/500 ml (50 unit/ml)</i> | 3 | MO |
| <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i> | 3 | MO |
| <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 2,000 unit/1,000 ml</i> | 3 | |
| <i>heparin (porcine) injection cartridge</i> | 3 | MO |
| <i>heparin (porcine) injection solution</i> | 3 | MO |
| <i>heparin (porcine) injection syringe 5,000 unit/ml</i> | 3 | MO |
| HEPARIN(PORCINE) IN 0.45% NAACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML | 3 | |
| <i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>heparin, porcine (pf) injection solution 1,000 unit/ml</i> | 3 | |
| <i>heparin, porcine (pf) injection solution 5,000 unit/0.5 ml</i> | 3 | MO |
| <i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i> | 3 | MO |
| HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML | 3 | |
| HEPARIN, PORCINE (PF) SUBCUTANEOUS | 3 | MO |
| <i>jantoven</i> | 1 | MO |
| <i>pentoxifylline</i> | 2 | MO |
| <i>prasugrel</i> | 3 | MO |
| PROMACTA | 5 | PA; MO; LA; NDS |
| <i>protamine</i> | 2 | |
| <i>warfarin</i> | 1 | MO |
| XARELTO | 3 | MO |
| XARELTO DVT-PE TREAT 30D START | 3 | MO |

LIPID/CHOLESTEROL LOWERING AGENTS

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg</i> | 2 | QL (30 per 30 days) |
| <i>atorvastatin</i> | 1 | MO; QL (30 per 30 days) |
| <i>cholestyramine (with sugar)</i> | 3 | MO |
| <i>cholestyramine light</i> | 3 | |
| <i>colesevelam</i> | 4 | MO |
| <i>colestipol oral granules</i> | 4 | MO |
| <i>colestipol oral packet</i> | 4 | |
| <i>colestipol oral tablet</i> | 4 | MO |
| <i>ezetimibe</i> | 2 | MO |
| <i>ezetimibe-simvastatin</i> | 2 | MO; QL (30 per 30 days) |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg</i> | 2 | MO |
| <i>fenofibrate nanocrystallized</i> | 2 | MO |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | 2 | MO |
| <i>fenofibric acid</i> | 2 | |
| <i>fenofibric acid (choline)</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| <i>fluvastatin oral capsule 20 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>fluvastatin oral capsule 40 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>gemfibrozil</i> | 1 | MO |
| <i>icosapent ethyl</i> | 3 | MO |
| JUXTAPID | 5 | PA; MO; LA; NDS |
| <i>lovastatin oral tablet 10 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>lovastatin oral tablet 20 mg, 40 mg</i> | 1 | MO; QL (60 per 30 days) |
| NEXLETOL | 3 | PA; MO |
| NEXLIZET | 3 | PA; MO |
| <i>niacin oral tablet 500 mg</i> | 2 | MO |
| <i>niacin oral tablet extended release 24 hr</i> | 4 | MO |
| <i>omega-3 acid ethyl esters</i> | 2 | MO |
| <i>pitavastatin calcium</i> | 1 | MO; QL (30 per 30 days) |
| <i>pravastatin</i> | 1 | MO; QL (30 per 30 days) |
| <i>prevalite</i> | 3 | MO |
| REPATHA | 3 | PA; QL (6 per 28 days) |
| REPATHA PUSHTRONEX | 3 | PA; QL (7 per 28 days) |
| REPATHA SURECLICK | 3 | PA; QL (6 per 28 days) |
| <i>rosuvastatin</i> | 1 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--------------------|-----------|-------------------------|
| <i>simvastatin</i> | 1 | MO; QL (30 per 30 days) |

MISCELLANEOUS CARDIOVASCULAR AGENTS

| | | |
|---|---|-------------------------|
| CORLANOR ORAL SOLUTION | 3 | QL (450 per 30 days) |
| CORLANOR ORAL TABLET | 3 | MO; QL (60 per 30 days) |
| <i>digoxin oral solution</i> | 3 | MO |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> | 2 | MO |
| <i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> | 3 | MO |
| <i>dobutamine</i> | 2 | B/D PA |
| <i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i> | 2 | B/D PA |
| <i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i> | 2 | B/D PA |
| <i>dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)</i> | 2 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| <i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml)</i> | 2 | B/D PA |
| <i>dopamine intravenous solution 400 mg/10 ml (40 mg/ml)</i> | 2 | B/D PA; MO |
| ENTRESTO | 3 | MO; QL (60 per 30 days) |
| <i>milrinone</i> | 2 | B/D PA |
| <i>milrinone in 5 % dextrose</i> | 2 | B/D PA |
| <i>norepinephrine bitartrate</i> | 2 | |
| <i>ranolazine</i> | 3 | MO |
| <i>sodium nitroprusside</i> | 2 | B/D PA |
| VECAMYL | 5 | NDS |
| VERQUVO | 3 | MO; QL (30 per 30 days) |
| VYNDAMAX | 5 | PA; MO; NDS |
| NITRATES | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i> | 2 | MO |
| <i>isosorbide mononitrate</i> | 1 | MO |
| <i>nitro-bid</i> | 3 | MO |
| <i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml)</i> | 2 | B/D PA |
| <i>nitroglycerin intravenous</i> | 2 | B/D PA |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>nitroglycerin sublingual</i> | 2 | MO |
| <i>nitroglycerin transdermal patch 24 hour</i> | 2 | MO |
| <i>nitroglycerin translingual</i> | 4 | MO |

DERMATOLOGICALS/TOPICAL THERAPY

ANTIPSORIATIC / ANTISEBORRHEIC

| | | |
|--|---|------------------------------------|
| <i>acitretin</i> | 4 | MO |
| <i>calcipotriene scalp</i> | 3 | MO; QL (120 per 30 days) |
| <i>calcipotriene topical cream</i> | 4 | MO; QL (120 per 30 days) |
| <i>calcipotriene topical ointment</i> | 4 | MO; QL (120 per 30 days) |
| <i>calcitriol topical</i> | 4 | |
| <i>selenium sulfide topical lotion</i> | 2 | MO |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (2 per 28 days); NDS |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; MO; QL (2 per 28 days); NDS |
| STELARA INTRAVENOUS | 5 | PA; MO; QL (104 per 180 days); NDS |
| STELARA SUBCUTANEOUS SOLUTION | 5 | PA; MO; QL (0.5 per 28 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | 5 | PA; MO; QL (0.5 per 28 days); NDS |
| STELARA SUBCUTANEOUS SYRINGE 90 MG/ML | 5 | PA; MO; QL (1 per 28 days); NDS |
| TALTZ AUTOINJECTOR | 5 | PA; MO; QL (1 per 28 days); NDS |
| TALTZ AUTOINJECTOR (2 PACK) | 5 | PA; MO; QL (4 per 28 days); NDS |
| TALTZ AUTOINJECTOR (3 PACK) | 5 | PA; MO; QL (3 per 180 days); NDS |
| TALTZ SYRINGE | 5 | PA; MO; QL (1 per 28 days); NDS |

| MISCELLANEOUS DERMATOLOGICALS | | |
|--|---|----------------------------------|
| ADBRY | 5 | PA; MO; QL (6 per 28 days); NDS |
| <i>ammonium lactate</i> | 2 | MO |
| <i>chloroprocaine (pf)</i> | 2 | |
| CIBINQO | 5 | PA; MO; QL (30 per 30 days); NDS |
| <i>dermacinrx lidocan</i> | 4 | PA; QL (90 per 30 days) |
| <i>diclofenac sodium topical gel 3 %</i> | 4 | PA; MO; QL (100 per 28 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| DUPIXENT SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML | 5 | PA; MO; QL (4.56 per 28 days); NDS |
| DUPIXENT SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | 5 | PA; MO; QL (8 per 28 days); NDS |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML | 5 | PA; QL (1.34 per 28 days); NDS |
| DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML | 5 | PA; MO; QL (4.56 per 28 days); NDS |
| DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML | 5 | PA; MO; QL (8 per 28 days); NDS |
| <i>fluorouracil topical cream 5 %</i> | 3 | MO |
| <i>fluorouracil topical solution</i> | 3 | MO |
| <i>glydo</i> | 2 | MO; QL (60 per 30 days) |
| <i>imiquimod topical cream in packet 5 %</i> | 3 | MO |
| <i>lidocaine (pf) injection solution</i> | 2 | |
| <i>lidocaine hcl injection solution</i> | 2 | |
| <i>lidocaine hcl laryngotracheal</i> | 3 | MO |
| <i>lidocaine hcl mucous membrane jelly in applicator</i> | 2 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------|
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 3 | MO |
| <i>lidocaine topical adhesive patch,medicated 5 %</i> | 4 | PA; MO; QL (90 per 30 days) |
| <i>lidocaine topical ointment</i> | 4 | MO; QL (36 per 30 days) |
| <i>lidocaine viscous</i> | 2 | MO |
| <i>lidocaine-epinephrine</i> | 2 | |
| <i>lidocaine-epinephrine (pf) injection solution 1.5 %-1:200,000, 2 %-1:200,000</i> | 2 | |
| <i>lidocaine-prilocaine topical cream</i> | 3 | MO; QL (30 per 30 days) |
| <i>methoxsalen</i> | 5 | MO; NDS |
| PANRETIN | 5 | PA; MO; NDS |
| <i>pimecrolimus</i> | 4 | PA; MO; QL (100 per 30 days) |
| <i>podofilox topical solution</i> | 3 | MO |
| <i>polocaine injection solution 1 % (10 mg/ml)</i> | 2 | |
| <i>polocaine-mpf</i> | 2 | |
| REGRANEX | 5 | QL (15 per 30 days); NDS |
| SANTYL | 3 | MO; QL (180 per 30 days) |
| <i>silver sulfadiazine</i> | 2 | MO |
| <i>ssd</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------|
| <i>tacrolimus topical</i> | 4 | PA; MO; QL (100 per 30 days) |
| VALCHLOR | 5 | PA; MO; NDS |
| THERAPY FOR ACNE | | |
| <i>acutane</i> | 4 | |
| <i>amnesteam</i> | 4 | |
| <i>azelaic acid</i> | 4 | MO |
| <i>claravis</i> | 4 | |
| <i>clindamycin phosphate topical gel</i> | 3 | MO; QL (120 per 30 days) |
| <i>clindamycin phosphate topical gel, once daily</i> | 3 | MO; QL (150 per 30 days) |
| <i>clindamycin phosphate topical lotion</i> | 3 | MO; QL (120 per 30 days) |
| <i>clindamycin phosphate topical solution</i> | 3 | MO; QL (120 per 30 days) |
| <i>ery pads</i> | 3 | MO |
| <i>erythromycin with ethanol topical solution</i> | 2 | MO |
| <i>isotretinoin</i> | 4 | |
| <i>ivermectin topical cream</i> | 2 | MO; QL (90 per 30 days) |
| <i>metronidazole topical</i> | 4 | MO |
| <i>tazarotene topical cream</i> | 4 | PA; MO |
| <i>tazarotene topical gel</i> | 4 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i> | 4 | PA; MO |
| <i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i> | 3 | PA; MO |
| <i>zenatane</i> | 4 | |

TOPICAL ANTIBACTERIALS

| | | |
|------------------------------------|---|-------------------------|
| <i>gentamicin topical</i> | 3 | MO; QL (60 per 30 days) |
| <i>mupirocin</i> | 2 | MO; QL (44 per 30 days) |
| <i>sulfacetamide sodium (acne)</i> | 4 | MO |

TOPICAL ANTIFUNGALS

| | | |
|---|---|--------------------------|
| <i>ciclofanol topical solution</i> | 2 | MO; QL (6.6 per 28 days) |
| <i>ciclopirox topical cream</i> | 2 | MO; QL (90 per 28 days) |
| <i>ciclopirox topical gel</i> | 3 | MO; QL (100 per 28 days) |
| <i>ciclopirox topical shampoo</i> | 3 | MO; QL (120 per 28 days) |
| <i>ciclopirox topical solution</i> | 2 | MO; QL (6.6 per 28 days) |
| <i>ciclopirox topical suspension</i> | 3 | MO; QL (60 per 28 days) |
| <i>clotrimazole topical cream</i> | 2 | MO; QL (45 per 28 days) |
| <i>clotrimazole topical solution</i> | 2 | MO; QL (30 per 28 days) |
| <i>clotrimazole-betamethasone topical cream</i> | 3 | MO; QL (45 per 28 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| <i>clotrimazole-betamethasone topical lotion</i> | 4 | MO; QL (60 per 28 days) |
| <i>econazole</i> | 4 | MO; QL (85 per 28 days) |
| <i>ketoconazole topical cream</i> | 2 | MO; QL (60 per 28 days) |
| <i>ketoconazole topical shampoo</i> | 2 | MO; QL (120 per 28 days) |
| <i>naftifine topical cream</i> | 4 | MO; QL (60 per 28 days) |
| <i>naftifine topical gel 2 %</i> | 4 | MO; QL (60 per 28 days) |
| <i>nyamyc</i> | 3 | QL (180 per 30 days) |
| <i>nystatin topical cream</i> | 2 | MO; QL (30 per 28 days) |
| <i>nystatin topical ointment</i> | 2 | MO; QL (30 per 28 days) |
| <i>nystatin topical powder</i> | 3 | MO; QL (180 per 30 days) |
| <i>nystatin-triamcinolone</i> | 3 | MO; QL (60 per 28 days) |
| <i>nystop</i> | 3 | QL (180 per 30 days) |

TOPICAL ANTIVIRALS

| | | |
|-----------------------------------|---|-----------------------------|
| <i>acyclovir topical ointment</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>penciclovir</i> | 4 | MO; QL (5 per 30 days) |

TOPICAL CORTICOSTEROIDS

| | | |
|-------------------------------------|---|----|
| <i>ala-cort topical cream 1 %</i> | 2 | MO |
| <i>ala-cort topical cream 2.5 %</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| <i>alclometasone</i> | 3 | MO |
| <i>betamethasone dipropionate</i> | 2 | MO |
| <i>betamethasone valerate topical cream</i> | 2 | MO |
| <i>betamethasone valerate topical lotion</i> | 2 | MO |
| <i>betamethasone valerate topical ointment</i> | 2 | MO |
| <i>betamethasone, augmented</i> | 2 | MO |
| <i>clobetasol scalp</i> | 4 | MO; QL (100 per 28 days) |
| <i>clobetasol topical cream</i> | 4 | MO; QL (120 per 28 days) |
| <i>clobetasol topical foam</i> | 4 | MO; QL (100 per 28 days) |
| <i>clobetasol topical gel</i> | 4 | MO; QL (120 per 28 days) |
| <i>clobetasol topical lotion</i> | 4 | MO; QL (118 per 28 days) |
| <i>clobetasol topical ointment</i> | 4 | MO; QL (120 per 28 days) |
| <i>clobetasol topical shampoo</i> | 4 | MO; QL (236 per 28 days) |
| <i>clobetasol-emollient topical cream</i> | 4 | MO; QL (120 per 28 days) |
| <i>clodan</i> | 4 | MO; QL (236 per 28 days) |
| <i>desonide</i> | 4 | MO |
| <i>fluocinolone and shower cap</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------|
| <i>fluocinolone topical cream 0.01 %</i> | 4 | MO |
| <i>fluocinolone topical cream 0.025 %</i> | 4 | |
| <i>fluocinolone topical oil</i> | 4 | MO |
| <i>fluocinolone topical ointment</i> | 4 | MO |
| <i>fluocinolone topical solution</i> | 4 | MO |
| <i>fluocinonide topical cream 0.05 %</i> | 4 | MO; QL (120 per 30 days) |
| <i>fluocinonide topical gel</i> | 4 | MO; QL (120 per 30 days) |
| <i>fluocinonide topical ointment</i> | 4 | MO; QL (120 per 30 days) |
| <i>fluocinonide topical solution</i> | 4 | MO; QL (120 per 30 days) |
| <i>fluocinonide-emollient</i> | 4 | MO; QL (120 per 30 days) |
| <i>halobetasol propionate topical cream</i> | 4 | MO |
| <i>halobetasol propionate topical ointment</i> | 4 | MO |
| <i>hydrocortisone topical cream 1 %, 2.5 %</i> | 2 | MO |
| <i>hydrocortisone topical lotion 2.5 %</i> | 2 | MO |
| <i>hydrocortisone topical ointment 1 %, 2.5 %</i> | 2 | MO |
| <i>mometasone topical</i> | 2 | MO |
| <i>prednicarbate topical ointment</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| <i>triamcinolone acetonide topical cream</i> | 2 | MO |
| <i>triamcinolone acetonide topical lotion</i> | 2 | MO |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 2 | MO |
| <i>triderm topical cream</i> | 2 | |
| TOPICAL SCABICIDES / PEDICULICIDES | | |
| <i>crotan</i> | 2 | |
| <i>malathion</i> | 4 | MO |
| <i>permethrin</i> | 3 | MO; QL (60 per 30 days) |
| DIAGNOSTICS / MISCELLANEOUS AGENTS | | |
| ANTIDOTES | | |
| <i>acetylcysteine intravenous</i> | 3 | |
| IRRIGATING SOLUTIONS | | |
| <i>lactated ringers irrigation</i> | 4 | |
| <i>neomycin-polymyxin b gu</i> | 2 | |
| <i>ringer's irrigation</i> | 4 | |
| MISCELLANEOUS AGENTS | | |
| <i>acamprosate</i> | 4 | MO |
| <i>acetic acid irrigation</i> | 2 | MO |
| <i>anagrelide</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>caffeine citrate intravenous</i> | 2 | |
| <i>caffeine citrate oral</i> | 2 | MO |
| <i>carglumic acid</i> | 5 | PA; NDS |
| <i>cevimeline</i> | 4 | MO |
| CHEMET | 3 | PA |
| CLINIMIX 4.25%/D5W SULFIT FREE | 4 | B/D PA |
| <i>d10 %-0.45 % sodium chloride</i> | 4 | |
| <i>d2.5 %-0.45 % sodium chloride</i> | 4 | |
| <i>d5 % and 0.9 % sodium chloride</i> | 4 | MO |
| <i>d5 %-0.45 % sodium chloride</i> | 4 | MO |
| <i>deferasirox oral granules in packet</i> | 5 | PA; MO; NDS |
| <i>deferasirox oral tablet 180 mg, 360 mg</i> | 5 | PA; MO; NDS |
| <i>deferasirox oral tablet 90 mg</i> | 4 | PA; MO |
| <i>deferasirox oral tablet, dispersible 125 mg</i> | 4 | PA; MO |
| <i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> | 5 | PA; MO; NDS |
| <i>deferiprone</i> | 5 | PA; MO; NDS |
| <i>deferoxamine</i> | 2 | B/D PA; MO |
| <i>dextrose 10 % and 0.2 % nacl</i> | 4 | |
| <i>dextrose 10 % in water (d10w)</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>dextrose 25 % in water (d25w)</i> | 4 | |
| <i>dextrose 5 % in water (d5w)</i> | 4 | MO |
| <i>dextrose 5 %-lactated ringers</i> | 4 | MO |
| <i>dextrose 5%-0.2 % sod chloride</i> | 4 | |
| <i>dextrose 5%-0.3 % sod.chloride</i> | 4 | |
| <i>dextrose 50 % in water (d50w)</i> | 4 | |
| <i>dextrose 70 % in water (d70w)</i> | 4 | |
| <i>disulfiram oral tablet 250 mg</i> | 2 | MO |
| <i>disulfiram oral tablet 500 mg</i> | 2 | |
| <i>droxidopa</i> | 5 | PA; MO; NDS |
| ENDARI | 5 | PA; MO; NDS |
| INCRELEX | 5 | MO; LA; NDS |
| <i>levocarnitine (with sugar)</i> | 4 | MO |
| <i>levocarnitine oral solution 100 mg/ml</i> | 4 | MO |
| <i>levocarnitine oral tablet</i> | 4 | MO |
| LOKELMA | 3 | MO |
| <i>midodrine</i> | 3 | MO |
| <i>nitisinone</i> | 5 | PA; MO; NDS |
| <i>pilocarpine hcl oral</i> | 4 | MO |
| PROLASTIN-C | 5 | PA; LA; NDS |
| REVCOVI | 5 | PA; LA; NDS |
| <i>riluzole</i> | 3 | PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------------|
| <i>risedronate oral tablet 30 mg</i> | 3 | QL (30 per 30 days) |
| <i>sevelamer carbonate oral tablet</i> | 4 | MO; QL (270 per 30 days) |
| <i>sodium benzoate-sod phenylacet</i> | 5 | NDS |
| <i>sodium chloride 0.9 % intravenous</i> | 4 | MO |
| <i>sodium chloride irrigation</i> | 4 | MO |
| <i>sodium phenylbutyrate oral powder</i> | 5 | PA; MO; NDS |
| <i>sodium phenylbutyrate oral tablet</i> | 5 | PA; NDS |
| <i>sodium polystyrene sulfonate oral powder</i> | 3 | MO |
| <i>sps (with sorbitol) oral</i> | 3 | MO |
| <i>sps (with sorbitol) rectal</i> | 3 | |
| <i>trientine oral capsule 250 mg</i> | 5 | PA; MO; NDS |
| VELPHORO | 5 | MO; QL (180 per 30 days); NDS |
| VELTASSA | 3 | MO |
| <i>water for irrigation, sterile</i> | 4 | MO |
| XIAFLEX | 5 | PA; NDS |
| <i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> | 2 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| SMOKING DETERRENTS | | |
| <i>bupropion hcl (smoking deter)</i> | 2 | |
| NICOTROL | 4 | |
| NICOTROL NS | 4 | MO |
| <i>varenicline</i> | 4 | MO |
| EAR, NOSE / THROAT MEDICATIONS | | |
| MISCELLANEOUS AGENTS | | |
| <i>azelastine nasal aerosol,spray</i> | 3 | MO; QL (60 per 30 days) |
| <i>azelastine nasal spray,non-aerosol</i> | 3 | QL (60 per 30 days) |
| <i>chlorhexidine gluconate mucous membrane</i> | 1 | MO |
| <i>denta 5000 plus</i> | 2 | MO |
| <i>dentagel</i> | 2 | MO |
| <i>fluoride (sodium) dental cream</i> | 2 | |
| <i>fluoride (sodium) dental gel</i> | 2 | |
| <i>fluoride (sodium) dental paste</i> | 2 | MO |
| <i>ipratropium bromide nasal</i> | 2 | MO; QL (30 per 30 days) |
| <i>kourzeq</i> | 2 | |
| <i>oralone</i> | 2 | |
| <i>periogard</i> | 1 | MO |
| PREVIDENT 5000 BOOSTER PLUS | 4 | MO |
| PREVIDENT 5000 DRY MOUTH | 4 | MO |
| <i>sf</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| <i>sf 5000 plus</i> | 2 | MO |
| <i>sodium fluoride 5000 dry mouth</i> | 2 | MO |
| <i>sodium fluoride 5000 plus</i> | 2 | |
| <i>sodium fluoride-pot nitrate</i> | 2 | MO |
| <i>triamcinolone acetonide dental</i> | 2 | MO |
| MISCELLANEOUS OTIC PREPARATIONS | | |
| <i>acetic acid otic (ear)</i> | 2 | MO |
| <i>ciprofloxacin hcl otic (ear)</i> | 4 | MO |
| <i>flac otic oil</i> | 4 | |
| <i>fluocinolone acetonide oil</i> | 4 | MO |
| <i>hydrocortisone-acetic acid</i> | 3 | MO |
| <i>ofloxacin otic (ear)</i> | 3 | MO |
| OTIC STEROID / ANTIBIOTIC | | |
| <i>ciprofloxacin-dexamethasone</i> | 3 | MO; QL (7.5 per 7 days) |
| <i>neomycin-polymyxin-hc otic (ear)</i> | 3 | MO |
| ENDOCRINE/DIABETES | | |
| ADRENAL HORMONES | | |
| <i>cortisone</i> | 2 | |
| <i>dexamethasone intensol</i> | 2 | MO |
| <i>dexamethasone oral elixir</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>dexamethasone oral solution</i> | 2 | MO |
| <i>dexamethasone oral tablet</i> | 2 | MO |
| <i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i> | 2 | MO |
| <i>dexamethasone sodium phosphate injection</i> | 2 | MO |
| <i>fludrocortisone</i> | 2 | MO |
| <i>hydrocortisone oral</i> | 2 | MO |
| <i>methylprednisolone acetate</i> | 2 | MO |
| <i>methylprednisolone oral tablet</i> | 2 | B/D PA; MO |
| <i>methylprednisolone oral tablets,dose pack</i> | 2 | MO |
| <i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i> | 2 | MO |
| <i>methylprednisolone sodium succ intravenous</i> | 2 | MO |
| <i>prednisolone oral solution</i> | 2 | MO |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (5 ml)</i> | 2 | |
| <i>prednisone intensol</i> | 4 | MO |
| <i>prednisone oral solution</i> | 2 | MO |
| <i>prednisone oral tablet</i> | 1 | MO |
| <i>prednisone oral tablets,dose pack</i> | 1 | MO |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> | 2 | MO |

ANTITHYROID AGENTS

| | | |
|--|---|----|
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | MO |
| <i>propylthiouracil</i> | 2 | MO |

DIABETES THERAPY

| | | |
|---|---|------------------------------|
| <i>acarbose oral tablet 100 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>acarbose oral tablet 25 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>acarbose oral tablet 50 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>alcohol pads</i> | 3 | |
| BAQSIMI | 3 | MO |
| BYDUREON BCISE | 3 | PA; MO; QL (4 per 28 days) |
| BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML | 3 | PA; MO; QL (2.4 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------|
| BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML | 3 | PA; MO; QL (1.2 per 30 days) |
| <i>diazoxide</i> | 4 | MO |
| DROPSAFE ALCOHOL PREP PADS | 3 | |
| FARXIGA ORAL TABLET 10 MG | 3 | MO; QL (30 per 30 days) |
| FARXIGA ORAL TABLET 5 MG | 3 | MO; QL (60 per 30 days) |
| <i>glimepiride oral tablet 1 mg</i> | 1 | MO; QL (240 per 30 days) |
| <i>glimepiride oral tablet 2 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>glimepiride oral tablet 4 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>glipizide oral tablet 10 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>glipizide oral tablet 5 mg</i> | 1 | MO; QL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 10 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 2.5 mg</i> | 1 | MO; QL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 5 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i> | 1 | MO; QL (240 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | 1 | MO; QL (120 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| GLYXAMBI | 3 | MO; QL (30 per 30 days) |
| GVOKE | 3 | MO |
| GVOKE HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML | 3 | |
| GVOKE HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 1 MG/0.2 ML | 3 | MO |
| GVOKE HYPOPEN 2-PACK | 3 | MO |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | 3 | MO |
| GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | 3 | MO |
| HUMALOG JUNIOR KWIKPEN U-100 | 3 | MO |
| HUMALOG KWIKPEN INSULIN | 3 | MO |
| HUMALOG MIX 50-50 INSULN U-100 | 3 | |
| HUMALOG MIX 50-50 KWIKPEN | 3 | MO |
| HUMALOG MIX 75-25 KWIKPEN | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------|
| HUMALOG MIX 75-25(U-100)INSULN | 3 | MO |
| HUMALOG U-100 INSULIN | 3 | MO |
| HUMULIN 70/30 U-100 INSULIN | 3 | MO |
| HUMULIN 70/30 U-100 KWIKPEN | 3 | MO |
| HUMULIN N NPH INSULIN KWIKPEN | 3 | MO |
| HUMULIN N NPH U-100 INSULIN | 3 | MO |
| HUMULIN R REGULAR U-100 INSULN | 3 | MO |
| HUMULIN R U-500 (CONC) INSULIN | 3 | MO |
| HUMULIN R U-500 (CONC) KWIKPEN | 3 | MO |
| INPEFA ORAL TABLET 200 MG | 3 | PA; MO; QL (60 per 30 days) |
| INPEFA ORAL TABLET 400 MG | 3 | PA; QL (30 per 30 days) |
| INSULIN GLARGINE | 3 | |
| INSULIN LISPRO SUBCUTANEOUS SOLUTION | 3 | MO |
| JANUMET | 3 | MO; QL (60 per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG | 3 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG | 3 | MO; QL (60 per 30 days) |
| JANUVIA | 3 | MO; QL (30 per 30 days) |
| JARDIANCE | 3 | MO; QL (30 per 30 days) |
| JENTADUETO | 3 | MO; QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 3 | MO; QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | 3 | MO; QL (30 per 30 days) |
| LANTUS SOLOSTAR U-100 INSULIN | 3 | MO |
| LANTUS U-100 INSULIN | 3 | MO |
| LYUMJEV KWIKPEN U-100 INSULIN | 3 | MO |
| LYUMJEV KWIKPEN U-200 INSULIN | 3 | MO |
| LYUMJEV U-100 INSULIN | 3 | MO |
| <i>metformin oral tablet 1,000 mg</i> | 1 | MO; QL (75 per 30 days) |
| <i>metformin oral tablet 500 mg</i> | 1 | MO; QL (150 per 30 days) |
| <i>metformin oral tablet 850 mg</i> | 1 | MO; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------|
| <i>metformin oral tablet extended release 24 hr 500 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 750 mg</i> | 1 | MO; QL (60 per 30 days) |
| MOUNJARO | 3 | PA; MO; QL (2 per 28 days) |
| <i>nateglinide oral tablet 120 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>nateglinide oral tablet 60 mg</i> | 2 | MO; QL (180 per 30 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 3 | PA; MO; QL (3 per 28 days) |
| <i>pioglitazone</i> | 1 | MO; QL (30 per 30 days) |
| QTERN | 3 | MO; QL (30 per 30 days) |
| <i>repaglinide oral tablet 0.5 mg</i> | 2 | MO; QL (960 per 30 days) |
| <i>repaglinide oral tablet 1 mg</i> | 2 | MO; QL (480 per 30 days) |
| <i>repaglinide oral tablet 2 mg</i> | 2 | MO; QL (240 per 30 days) |
| RYBELSUS | 3 | PA; MO; QL (30 per 30 days) |
| <i>saxagliptin</i> | 3 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------------|
| <i>saxagliptin-metformin oral tablet, er multiphase 24 hr 2.5-1,000 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>saxagliptin-metformin oral tablet, er multiphase 24 hr 5-1,000 mg, 5-500 mg</i> | 3 | MO; QL (30 per 30 days) |
| SEGLUROMET ORAL TABLET 2.5-1,000 MG, 7.5-1,000 MG, 7.5-500 MG | 3 | MO; QL (60 per 30 days) |
| SEGLUROMET ORAL TABLET 2.5-500 MG | 3 | MO; QL (120 per 30 days) |
| SOLIQUA 100/33 | 3 | MO; QL (90 per 30 days) |
| STEGLATRO | 3 | MO; QL (30 per 30 days) |
| SYMLINPEN 120 | 5 | PA; MO; QL (10.8 per 30 days); NDS |
| SYMLINPEN 60 | 5 | PA; MO; QL (6 per 30 days); NDS |
| SYNJARDY | 3 | MO; QL (60 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 3 | MO; QL (30 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | 3 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------|
| TOUJEO MAX U-300 SOLOSTAR | 3 | MO |
| TOUJEO SOLOSTAR U-300 INSULIN | 3 | MO |
| TRADJENTA | 3 | MO; QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG | 3 | MO; QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG | 3 | MO; QL (60 per 30 days) |
| TRULICITY | 3 | PA; MO; QL (2 per 28 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG | 3 | MO; QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG | 3 | MO; QL (60 per 30 days) |
| ZEGALOGUE AUTOINJECTOR | 3 | MO |
| ZEGALOGUE SYRINGE | 3 | MO |
| MISCELLANEOUS HORMONES | | |
| ALDURAZYME | 5 | PA; MO; NDS |
| <i>cabergoline</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>calcitonin (salmon) injection</i> | 5 | MO; NDS |
| <i>calcitonin (salmon) nasal</i> | 3 | MO |
| <i>calcitriol intravenous solution 1 mcg/ml</i> | 2 | MO |
| <i>calcitriol oral capsule</i> | 2 | MO |
| <i>calcitriol oral solution</i> | 4 | |
| <i>cinacalcet</i> | 4 | PA; MO |
| <i>clomid</i> | 2 | PA; MO |
| <i>clomiphene citrate</i> | 2 | PA |
| CRYSVITA | 5 | PA; MO; LA; NDS |
| <i>danazol</i> | 4 | MO |
| <i>desmopressin injection</i> | 2 | MO |
| <i>desmopressin nasal spray with pump</i> | 4 | MO |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i> | 4 | |
| <i>desmopressin oral</i> | 3 | MO |
| <i>doxercalciferol intravenous</i> | 2 | |
| <i>doxercalciferol oral</i> | 4 | MO |
| ELAPRASE | 5 | PA; MO; NDS |
| FABRAZYME | 5 | PA; MO; NDS |
| KANUMA | 5 | PA; MO; NDS |
| KORLYM | 5 | PA; NDS |
| LUMIZYME | 5 | PA; MO; NDS |
| MEPSEVII | 5 | PA; MO; NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------------|
| MYALEPT | 5 | PA; MO; LA; NDS |
| NAGLAZYME | 5 | PA; MO; LA; NDS |
| NATPARA | 5 | PA; LA; NDS |
| <i>pamidronate intravenous solution</i> | 2 | MO |
| <i>paricalcitol intravenous</i> | 2 | |
| <i>paricalcitol oral</i> | 4 | MO |
| <i>sapropterin</i> | 5 | PA; MO; NDS |
| SOMAVERT | 5 | PA; MO; NDS |
| STRENSIQ | 5 | PA; LA; NDS |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> | 3 | PA; MO |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i> | 3 | PA |
| <i>testosterone enanthate</i> | 3 | PA; MO |
| <i>testosterone transdermal gel</i> | 3 | PA; MO; QL (300 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i> | 4 | PA; MO; QL (120 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> | 3 | PA; MO; QL (300 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------------|
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> | 4 | PA; MO; QL (150 per 30 days) |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> | 3 | PA; MO; QL (300 per 30 days) |
| <i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i> | 4 | PA; MO; QL (37.5 per 30 days) |
| <i>testosterone transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)</i> | 4 | PA; MO; QL (150 per 30 days) |
| <i>testosterone transdermal solution in metered pump w/app</i> | 4 | PA; MO; QL (180 per 30 days) |
| <i>tolvaptan</i> | 5 | PA; MO; NDS |
| VIMIZIM | 5 | PA; MO; LA; NDS |
| <i>zoledronic acid intravenous solution</i> | 2 | B/D PA; MO |
| <i>zoledronic acid-mannitol-water intravenous piggyback 4 mg/100 ml</i> | 2 | B/D PA; MO |
| THYROID HORMONES | | |
| <i>euthyrox</i> | 1 | MO |
| <i>levo-t</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>levothyroxine intravenous recon soln</i> | 2 | |
| <i>levothyroxine oral tablet</i> | 1 | |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | MO |
| <i>liothyronine</i> | 2 | MO |
| <i>unithroid</i> | 1 | MO |

GASTROENTEROLOGY

ANTIDIARRHEALS / ANTISPASMODICS

| | | |
|---|---|----|
| <i>atropine injection solution 0.4 mg/ml</i> | 2 | |
| <i>atropine injection syringe 0.1 mg/ml</i> | 2 | |
| <i>atropine intravenous solution 0.4 mg/ml</i> | 2 | |
| <i>atropine intravenous syringe 0.25 mg/5 ml (0.05 mg/ml)</i> | 2 | |
| <i>dicyclomine intramuscular</i> | 2 | MO |
| <i>dicyclomine oral capsule</i> | 2 | MO |
| <i>dicyclomine oral solution</i> | 4 | MO |
| <i>dicyclomine oral tablet</i> | 2 | MO |
| <i>diphenoxylate-atropine oral liquid</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>diphenoxylate-atropine oral tablet</i> | 3 | MO |
| <i>glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i> | 2 | MO |
| <i>glycopyrrolate injection</i> | 2 | MO |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 3 | MO |
| <i>glycopyrrolate oral tablet 1.5 mg</i> | 3 | |
| <i>loperamide oral capsule</i> | 2 | MO |
| <i>opium tincture</i> | 2 | MO |

MISCELLANEOUS GASTROINTESTINAL AGENTS

| | | |
|---|---|-------------------------------|
| <i>alosetron oral tablet 0.5 mg</i> | 4 | PA; MO |
| <i>alosetron oral tablet 1 mg</i> | 5 | PA; MO; NDS |
| <i>aprepitant</i> | 4 | B/D PA; MO |
| <i>balsalazide</i> | 3 | MO |
| <i>betaine</i> | 5 | MO; NDS |
| <i>budesonide oral capsule, delayed, extended release</i> | 4 | MO |
| <i>budesonide oral tablet, delayed and extended release</i> | 5 | MO; NDS |
| CHENODAL | 5 | PA; LA; NDS |
| CHOLBAM ORAL CAPSULE 250 MG | 5 | PA; NDS |
| CHOLBAM ORAL CAPSULE 50 MG | 5 | PA; QL (120 per 30 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| CIMZIA | 5 | PA; MO; QL (2 per 28 days); NDS |
| CIMZIA POWDER FOR RECONST | 5 | PA; MO; QL (2 per 28 days); NDS |
| CIMZIA STARTER KIT | 5 | PA; MO; QL (3 per 180 days); NDS |
| CINVANTI | 3 | MO |
| <i>compro</i> | 4 | MO |
| <i>constulose</i> | 2 | MO |
| CORTIFOAM | 3 | MO |
| CREON | 3 | MO |
| <i>cromolyn oral</i> | 4 | MO |
| <i>dimenhydrinate injection solution</i> | 2 | MO |
| <i>dronabinol oral capsule 10 mg, 5 mg</i> | 4 | B/D PA; MO |
| <i>dronabinol oral capsule 2.5 mg</i> | 4 | B/D PA |
| <i>droperidol injection solution</i> | 2 | MO |
| EMEND ORAL SUSPENSION FOR RECONSTITUTION | 4 | B/D PA |
| ENTYVIO | 5 | PA; MO; QL (2 per 28 days); NDS |
| <i>enulose</i> | 2 | MO |
| <i>fosaprepitant</i> | 2 | MO |
| GATTEX 30-VIAL | 5 | PA; MO; NDS |
| GATTEX ONE-VIAL | 5 | PA; MO; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| <i>gavilyte-c</i> | 2 | MO |
| <i>gavilyte-g</i> | 2 | MO |
| <i>generlac</i> | 2 | |
| <i>granisetron (pf) intravenous solution 1 mg/ml (1 ml)</i> | 2 | MO |
| <i>granisetron hcl intravenous</i> | 2 | MO |
| <i>granisetron hcl oral</i> | 3 | B/D PA; MO |
| <i>hydrocortisone rectal</i> | 4 | MO |
| <i>hydrocortisone topical cream with perineal applicator</i> | 2 | MO |
| <i>lactulose oral solution 10 gram/15 ml</i> | 2 | MO |
| <i>lactulose oral solution 10 gram/15 ml (15 ml), 20 gram/30 ml</i> | 2 | |
| LINZESS | 3 | MO; QL (30 per 30 days) |
| <i>lubiprostone</i> | 4 | MO; QL (60 per 30 days) |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i> | 2 | MO |
| <i>mesalamine oral capsule (with del rel tablets)</i> | 4 | MO |
| <i>mesalamine oral capsule, extended release</i> | 5 | NDS |
| <i>mesalamine oral capsule, extended release 24hr</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------------------|
| <i>mesalamine oral tablet, delayed release (dr/ec)</i> | 4 | MO |
| <i>mesalamine rectal</i> | 4 | MO |
| <i>mesalamine with cleansing wipe</i> | 4 | MO |
| <i>metoclopramide hcl injection solution</i> | 2 | MO |
| <i>metoclopramide hcl oral solution</i> | 2 | MO |
| <i>metoclopramide hcl oral tablet</i> | 1 | MO |
| MOVANTIK | 3 | MO; QL (30 per 30 days) |
| OCALIVA | 5 | PA; MO; LA; QL (30 per 30 days); NDS |
| <i>ondansetron</i> | 2 | B/D PA; MO |
| <i>ondansetron hcl (pf) injection solution</i> | 2 | MO |
| <i>ondansetron hcl (pf) injection syringe</i> | 2 | |
| <i>ondansetron hcl intravenous</i> | 2 | MO |
| <i>ondansetron hcl oral solution</i> | 4 | B/D PA; MO |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 2 | B/D PA; MO |
| <i>palonosetron intravenous solution 0.25 mg/5 ml</i> | 2 | MO |
| <i>palonosetron intravenous syringe</i> | 2 | |
| <i>peg 3350-electrolytes</i> | 2 | |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| <i>peg3350-sod sul-nacl-kcl-asb-c</i> | 4 | MO |
| <i>peg-electrolyte</i> | 2 | MO |
| PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG | 4 | MO |
| <i>prochlorperazine</i> | 4 | MO |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 2 | MO |
| <i>prochlorperazine maleate oral</i> | 2 | MO |
| <i>procto-med hc</i> | 2 | MO |
| <i>proctosol hc topical</i> | 2 | MO |
| <i>proctozone-hc</i> | 2 | MO |
| RECTIV | 3 | MO |
| RELISTOR SUBCUTANEOUS SOLUTION | 5 | MO; QL (18 per 30 days); NDS |
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML | 5 | MO; QL (18 per 30 days); NDS |
| RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML | 5 | MO; QL (12 per 30 days); NDS |
| REMICADE | 5 | PA; MO; QL (20 per 28 days); NDS |
| SANCUSO | 5 | MO; NDS |
| <i>scopolamine base</i> | 4 | MO |
| SKYRIZI INTRAVENOUS | 5 | PA; MO; QL (30 per 180 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---|
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML) | 5 | PA; MO; QL (1.2 per 56 days); NDS |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML) | 5 | PA; MO; QL (2.4 per 56 days); NDS |
| <i>sodium,potassium,m ag sulfates</i> | 4 | MO |
| SUCRAID | 5 | PA; NDS |
| <i>sulfasalazine</i> | 2 | MO |
| TRULANCE | 3 | MO; QL (30 per 30 days) |
| <i>ursodiol oral capsule 300 mg</i> | 3 | MO |
| <i>ursodiol oral tablet</i> | 3 | MO |
| VARUBI | 3 | B/D PA |
| VIBERZI | 5 | MO; QL (60 per 30 days); NDS |
| VIOKACE | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------|
| ZENPEP ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT | 3 | MO |
| ZENPEP ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 60,000-189,600- 252,600 UNIT | 5 | MO; NDS |
| ULCER THERAPY | | |
| <i>cimetidine</i> | 2 | MO |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> | 3 | MO; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>esomeprazole sodium intravenous recon soln 40 mg</i> | 2 | MO |
| <i>famotidine (pf)</i> | 2 | MO |
| <i>famotidine (pf)-nacl (iso-os)</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| <i>famotidine intravenous</i> | 2 | MO |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | 1 | MO |
| <i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>misoprostol</i> | 3 | MO |
| <i>nizatidine oral capsule</i> | 3 | MO |
| <i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>omeprazole oral capsule, delayed release(dr/ec) 40 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>pantoprazole intravenous</i> | 2 | MO |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>sucralfate oral suspension</i> | 4 | MO |
| <i>sucralfate oral tablet</i> | 2 | MO |

IMMUNOLOGY, VACCINES / BIOTECHNOLOGY
BIOTECHNOLOGY DRUGS

| Drug Name | Drug Tier | Requirements /Limits |
|---------------------------------------|-----------|-------------------------------------|
| ACTIMMUNE | 5 | B/D PA; MO; NDS |
| ARCALYST | 5 | PA; NDS |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT | 5 | PA; MO; QL (1 per 28 days); NDS |
| AVONEX INTRAMUSCULAR SYRINGE KIT | 5 | PA; MO; QL (1 per 28 days); NDS |
| BESREMI | 5 | PA; LA; NDS |
| BETASERON SUBCUTANEOUS KIT | 5 | PA; MO; QL (14 per 28 days); NDS |
| ILARIS (PF) | 5 | PA; MO; LA; QL (2 per 28 days); NDS |
| LEUKINE INJECTION RECON SOLN | 5 | PA; MO; NDS |
| MOZOBIL | 5 | B/D PA; MO; NDS |
| NIVESTYM | 5 | PA; MO; NDS |
| NYVEPRIA | 5 | PA; MO; NDS |
| OMNITROPE SUBCUTANEOUS CARTRIDGE | 5 | PA; MO; NDS |
| OMNITROPE SUBCUTANEOUS RECON SOLN | 5 | PA; NDS |
| PEGASYS SUBCUTANEOUS SOLUTION | 5 | MO; QL (4 per 28 days); NDS |
| PEGASYS SUBCUTANEOUS SYRINGE | 5 | MO; QL (2 per 28 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| PLEGRIDY INTRAMUSCULAR | 5 | PA; MO; QL (1 per 28 days); NDS |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML | 5 | PA; MO; QL (1 per 28 days); NDS |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; MO; QL (1 per 180 days); NDS |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML | 5 | PA; MO; QL (1 per 28 days); NDS |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; MO; QL (1 per 180 days); NDS |
| <i>plerixafor</i> | 5 | B/D PA; MO; NDS |
| PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; MO |
| PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML | 5 | PA; MO; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; MO |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | 5 | PA; MO; NDS |
| ZARXIO | 5 | PA; MO; NDS |
| ZIEXTENZO | 5 | PA; MO; NDS |
| VACCINES / MISCELLANEOUS IMMUNOLOGICALS | | |
| ABRYSVO | 1 | V |
| ACTHIB (PF) | 3 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) | 1 | V |
| AREXVY (PF) | 1 | V |
| BCG VACCINE, LIVE (PF) | 1 | V |
| BEXSERO | 1 | V |
| BOOSTRIX TDAP | 1 | V |
| DAPTACEL (DTAP PEDIATRIC) (PF) | 3 | |
| DENGVAXIA (PF) | 3 | |
| ENGERIX-B (PF) | 1 | B/D PA; V |
| ENGERIX-B PEDIATRIC (PF) | 1 | B/D PA; V |
| <i>fomepizole</i> | 2 | |
| GAMASTAN | 3 | MO |
| GAMASTAN S/D | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| GARDASIL 9 (PF) | 1 | V |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML | 1 | V |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML | 3 | |
| HEPLISAV-B (PF) | 1 | B/D PA; V |
| HIBERIX (PF) | 3 | |
| HIZENTRA | 5 | B/D PA; MO; NDS |
| HYPERHEP B INTRAMUSCULAR SOLUTION | 3 | |
| HYPERHEP B NEONATAL | 3 | |
| IMOVAX RABIES VACCINE (PF) | 1 | V |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE | 3 | |
| IPOLE | 1 | V |
| IXIARO (PF) | 1 | V |
| JYNNEOS (PF) | 1 | B/D PA; V |
| KINRIX (PF) INTRAMUSCULAR SYRINGE | 3 | |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION | 1 | V |
| MENQUADFI (PF) | 1 | V |
| MENVEO A-C-Y-W-135-DIP (PF) | 1 | V |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------|
| M-M-R II (PF) | 1 | V |
| PEDIARIX (PF) | 3 | |
| PEDVAX HIB (PF) | 3 | |
| PENBRAYA (PF) | 1 | V |
| PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML | 3 | |
| PREHEVBRIO (PF) | 1 | B/D PA; V |
| PRIORIX (PF) | 1 | V |
| PRIVIGEN | 5 | PA; MO; NDS |
| PROQUAD (PF) | 3 | |
| QUADRACEL (PF) | 3 | |
| RABAVERT (PF) | 1 | V |
| RECOMBIVAX HB (PF) | 1 | B/D PA; V |
| ROTARIX | 3 | |
| ROTATEQ VACCINE | 3 | |
| SHINGRIX (PF) | 1 | V; QL (2 per 720 days) |
| TDVAX | 1 | V |
| TENIVAC (PF) | 1 | V |
| TETANUS, DIPHTHERIA TOX PED(PF) | 3 | |
| TICE BCG | 3 | B/D PA |
| TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML | 3 | V |
| TRUMENBA | 1 | V |
| TWINRIX (PF) | 1 | V |
| TYPHIM VI | 1 | V |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML | 1 | V |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML | 1 | V |
| VARIVAX (PF) | 1 | V |
| VARIZIG | 3 | |
| YF-VAX (PF) | 1 | V |

MISCELLANEOUS SUPPLIES

MISCELLANEOUS SUPPLIES

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| BD INSULIN SYRINGE SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 1 ML 27 GAUGE X 5/8", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" | 3 | MO |
| BD PEN NEEDLE | 3 | MO |
| BD PEN NEEDLE | 3 | |
| CEQUR SIMPLICITY INSERTER | 3 | MO |
| GAUZE PADS 2 X 2 | 3 | |
| INSULIN SYRINGE SYRINGE 0.5 ML 29 GAUGE X 1/2" | 3 | MO |
| INSULIN SYRINGE- NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1/2 ML 28 GAUGE | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" | 3 | MO |
| INSULIN SYRINGES (NON-PREFERRED BRANDS) SYRINGE 1 ML 29 GAUGE X 1/2" | 3 | MO |
| OMNIPOD 5 G6 INTRO KIT (GEN 5) | 3 | MO; QL (1 per 720 days) |
| OMNIPOD 5 G6 PODS (GEN 5) | 3 | MO |
| OMNIPOD CLASSIC PODS (GEN 3) | 3 | MO |
| OMNIPOD DASH INTRO KIT (GEN 4) | 3 | QL (1 per 720 days) |
| OMNIPOD DASH PODS (GEN 4) | 3 | MO |
| PEN NEEDLES (NON-PREFERRED BRANDS) NEEDLE 29 GAUGE X 1/2" | 3 | |
| V-GO 20 | 3 | MO |
| V-GO 30 | 3 | MO |
| V-GO 40 | 3 | MO |

MUSCULOSKELETAL / RHEUMATOLOGY

GOUT THERAPY

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------|
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | 1 | MO |
| <i>allopurinol sodium</i> | 2 | |
| <i>aloprim</i> | 2 | |
| <i>colchicine oral tablet</i> | 2 | MO |
| <i>febuxostat</i> | 3 | MO |
| <i>probenecid</i> | 3 | MO |
| <i>probenecid-colchicine</i> | 3 | MO |
| OSTEOPOROSIS THERAPY | | |
| <i>alendronate oral solution</i> | 2 | MO; QL (300 per 28 days) |
| <i>alendronate oral tablet 10 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>alendronate oral tablet 35 mg, 70 mg</i> | 1 | MO; QL (4 per 28 days) |
| FOSAMAX PLUS D | 4 | ST; MO; QL (4 per 28 days) |
| <i>ibandronate intravenous solution</i> | 2 | PA |
| <i>ibandronate intravenous syringe</i> | 2 | PA; MO |
| <i>ibandronate oral</i> | 2 | MO; QL (1 per 30 days) |
| PROLIA | 4 | PA; MO; QL (1 per 180 days) |
| <i>raloxifene</i> | 2 | MO |
| <i>risedronate oral tablet 150 mg</i> | 3 | MO; QL (1 per 30 days) |
| <i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i> | 3 | MO; QL (4 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| <i>risedronate oral tablet 5 mg</i> | 3 | MO; QL (30 per 30 days) |
| <i>risedronate oral tablet, delayed release (dr/ec)</i> | 4 | MO; QL (4 per 28 days) |
| TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML) | 5 | PA; QL (2.48 per 28 days); NDS |
| OTHER RHEUMATOLOGICALS | | |
| ACTEMRA ACTPEN | 5 | PA; MO; QL (3.6 per 28 days); NDS |
| ACTEMRA INTRAVENOUS | 5 | PA; MO; QL (160 per 28 days); NDS |
| ACTEMRA SUBCUTANEOUS | 5 | PA; MO; QL (3.6 per 28 days); NDS |
| ADALIMUMAB-ADAZ | 5 | PA; MO; QL (1.6 per 28 days); NDS |
| ADALIMUMAB-ADBMSUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; MO; QL (4 per 28 days); NDS |
| ADALIMUMAB-ADBMSUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML | 5 | PA; MO; QL (2 per 28 days); NDS |
| ADALIMUMAB-ADBMSUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------|
| ADALIMUMAB-ADBMSUBCUTANEOUS PEN CROHNS | 5 | PA; QL (6 per 180 days); NDS |
| ADALIMUMAB-ADBMSUBCUTANEOUS PEN PS-UV | 5 | PA; QL (4 per 180 days); NDS |
| BENLYSTA | 5 | PA; MO; NDS |
| CYLTEZO(CF) PEN | 5 | PA; MO; QL (4 per 28 days); NDS |
| CYLTEZO(CF) PEN CROHN'S-UC-HS | 5 | PA; QL (6 per 180 days); NDS |
| CYLTEZO(CF) PEN PSORIASIS-UV | 5 | PA; QL (4 per 180 days); NDS |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML | 5 | PA; MO; QL (2 per 28 days); NDS |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days); NDS |
| ENBREL MINI | 5 | PA; MO; QL (8 per 28 days); NDS |
| ENBREL SUBCUTANEOUS SOLUTION | 5 | PA; MO; QL (8 per 28 days); NDS |
| ENBREL SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (8 per 28 days); NDS |
| ENBREL SURECLICK | 5 | PA; MO; QL (8 per 28 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------------|
| HUMIRA PEN | 5 | PA; MO; QL (4 per 28 days); NDS |
| HUMIRA PEN CROHNS-UC-HS START | 5 | PA; QL (6 per 180 days); NDS |
| HUMIRA PEN PSOR-UVEITS-ADOL HS | 5 | PA; QL (4 per 180 days); NDS |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days); NDS |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML | 5 | PA; MO; QL (3 per 180 days); NDS |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; QL (2 per 180 days); NDS |
| HUMIRA(CF) PEN CROHNS-UC-HS | 5 | PA; MO; QL (3 per 180 days); NDS |
| HUMIRA(CF) PEN PEDIATRIC UC | 5 | PA; MO; QL (4 per 180 days); NDS |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS | 5 | PA; MO; QL (3 per 180 days); NDS |
| HUMIRA(CF) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML | 5 | PA; MO; QL (4 per 28 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| HUMIRA(CF) SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; MO; QL (2 per 28 days); NDS |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML | 5 | PA; MO; QL (2 per 28 days); NDS |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | 5 | PA; MO; QL (4 per 28 days); NDS |
| HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML | 5 | PA; MO; QL (1.6 per 28 days); NDS |
| HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 10 MG/0.1 ML | 5 | PA; MO; QL (0.2 per 28 days); NDS |
| HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 20 MG/0.2 ML | 5 | PA; MO; QL (0.4 per 28 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------------|
| HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 5 | PA; MO; QL (1.6 per 28 days); NDS |
| HYRIMOZ PEN CROHN'S-UC STARTER | 5 | PA; MO; QL (2.4 per 180 days); NDS |
| HYRIMOZ PEN PSORIASIS STARTER | 5 | PA; MO; QL (1.6 per 180 days); NDS |
| HYRIMOZ(CF) PEDI CROHN STARTER SUBCUTANEOUS SYRINGE 80 MG/0.8 ML | 5 | PA; MO; QL (2.4 per 180 days); NDS |
| HYRIMOZ(CF) PEDI CROHN STARTER SUBCUTANEOUS SYRINGE 80 MG/0.8 ML- 40 MG/0.4 ML | 5 | PA; MO; QL (1.2 per 180 days); NDS |
| <i>leflunomide</i> | 2 | MO; QL (30 per 30 days) |
| ORENCIA (WITH MALTOSE) | 5 | PA; MO; QL (12 per 28 days); NDS |
| ORENCIA CLICKJECT | 5 | PA; MO; QL (4 per 28 days); NDS |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML | 5 | PA; MO; QL (4 per 28 days); NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-----------------------------------|
| ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML | 5 | PA; MO; QL (1.6 per 28 days); NDS |
| ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML | 5 | PA; MO; QL (2.8 per 28 days); NDS |
| OTEZLA | 5 | PA; MO; QL (60 per 30 days); NDS |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47) | 5 | PA; MO; QL (55 per 180 days); NDS |
| <i>penicillamine oral tablet</i> | 5 | PA; MO; NDS |
| RIDAURA | 5 | MO; NDS |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG | 5 | PA; MO; QL (30 per 30 days); NDS |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG | 5 | PA; MO; QL (84 per 180 days); NDS |
| SAVELLA ORAL TABLET | 3 | MO; QL (60 per 30 days) |
| SAVELLA ORAL TABLETS,DOSE PACK | 3 | QL (55 per 180 days) |
| XELJANZ ORAL SOLUTION | 5 | PA; MO; QL (300 per 30 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---------------------|-----------|----------------------------------|
| XELJANZ ORAL TABLET | 5 | PA; MO; QL (60 per 30 days); NDS |
| XELJANZ XR | 5 | PA; MO; QL (30 per 30 days); NDS |

OBSTETRICS / GYNECOLOGY

ESTROGENS / PROGESTINS

| | | |
|--|---|----------------------------|
| <i>amabelz</i> | 3 | PA |
| <i>camila</i> | 2 | MO |
| <i>deblitane</i> | 2 | MO |
| DEPO-SUBQ PROVERA 104 | 4 | MO |
| <i>dotti</i> | 3 | PA; MO; QL (8 per 28 days) |
| DUAVEE | 3 | MO |
| <i>errin</i> | 2 | MO |
| <i>estradiol oral</i> | 4 | PA; MO |
| <i>estradiol transdermal patch semiweekly</i> | 3 | PA; MO; QL (8 per 28 days) |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr</i> | 3 | PA; MO; QL (4 per 28 days) |
| <i>estradiol transdermal patch weekly 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 3 | PA; QL (4 per 28 days) |
| <i>estradiol vaginal</i> | 4 | MO |
| <i>estradiol valerate intramuscular oil 10 mg/ml</i> | 4 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------|
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> | 4 | MO |
| <i>estradiol-norethindrone acet</i> | 3 | PA; MO |
| <i>fyavolv</i> | 4 | PA; MO |
| <i>heather</i> | 2 | MO |
| <i>hydroxyprogesterone caproate</i> | 5 | NDS |
| IMVEXXY MAINTENANCE PACK | 3 | MO |
| IMVEXXY STARTER PACK | 3 | MO |
| <i>incassia</i> | 2 | MO |
| <i>jencycla</i> | 2 | MO |
| <i>jinteli</i> | 4 | PA; MO |
| <i>lyleq</i> | 2 | MO |
| <i>lyllana</i> | 3 | PA; MO; QL (8 per 28 days) |
| <i>lyza</i> | 2 | |
| <i>medroxyprogesterone</i> | 2 | MO |
| MENEST | 3 | PA; MO |
| <i>mimvey</i> | 3 | PA; MO |
| <i>nora-be</i> | 2 | MO |
| <i>norethindrone (contraceptive)</i> | 2 | |
| <i>norethindrone acetate</i> | 2 | MO |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 4 | PA; MO |
| PREMARIN ORAL | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| PREMARIN VAGINAL | 3 | MO |
| PREMPHASE | 3 | MO |
| PREMPRO | 3 | MO |
| <i>progesterone</i> | 2 | MO |
| <i>progesterone micronized</i> | 2 | MO |
| <i>sharobel</i> | 2 | MO |
| <i>yuvafem</i> | 4 | MO |
| MISCELLANEOUS OB/GYN | | |
| <i>clindamycin phosphate vaginal</i> | 3 | MO |
| <i>eluryng</i> | 4 | MO |
| <i>etonogestrel-ethinyl estradiol</i> | 4 | |
| <i>metronidazole vaginal</i> | 3 | MO |
| <i>mifepristone oral tablet 200 mg</i> | 2 | LA |
| MYFEMBREE | 5 | PA; MO; NDS |
| NEXPLANON | 4 | |
| <i>terconazole</i> | 3 | MO |
| <i>tranexamic acid oral</i> | 3 | MO |
| <i>vandazole</i> | 3 | MO |
| <i>xulane</i> | 4 | MO |
| <i>zafemy</i> | 4 | MO |
| ORAL CONTRACEPTIVES / RELATED AGENTS | | |
| <i>altavera (28)</i> | 2 | MO |
| <i>alyacen 1/35 (28)</i> | 2 | MO |
| <i>alyacen 7/7/7 (28)</i> | 2 | MO |
| <i>amethyst (28)</i> | 2 | MO |
| <i>apri</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>aranelle (28)</i> | 2 | MO |
| <i>aubra eq</i> | 2 | MO |
| <i>aviane</i> | 2 | MO |
| <i>azurette (28)</i> | 2 | MO |
| <i>camrese</i> | 2 | MO |
| <i>cryselle (28)</i> | 2 | MO |
| <i>cyred eq</i> | 2 | |
| <i>dasetta 1/35 (28)</i> | 2 | MO |
| <i>dasetta 7/7/7 (28)</i> | 2 | MO |
| <i>daysee</i> | 2 | MO |
| <i>desog-e.estradiol/e.estradiol</i> | 2 | |
| <i>desogestrel-ethinyl estradiol</i> | 2 | |
| <i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i> | 4 | MO |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> | 2 | MO |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> | 2 | |
| <i>elinest</i> | 2 | MO |
| <i>enpresse</i> | 2 | MO |
| <i>enskyce</i> | 2 | MO |
| <i>estarylla</i> | 2 | MO |
| <i>ethynodiol diac-eth estradiol</i> | 2 | |
| <i>falmina (28)</i> | 2 | MO |
| <i>introvale</i> | 2 | |
| <i>isibloom</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>jasmiel (28)</i> | 2 | MO |
| <i>jolessa</i> | 2 | MO |
| <i>juleber</i> | 2 | MO |
| <i>kalliga</i> | 2 | |
| <i>kariva (28)</i> | 2 | MO |
| <i>kelnor 1/35 (28)</i> | 2 | MO |
| <i>kelnor 1-50 (28)</i> | 2 | MO |
| <i>kurvelo (28)</i> | 2 | MO |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> | 2 | MO |
| <i>larin 1.5/30 (21)</i> | 2 | MO |
| <i>larin 1/20 (21)</i> | 2 | MO |
| <i>larin 24 fe</i> | 2 | MO |
| <i>larin fe 1.5/30 (28)</i> | 2 | MO |
| <i>larin fe 1/20 (28)</i> | 2 | MO |
| <i>lessina</i> | 2 | MO |
| <i>levonest (28)</i> | 2 | MO |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 90-20 mcg (28)</i> | 2 | MO |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> | 2 | |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month</i> | 2 | |
| <i>levonorg-eth estrad triphasic</i> | 2 | |
| <i>levora-28</i> | 2 | MO |
| <i>loryna (28)</i> | 2 | MO |
| <i>low-ogestrel (28)</i> | 2 | MO |
| <i>lo-zumandimine (28)</i> | 2 | MO |
| <i>lutra (28)</i> | 2 | MO |
| <i>marlissa (28)</i> | 2 | MO |
| <i>microgestin 1.5/30 (21)</i> | 2 | MO |
| <i>microgestin 1/20 (21)</i> | 2 | MO |
| <i>microgestin fe 1.5/30 (28)</i> | 2 | MO |
| <i>microgestin fe 1/20 (28)</i> | 2 | MO |
| <i>mili</i> | 2 | MO |
| <i>mono-linyah</i> | 2 | MO |
| <i>nikki (28)</i> | 2 | MO |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | 2 | MO |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 2 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.25-35 mg-mcg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | 2 | MO |
| <i>nortrel 0.5/35 (28)</i> | 2 | MO |
| <i>nortrel 1/35 (21)</i> | 2 | MO |
| <i>nortrel 1/35 (28)</i> | 2 | MO |
| <i>nortrel 7/7/7 (28)</i> | 2 | MO |
| <i>philith</i> | 2 | MO |
| <i>pimtreea (28)</i> | 2 | MO |
| <i>portia 28</i> | 2 | MO |
| <i>reclipsen (28)</i> | 2 | MO |
| <i>setlakin</i> | 2 | MO |
| <i>sprintec (28)</i> | 2 | MO |
| <i>sronyx</i> | 2 | MO |
| <i>syeda</i> | 2 | MO |
| <i>tarina 24 fe</i> | 2 | MO |
| <i>tarina fe 1-20 eq (28)</i> | 2 | MO |
| <i>tilia fe</i> | 2 | MO |
| <i>tri-estarylla</i> | 2 | MO |
| <i>tri-legest fe</i> | 2 | MO |
| <i>tri-linyah</i> | 2 | MO |
| <i>tri-lo-estarylla</i> | 2 | MO |
| <i>tri-lo-marzia</i> | 2 | MO |
| <i>tri-lo-sprintec</i> | 2 | |
| <i>tri-sprintec (28)</i> | 2 | MO |
| <i>trivora (28)</i> | 2 | MO |
| <i>turqoz (28)</i> | 2 | |
| <i>velivet triphasic regimen (28)</i> | 2 | MO |
| <i>vestura (28)</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| <i>vienva</i> | 2 | MO |
| <i>viorele (28)</i> | 2 | MO |
| <i>wera (28)</i> | 2 | MO |
| <i>zovia 1-35 (28)</i> | 2 | MO |
| <i>zumandimine (28)</i> | 2 | MO |
| OXYTOCICS | | |
| <i>methylergonovine oral</i> | 4 | PA |
| OPHTHALMOLOGY | | |
| ANTIBIOTICS | | |
| <i>AZASITE</i> | 3 | MO |
| <i>bacitracin ophthalmic (eye)</i> | 3 | MO |
| <i>bacitracin-polymyxin b</i> | 2 | MO |
| <i>BESIVANCE</i> | 3 | MO |
| <i>ciprofloxacin hcl ophthalmic (eye)</i> | 2 | MO |
| <i>erythromycin ophthalmic (eye)</i> | 2 | MO; QL (3.5 per 14 days) |
| <i>gatifloxacin</i> | 4 | MO |
| <i>gentamicin ophthalmic (eye) drops</i> | 2 | MO; QL (70 per 30 days) |
| <i>levofloxacin ophthalmic (eye) drops 0.5 %</i> | 3 | MO |
| <i>levofloxacin ophthalmic (eye) drops 1.5 %</i> | 3 | |
| <i>moxifloxacin ophthalmic (eye) drops</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------|
| <i>moxifloxacin ophthalmic (eye) drops, viscous</i> | 3 | |
| NATACYN | 4 | |
| <i>neomycin-bacitracin-polymyxin</i> | 3 | MO |
| <i>neomycin-polymyxin-gramicidin</i> | 3 | MO |
| <i>neo-polycin</i> | 3 | |
| <i>ofloxacin ophthalmic (eye)</i> | 2 | MO |
| <i>polycin</i> | 2 | |
| <i>polymyxin b sulf-trimethoprim</i> | 2 | MO |
| <i>tobramycin ophthalmic (eye)</i> | 2 | MO; QL (10 per 14 days) |
| ANTIVIRALS | | |
| <i>trifluridine</i> | 3 | MO |
| ZIRGAN | 4 | MO |
| BETA-BLOCKERS | | |
| <i>betaxolol ophthalmic (eye)</i> | 3 | MO |
| <i>carteolol</i> | 2 | MO |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 2 | MO |
| <i>timolol maleate ophthalmic (eye) drops</i> | 1 | MO |
| <i>timolol maleate ophthalmic (eye) gel forming solution</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|------------------------------|
| MISCELLANEOUS OPHTHALMOLOGICS | | |
| <i>atropine ophthalmic (eye) drops 1 %</i> | 3 | MO |
| <i>azelastine ophthalmic (eye)</i> | 2 | MO |
| <i>balanced salt</i> | 2 | |
| <i>bepotastine besilate</i> | 3 | MO |
| <i>bss</i> | 2 | |
| CIMERLI | 5 | PA; MO; NDS |
| <i>cromolyn ophthalmic (eye)</i> | 2 | MO |
| <i>cyclosporine ophthalmic (eye)</i> | 3 | MO; QL (60 per 30 days) |
| CYSTARAN | 5 | PA; NDS |
| <i>epinastine</i> | 3 | MO |
| EYLEA | 5 | PA; MO; NDS |
| <i>olopatadine ophthalmic (eye)</i> | 3 | MO |
| OXERVATE | 5 | PA; MO; NDS |
| PHOSPHOLINE IODIDE | 4 | |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> | 3 | MO |
| <i>sulfacetamide sodium ophthalmic (eye)</i> | 2 | MO |
| <i>sulfacetamide-prednisolone</i> | 2 | |
| XDEMVEY | 5 | PA; QL (10 per 42 days); NDS |
| XIIDRA | 3 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| NON-STEROIDAL ANTI-INFLAMMATORY AGENTS | | |
| <i>bromfenac ophthalmic (eye) drops 0.07 %, 0.09 %</i> | 3 | MO |
| BROMSITE | 3 | MO |
| <i>diclofenac sodium ophthalmic (eye)</i> | 2 | MO |
| <i>flurbiprofen sodium</i> | 2 | MO |
| <i>ketorolac ophthalmic (eye)</i> | 2 | MO |
| PROLENSA | 3 | MO |
| ORAL DRUGS FOR GLAUCOMA | | |
| <i>acetazolamide</i> | 3 | MO |
| <i>acetazolamide sodium</i> | 2 | MO |
| <i>methazolamide</i> | 4 | MO |
| OTHER GLAUCOMA DRUGS | | |
| <i>brimonidine-timolol</i> | 3 | MO |
| <i>dorzolamide</i> | 2 | MO |
| <i>dorzolamide-timolol</i> | 2 | MO |
| <i>latanoprost</i> | 1 | MO |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | 3 | MO |
| <i>miostat</i> | 2 | |
| RHOPRESSA | 3 | MO |
| ROCKLATAN | 3 | MO |
| SIMBRINZA | 3 | MO |
| <i>tafluprost (pf)</i> | 3 | MO |
| <i>travoprost</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|--------------------------|
| STEROID-ANTIBIOTIC COMBINATIONS | | |
| <i>neomycin-bacitracin-poly-hc</i> | 3 | MO |
| <i>neomycin-polymyxin b-dexameth</i> | 2 | MO |
| <i>neomycin-polymyxin-hc ophthalmic (eye)</i> | 3 | MO |
| <i>neo-polycin hc</i> | 3 | |
| TOBRADEX OPHTHALMIC (EYE) OINTMENT | 3 | MO; QL (3.5 per 14 days) |
| <i>tobramycin-dexamethasone</i> | 3 | MO; QL (10 per 14 days) |
| STERIODS | | |
| ALREX | 3 | MO |
| <i>dexamethasone sodium phosphate ophthalmic (eye)</i> | 2 | MO |
| <i>fluorometholone</i> | 3 | MO |
| INVELTYS | 3 | MO |
| <i>loteprednol etabonate ophthalmic (eye) drops,gel</i> | 3 | MO |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> | 3 | MO |
| OZURDEX | 5 | MO; NDS |
| <i>prednisolone acetate</i> | 2 | MO |
| <i>prednisolone sodium phosphate ophthalmic (eye)</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|------------------------|
| SYMPATHOMIMETICS | | |
| <i>apraclonidine</i> | 3 | MO |
| <i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> | 3 | MO |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> | 2 | MO |
| RESPIRATORY AND ALLERGY | | |
| ANTI-HISTAMINE / ANTI-ALLERGENIC AGENTS | | |
| <i>adrenalin injection solution 1 mg/ml</i> | 2 | |
| <i>adrenalin injection solution 1 mg/ml (1 ml)</i> | 2 | MO |
| <i>cetirizine oral solution 1 mg/ml</i> | 2 | MO |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | 2 | MO |
| <i>diphenhydramine hcl injection syringe</i> | 2 | MO |
| <i>diphenhydramine hcl oral elixir</i> | 2 | PA |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml (manufactured by mylan specialty)</i> | 3 | MO; QL (2 per 30 days) |
| <i>epinephrine injection solution 1 mg/ml</i> | 2 | |
| <i>hydroxyzine hcl oral tablet</i> | 2 | PA; MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------|
| <i>levocetirizine oral solution</i> | 4 | MO |
| <i>levocetirizine oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| <i>promethazine injection solution</i> | 4 | MO |
| <i>promethazine oral</i> | 4 | PA; MO |
| PULMONARY AGENTS | | |
| <i>acetylcysteine</i> | 3 | B/D PA; MO |
| ADEMPAS | 5 | PA; MO; LA; NDS |
| ADVAIR HFA | 3 | MO; QL (12 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> | 2 | MO; QL (17 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation package size 6.7 gm</i> | 2 | QL (13.4 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i> | 2 | B/D PA; MO |
| <i>albuterol sulfate inhalation solution for nebulization 5 mg/ml</i> | 2 | B/D PA |
| <i>albuterol sulfate oral syrup</i> | 2 | MO |
| <i>albuterol sulfate oral tablet</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|-------------------------------------|
| ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION | 3 | MO; QL (12.2 per 30 days) |
| ALVESCO INHALATION HFA AEROSOL INHALER 80 MCG/ACTUATION | 3 | MO; QL (6.1 per 30 days) |
| <i>alyq</i> | 5 | PA; QL (60 per 30 days); NDS |
| <i>ambrisentan</i> | 5 | PA; MO; LA; NDS |
| <i>arformoterol</i> | 4 | B/D PA; MO; QL (120 per 30 days) |
| ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION , 200 MCG/ACTUATION | 3 | MO; QL (13 per 30 days) |
| ASMANEX HFA INHALATION HFA AEROSOL INHALER 50 MCG/ACTUATION | 3 | QL (13 per 30 days) |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------|
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) | 3 | MO; QL (1 per 30 days) |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120) | 3 | MO; QL (2 per 30 days) |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14) | 3 | QL (2 per 28 days) |
| ATROVENT HFA | 4 | MO; QL (25.8 per 30 days) |
| BEVESPI AEROSPHERE | 3 | MO; QL (10.7 per 30 days) |
| <i>bosentan</i> | 5 | PA; MO; LA; NDS |
| BREO ELLIPTA | 3 | MO; QL (60 per 30 days) |
| <i>breynd</i> | 3 | MO; QL (10.3 per 30 days) |
| BREZTRI AEROSPHERE | 3 | MO; QL (10.7 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> | 4 | B/D PA; MO; QL (120 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> | 4 | B/D PA; MO; QL (60 per 30 days) |
| <i>budesonide-formoterol</i> | 3 | QL (10.2 per 30 days) |
| CINRYZE | 5 | PA; MO; NDS |
| COMBIVENT RESPIMAT | 3 | MO; QL (8 per 30 days) |
| <i>cromolyn inhalation</i> | 4 | B/D PA; MO |
| DULERA | 3 | MO; QL (13 per 30 days) |
| ELIXOPHYLLIN | 4 | |
| FASENRA | 5 | PA; MO; QL (1 per 28 days); NDS |
| FASENRA PEN | 5 | PA; MO; QL (1 per 28 days); NDS |
| <i>flunisolide</i> | 3 | MO; QL (50 per 30 days) |
| <i>fluticasone propionate nasal</i> | 2 | MO; QL (16 per 30 days) |
| <i>fluticasone propion-salmeterol inhalation blister with device</i> | 3 | MO; QL (60 per 30 days) |
| <i>formoterol fumarate</i> | 4 | B/D PA; MO; QL (120 per 30 days) |
| <i>icatibant</i> | 5 | PA; MO; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|---------------------------------------|
| <i>ipratropium bromide inhalation</i> | 2 | B/D PA; MO |
| <i>ipratropium-albuterol</i> | 2 | B/D PA; MO |
| KALYDECO | 5 | PA; MO; QL (56 per 28 days); NDS |
| <i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i> | 4 | B/D PA; MO |
| <i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i> | 4 | B/D PA |
| <i>mometasone nasal</i> | 2 | MO; QL (34 per 30 days) |
| <i>montelukast oral granules in packet</i> | 4 | MO |
| <i>montelukast oral tablet</i> | 1 | MO |
| <i>montelukast oral tablet, chewable</i> | 2 | MO |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; LA; QL (3 per 28 days); NDS |
| NUCALA SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA; QL (3 per 28 days); NDS |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; MO; LA; QL (3 per 28 days); NDS |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 5 | PA; MO; LA; QL (0.4 per 28 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-----------------------------------|
| OFEV | 5 | PA; MO; QL (60 per 30 days); NDS |
| OPSUMIT | 5 | PA; MO; LA; NDS |
| ORKAMBI ORAL GRANULES IN PACKET | 5 | PA; MO; QL (56 per 28 days); NDS |
| ORKAMBI ORAL TABLET | 5 | PA; MO; QL (112 per 28 days); NDS |
| <i>pirfenidone oral capsule</i> | 5 | PA; MO; QL (270 per 30 days); NDS |
| <i>pirfenidone oral tablet 267 mg</i> | 5 | PA; MO; QL (270 per 30 days); NDS |
| <i>pirfenidone oral tablet 801 mg</i> | 5 | PA; MO; QL (90 per 30 days); NDS |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION | 3 | MO; QL (2 per 30 days) |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION | 3 | MO; QL (1 per 30 days) |
| PULMOZYME | 5 | B/D PA; MO; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------------------|
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION | 3 | MO; QL (10.6 per 30 days) |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION | 3 | MO; QL (21.2 per 30 days) |
| <i>roflumilast</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>sajazir</i> | 5 | PA; MO; NDS |
| <i>sildenafil (pulmonary arterial hypertension) intravenous solution 10 mg/12.5 ml</i> | 5 | PA; NDS |
| <i>sildenafil (pulmonary arterial hypertension) oral tablet 20 mg</i> | 3 | PA; MO; QL (90 per 30 days) |
| SPIRIVA RESPIMAT | 3 | MO; QL (4 per 30 days) |
| STIOLTO RESPIMAT | 3 | MO; QL (4 per 30 days) |
| STRIVERDI RESPIMAT | 3 | MO; QL (4 per 30 days) |
| SYMDEKO | 5 | PA; MO; QL (56 per 28 days); NDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------------------|
| <i>tadalafil (pulmonary arterial hypertension) oral tablet 20 mg</i> | 5 | PA; QL (60 per 30 days); NDS |
| <i>terbutaline oral</i> | 4 | MO |
| <i>terbutaline subcutaneous</i> | 2 | MO |
| THEO-24 | 3 | MO |
| <i>theophylline oral elixir</i> | 4 | MO |
| <i>theophylline oral solution</i> | 4 | |
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg</i> | 2 | |
| <i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i> | 2 | MO |
| <i>theophylline oral tablet extended release 24 hr</i> | 2 | MO |
| <i>tiotropium bromide</i> | 3 | QL (90 per 90 days) |
| TRELEGY ELLIPTA | 3 | MO; QL (60 per 30 days) |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL | 5 | PA; MO; QL (56 per 28 days); NDS |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL | 5 | PA; MO; QL (84 per 28 days); NDS |
| TYVASO | 5 | B/D PA; MO; NDS |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|-------------------------------------|
| TYVASO INSTITUTIONAL START KIT | 5 | B/D PA; NDS |
| TYVASO REFILL KIT | 5 | B/D PA; MO; NDS |
| TYVASO STARTER KIT | 5 | B/D PA; MO; NDS |
| <i>wixela inhub</i> | 3 | QL (60 per 30 days) |
| XOLAIR SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA; QL (8 per 28 days); NDS |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; MO; LA; QL (8 per 28 days); NDS |
| XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 5 | PA; MO; LA; QL (1 per 28 days); NDS |
| <i>zafirlukast</i> | 4 | MO |
| UROLOGICALS | | |
| ANTICHOLINERGICS / ANTISPASMODICS | | |
| <i>fesoterodine</i> | 3 | MO |
| <i>flavoxate</i> | 2 | MO |
| MYRBETRIQ ORAL SUSPENSION, EXTENDED REL RECON | 3 | |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR | 3 | MO |
| <i>oxybutynin chloride oral syrup</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>oxybutynin chloride oral tablet 5 mg</i> | 2 | MO |
| <i>oxybutynin chloride oral tablet extended release 24hr</i> | 2 | MO |
| <i>solifenacin</i> | 2 | MO |
| <i>tolterodine</i> | 3 | MO |
| <i>tropium oral tablet</i> | 2 | MO |
| BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY | | |
| <i>alfuzosin</i> | 2 | MO |
| <i>dutasteride</i> | 2 | MO |
| <i>dutasteride-tamsulosin</i> | 4 | MO |
| <i>finasteride oral tablet 5 mg</i> | 1 | MO |
| <i>silodosin</i> | 4 | MO |
| <i>tamsulosin</i> | 1 | MO |
| MISCELLANEOUS UROLOGICALS | | |
| <i>bethanechol chloride</i> | 2 | MO |
| CYSTAGON | 4 | PA; LA |
| ELMIRON | 3 | MO |
| <i>glycine urologic</i> | 2 | |
| <i>glycine urologic solution</i> | 2 | |
| K-PHOS NO 2 | 3 | MO |
| K-PHOS ORIGINAL | 3 | MO |
| <i>potassium citrate oral tablet extended release</i> | 2 | MO |
| RENACIDIN | 3 | MO |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|--------------------------|
| VITAMINS, HEMATINICS / ELECTROLYTES | | |
| BLOOD DERIVATIVES | | |
| <i>albumin, human 25 %</i> | 4 | |
| <i>alburx (human) 25 %</i> | 4 | |
| <i>alburx (human) 5 %</i> | 4 | |
| <i>albutein 25 %</i> | 4 | |
| <i>albutein 5 %</i> | 4 | |
| <i>plasbumin 25 %</i> | 4 | |
| <i>plasbumin 5 %</i> | 4 | |
| ELECTROLYTES | | |
| <i>calcium acetate(phosphat bind)</i> | 3 | MO; QL (360 per 30 days) |
| <i>calcium chloride</i> | 2 | |
| <i>calcium gluconate intravenous</i> | 2 | |
| <i>effer-k oral tablet, effervescent 25 meq</i> | 2 | MO |
| <i>klor-con 10</i> | 2 | MO |
| <i>klor-con 8</i> | 2 | MO |
| <i>klor-con m10</i> | 2 | MO |
| <i>klor-con m15</i> | 2 | MO |
| <i>klor-con m20</i> | 2 | MO |
| <i>klor-con oral packet 20</i> | 4 | MO |
| <i>klor-con/ef</i> | 2 | MO |
| <i>lactated ringers intravenous</i> | 4 | MO |
| <i>magnesium chloride injection</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML | 3 | |
| <i>magnesium sulfate in water</i> | 4 | |
| <i>magnesium sulfate injection solution</i> | 4 | MO |
| <i>magnesium sulfate injection syringe</i> | 4 | |
| <i>potassium acetate</i> | 4 | |
| <i>potassium chlorid-d5-0.45%nacl</i> | 4 | |
| <i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i> | 4 | |
| <i>potassium chloride in 5 % dex intravenous parenteral solution 10 meq/l, 20 meq/l</i> | 4 | |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i> | 4 | |
| <i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 40 meq/100 ml</i> | 4 | |
| <i>potassium chloride intravenous</i> | 4 | |

| Drug Name | Drug Tier | Requirements /Limits |
|--|-----------|----------------------|
| <i>potassium chloride oral capsule, extended release</i> | 2 | MO |
| <i>potassium chloride oral liquid</i> | 4 | MO |
| <i>potassium chloride oral packet</i> | 4 | |
| <i>potassium chloride oral tablet extended release 10 meq, 8 meq</i> | 2 | MO |
| <i>potassium chloride oral tablet extended release 20 meq</i> | 2 | |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq</i> | 2 | MO |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq, 20 meq</i> | 2 | |
| <i>potassium chloride-0.45 % nacl</i> | 4 | |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i> | 4 | |
| <i>potassium chloride-d5-0.9%nacl</i> | 4 | |
| <i>potassium phosphate m-/d-basic intravenous solution 3 mmol/ml</i> | 4 | |
| <i>ringer's intravenous</i> | 4 | |
| <i>sodium acetate</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| <i>sodium bicarbonate intravenous</i> | 4 | |
| <i>sodium chloride 0.45 % intravenous</i> | 4 | MO |
| <i>sodium chloride 3 % hypertonic</i> | 4 | |
| <i>sodium chloride 5 % hypertonic</i> | 4 | MO |
| <i>sodium chloride intravenous</i> | 4 | |
| <i>sodium phosphate</i> | 4 | MO |
| MISCELLANEOUS NUTRITION PRODUCTS | | |
| CLINIMIX 5%/D15W SULFITE FREE | 4 | B/D PA |
| CLINIMIX 4.25%/D10W SULF FREE | 4 | B/D PA |
| CLINIMIX 5%-D20W(SULFITE-FREE) | 4 | B/D PA |
| CLINIMIX 6%-D5W (SULFITE-FREE) | 4 | B/D PA |
| CLINIMIX 8%-D10W(SULFITE-FREE) | 4 | B/D PA |

| Drug Name | Drug Tier | Requirements /Limits |
|---|-----------|----------------------|
| CLINIMIX 8%-D14W(SULFITE-FREE) | 4 | B/D PA |
| <i>electrolyte-148</i> | 3 | |
| <i>electrolyte-48 in d5w</i> | 4 | |
| <i>electrolyte-a</i> | 3 | |
| <i>intralipid intravenous emulsion 20 %</i> | 4 | B/D PA |
| ISOLYTE S PH 7.4 | 4 | |
| ISOLYTE-P IN 5 % DEXTROSE | 4 | |
| ISOLYTE-S | 4 | |
| PLASMA-LYTE A | 3 | |
| <i>plasmanate</i> | 4 | |
| PLENAMINE | 4 | B/D PA |
| <i>premasol 10 %</i> | 4 | B/D PA |
| <i>travasol 10 %</i> | 4 | B/D PA |
| TROPHAMINE 10 % | 4 | B/D PA |
| VITAMINS / HEMATINICS | | |
| <i>fluoride (sodium) oral tablet</i> | 2 | |
| <i>prenatal vitamin oral tablet</i> | 2 | |
| <i>wescap-pn dha</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

Index

| | | |
|--|--------|--|
| A | | |
| <i>abacavir</i> | 2 | |
| <i>abacavir-lamivudine</i> | 2 | |
| ABELCET..... | 2 | |
| ABILIFY ASIMTUFII..... | 35 | |
| ABILIFY MAINTENA..... | 35 | |
| <i>abiraterone</i> | 12 | |
| ABRAXANE..... | 12 | |
| ABRYSVO..... | 69 | |
| <i>acamprosate</i> | 55 | |
| <i>acarbose</i> | 58 | |
| <i>accutane</i> | 52 | |
| <i>acebutolol</i> | 43 | |
| <i>acetaminophen-codeine</i> | 32 | |
| <i>acetazolamide</i> | 81 | |
| <i>acetazolamide sodium</i> | 81 | |
| <i>acetic acid</i> | 55, 57 | |
| <i>acetylcysteine</i> | 55, 82 | |
| <i>acitretin</i> | 50 | |
| ACTEMRA..... | 73 | |
| ACTEMRA ACTPEN..... | 73 | |
| ACTHIB (PF)..... | 69 | |
| ACTIMMUNE..... | 68 | |
| <i>acyclovir</i> | 2, 53 | |
| <i>acyclovir sodium</i> | 2 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF)..... | 69 | |
| ADALIMUMAB-ADAZ..... | 73 | |
| ADALIMUMAB-ADBM..... | 73 | |
| ADALIMUMAB-ADBM(CF) PEN CROHNS..... | 73 | |
| ADALIMUMAB-ADBM(CF) PEN PS-UV..... | 73 | |
| ADBRY..... | 51 | |
| ADCETRIS..... | 12 | |
| <i>adefovir</i> | 2 | |
| ADEMPAS..... | 82 | |
| <i>adenosine</i> | 42 | |
| <i>adrenalin</i> | 82 | |
| ADSTILADRIN..... | 12 | |
| ADVAIR HFA..... | 82 | |
| AIMOVIG AUTOINJECTOR | 29 | |
| AKEEGA..... | 12 | |
| <i>ala-cort</i> | 53 | |
| <i>albendazole</i> | 7 | |
| <i>albumin, human 25 %</i> | 87 | |
| <i>alburx (human) 25 %</i> | 87 | |
| <i>alburx (human) 5 %</i> | 87 | |
| <i>albutein 25 %</i> | 87 | |
| <i>albutein 5 %</i> | 87 | |
| <i>albuterol sulfate</i> | 82 | |
| <i>alclometasone</i> | 54 | |
| <i>alcohol pads</i> | 58 | |
| ALDURAZYME..... | 62 | |
| ALECENSA..... | 12 | |
| <i>alendronate</i> | 72 | |
| <i>alfuzosin</i> | 87 | |
| ALIQOPA..... | 12 | |
| <i>aliskiren</i> | 43 | |
| <i>allopurinol</i> | 72 | |
| <i>allopurinol sodium</i> | 72 | |
| <i>aloprim</i> | 72 | |
| <i>alose tron</i> | 64 | |
| ALREX..... | 81 | |
| <i>altavera (28)</i> | 77 | |
| ALUNBRIG..... | 13 | |
| ALVESCO..... | 83 | |
| <i>alyacen 1/35 (28)</i> | 77 | |
| <i>alyacen 7/7/7 (28)</i> | 77 | |
| <i>alyq</i> | 83 | |
| <i>amabelz</i> | 76 | |
| <i>amantadine hcl</i> | 2 | |
| <i>ambrisentan</i> | 83 | |
| <i>amethyst (28)</i> | 77 | |
| <i>amikacin</i> | 7 | |
| <i>amiloride</i> | 43 | |
| <i>amiloride-hydrochlorothiazide</i> | 43 | |
| <i>aminocaproic acid</i> | 46 | |
| <i>amiodarone</i> | 42 | |
| <i>amitriptyline</i> | 35 | |
| <i>amlodipine</i> | 43 | |
| <i>amlodipine-atorvastatin</i> | 48 | |
| <i>amlodipine-benazepril</i> | 43 | |
| <i>amlodipine-olmesartan</i> | 43 | |
| <i>amlodipine-valsartan</i> | 43 | |
| <i>amlodipine-valsartan-hcthiazid</i> | 43 | |
| <i>ammonium lactate</i> | 51 | |
| <i>amnestem</i> | 52 | |
| <i>amoxapine</i> | 35 | |
| <i>amoxicillin</i> | 9 | |
| <i>amoxicillin-pot clavulanate</i> ...9, 10 | | |
| <i>amphotericin b</i> | 2 | |
| <i>ampicillin</i> | 10 | |
| <i>ampicillin sodium</i> | 10 | |
| <i>ampicillin-sulbactam</i> | 10 | |
| <i>anagrelide</i> | 55 | |
| <i>anastrozole</i> | 13 | |
| APOKYN..... | 29 | |
| <i>apomorphine</i> | 29 | |
| <i>apraclonidine</i> | 82 | |
| <i>aprepitant</i> | 64 | |
| APRETUDE..... | 2 | |
| <i>apri</i> | 77 | |
| APTIOM..... | 25 | |
| APTIVUS..... | 2 | |
| <i>aranelle (28)</i> | 77 | |
| ARCALYST..... | 68 | |
| AREXVY (PF)..... | 69 | |
| <i>arformoterol</i> | 83 | |
| ARIKAYCE..... | 7 | |
| <i>aripiprazole</i> | 35 | |
| ARISTADA..... | 35, 36 | |
| ARISTADA INITIO..... | 35 | |
| <i>armodafinil</i> | 36 | |
| <i>arsenic trioxide</i> | 13 | |
| <i>asenapine maleate</i> | 36 | |
| ASMANEX HFA..... | 83 | |
| ASMANEX TWISTHALER..... | 83 | |
| ASPARLAS..... | 13 | |
| <i>aspirin-dipyridamole</i> | 46 | |
| <i>atazanavir</i> | 2 | |
| <i>atenolol</i> | 43 | |
| <i>atenolol-chlorthalidone</i> | 43 | |
| <i>atomoxetine</i> | 36 | |
| <i>atorvastatin</i> | 48 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|--|--------|--|--------|--|--------|
| <i>atovaquone</i> | 7 | <i>betaine</i> | 64 | <i>bupropion hcl (smoking deter)</i> | 57 |
| <i>atovaquone-proguanil</i> | 7 | <i>betamethasone dipropionate</i> | 54 | <i>buspirone</i> | 36 |
| <i>atropine</i> | 64, 80 | <i>betamethasone valerate</i> | 54 | <i>busulfan</i> | 13 |
| ATROVENT HFA | 83 | <i>betamethasone, augmented</i> .. | 54 | <i>butorphanol</i> | 34 |
| <i>aubra eq</i> | 77 | BETASERON | 68 | BYDUREON BCISE..... | 58 |
| AUGMENTIN..... | 10 | <i>betaxolol</i> | 43, 80 | BYETTA | 58, 59 |
| AUGTYRO | 13 | <i>bethanechol chloride</i> | 87 | C | |
| AUVELITY..... | 36 | BEVESPI AEROSPHERE .. | 83 | CABENUVA..... | 2 |
| <i>aviane</i> | 77 | <i>bexarotene</i> | 13 | <i>cabergoline</i> | 62 |
| AVONEX | 68 | BEXSERO..... | 69 | CABLIVI..... | 46 |
| AYVAKIT..... | 13 | <i>bicalutamide</i> | 13 | CABOMETYX..... | 13 |
| <i>azacitidine</i> | 13 | BICILLIN C-R | 10 | <i>caffeine citrate</i> | 55 |
| AZASITE | 79 | BICILLIN L-A | 10 | <i>calcipotriene</i> | 50 |
| <i>azathioprine</i> | 13 | BIKTARVY | 2 | <i>calcitonin (salmon)</i> | 62 |
| <i>azathioprine sodium</i> | 13 | <i>bisoprolol fumarate</i> | 43 | <i>calcitriol</i> | 50, 62 |
| <i>azelaic acid</i> | 52 | <i>bisoprolol-hydrochlorothiazide</i> | 43 | <i>calcium acetate(phosphat bind)</i> | 87 |
| <i>azelastine</i> | 57, 80 | <i>bleomycin</i> | 13 | <i>calcium chloride</i> | 87 |
| <i>azithromycin</i> | 6 | BLINCYTO..... | 13 | <i>calcium gluconate</i> | 87 |
| <i>aztreonam</i> | 7 | BOOSTRIX TDAP..... | 69 | CALQUENCE..... | 14 |
| <i>azurette (28)</i> | 77 | <i>bortezomib</i> | 13 | CALQUENCE (ACALABRUTINIB MAL) | 14 |
| B | | BOORTEZOMIB..... | 13 | <i>camila</i> | 76 |
| <i>bacitracin</i> | 7, 79 | <i>bosentan</i> | 83 | <i>camrese</i> | 77 |
| <i>bacitracin-polymyxin b</i> | 79 | BOSULIF | 13 | <i>candesartan</i> | 43 |
| <i>baclofen</i> | 31 | BRAFTOVI..... | 13 | <i>candesartan-</i> <i>hydrochlorothiazid</i> | 43 |
| <i>balanced salt</i> | 80 | BREO ELLIPTA | 83 | CAPLYTA..... | 36 |
| <i>balsalazide</i> | 64 | <i>breyna</i> | 83 | CAPRELSA..... | 14 |
| BALVERSA..... | 13 | BREZTRI AEROSPHERE.. | 83 | <i>captopril</i> | 43 |
| BAQSIMI | 58 | BRILINTA | 46 | <i>captopril-hydrochlorothiazide</i> | 43 |
| BARACLUDE | 2 | <i>brimonidine</i> | 82 | <i>carbamazepine</i> | 25 |
| BAVENCIO | 13 | <i>brimonidine-timolol</i> | 81 | <i>carbidopa</i> | 29 |
| BCG VACCINE, LIVE (PF) .. | 69 | BRIUMVI..... | 30 | <i>carbidopa-levodopa</i> | 29 |
| BD INSULIN SYRINGE | 71 | BRIVIACT | 25 | <i>carbidopa-levodopa-</i> <i>entacapone</i> | 29 |
| BD PEN NEEDLE | 71 | <i>bromfenac</i> | 81 | <i>carboplatin</i> | 14 |
| BELBUCA | 32 | <i>bromocriptine</i> | 29 | <i>carglumic acid</i> | 55 |
| BELEODAQ | 13 | BROMSITE..... | 81 | <i>carmustine</i> | 14 |
| <i>benazepril</i> | 43 | BRUKINSA..... | 13 | <i>carteolol</i> | 80 |
| <i>benazepril-hydrochlorothiazide</i> | 43 | <i>bss</i> | 80 | <i>cartia xt</i> | 43 |
| <i>bendamustine</i> | 13 | <i>budesonide</i> | 64, 84 | <i>carvedilol</i> | 43 |
| BENDEKA | 13 | <i>budesonide-formoterol</i> | 84 | <i>caspofungin</i> | 2 |
| BENLYSTA | 73 | <i>bumetanide</i> | 43 | | |
| <i>benztropine</i> | 29 | <i>buprenorphine hcl</i> | 32 | | |
| <i>bepotastine besilate</i> | 80 | <i>buprenorphine transdermal</i> <i>patch</i> | 32 | | |
| BESIVANCE | 79 | <i>buprenorphine-naloxone</i> | 34 | | |
| BESPONSA | 13 | <i>bupropion hcl</i> | 36 | | |
| BESREMI..... | 68 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|--|----|---------------------------------------|------------|---|------------|
| CAYSTON..... | 7 | <i>cimetidine</i> | 67 | <i>clonidine (pf)</i> | 34, 44 |
| <i>cefaclor</i> | 5 | CIMZIA..... | 65 | <i>clonidine hcl</i> | 36, 44 |
| <i>cefadroxil</i> | 5 | CIMZIA POWDER FOR | | <i>clonidine transdermal patch</i> | 43 |
| <i>cefazolin</i> | 5 | RECONST..... | 65 | <i>clopidogrel</i> | 46 |
| <i>cefazolin in dextrose (iso-os)</i> . | 5 | CIMZIA STARTER KIT | 65 | <i>clorazepate dipotassium</i> | 36 |
| <i>cefdinir</i> | 6 | <i>cinacalcet</i> | 62 | <i>clotrimazole</i> | 2, 53 |
| <i>cefepime</i> | 6 | CINRYZE..... | 84 | <i>clotrimazole-betamethasone</i> | 53 |
| <i>cefepime in dextrose, iso-osm</i> .. | 6 | CINVANTI..... | 65 | <i>clozapine</i> | 36 |
| <i>cefixime</i> | 6 | <i>ciprofloxacin</i> | 11 | COARTEM..... | 7 |
| <i>cefoxitin</i> | 6 | <i>ciprofloxacin hcl</i> | 11, 57, 79 | <i>colchicine</i> | 72 |
| <i>cefoxitin in dextrose, iso-osm</i> . | 6 | <i>ciprofloxacin in 5 % dextrose</i> | | <i>colesevelam</i> | 48 |
| <i>cefpodoxime</i> | 6 | | 11 | <i>colestipol</i> | 48 |
| <i>cefprozil</i> | 6 | <i>ciprofloxacin-dexamethasone</i> | | <i>colistin (colistimethate na)</i> | 7 |
| <i>ceftazidime</i> | 6 | | 57 | COLUMVI | 14 |
| <i>ceftriaxone</i> | 6 | <i>cisplatin</i> | 14 | COMBIVENT RESPIMAT..... | 84 |
| <i>ceftriaxone in dextrose, iso-os</i> . | 6 | <i>citalopram</i> | 36 | COMETRIQ | 14 |
| <i>cefuroxime axetil</i> | 6 | <i>cladribine</i> | 14 | COMPLERA | 3 |
| <i>cefuroxime sodium</i> | 6 | <i>claravis</i> | 52 | <i>compro</i> | 65 |
| <i>celecoxib</i> | 34 | <i>clarithromycin</i> | 6 | <i>constulose</i> | 65 |
| <i>cephalexin</i> | 6 | <i>clindamycin hcl</i> | 7 | COPIKTRA | 14 |
| CEPROTIN (BLUE BAR)... | 46 | <i>clindamycin in 5 % dextrose</i> .. | 7 | CORLANOR | 49 |
| CEPROTIN (GREEN BAR) | 46 | <i>clindamycin phosphate</i> | 7, 52, | CORTIFOAM..... | 65 |
| CEQR SIMPLICITY | | 77 | | <i>cortisone</i> | 57 |
| INSERTER..... | 71 | CLINIMIX 5%/D15W | | COSMEGEN | 14 |
| <i>cetirizine</i> | 82 | SULFITE FREE | 89 | COTELLIC..... | 14 |
| <i>cevimeline</i> | 55 | CLINIMIX 4.25%/D10W | | CREON..... | 65 |
| CHEMET | 55 | SULF FREE | 89 | CRESEMBA..... | 2 |
| CHENODAL..... | 64 | CLINIMIX 4.25%/D5W | | <i>cromolyn</i> | 65, 80, 84 |
| <i>chloramphenicol sod succinate</i> | | SULFIT FREE..... | 55 | <i>crotan</i> | 55 |
| | 7 | CLINIMIX 5%- | | <i>cryselle (28)</i> | 77 |
| <i>chlorhexidine gluconate</i> | 57 | D20W(SULFITE-FREE).. | 89 | CRYSVITA | 62 |
| <i>chloroprocaine (pf)</i> | 51 | CLINIMIX 6%-D5W | | <i>cyclobenzaprine</i> | 31 |
| <i>chloroquine phosphate</i> | 7 | (SULFITE-FREE) | 89 | <i>cyclophosphamide</i> | 14 |
| <i>chlorothiazide sodium</i> | 43 | CLINIMIX 8%- | | CYCLOPHOSPHAMIDE | 14 |
| <i>chlorpromazine</i> | 36 | D10W(SULFITE-FREE).. | 89 | <i>cyclosporine</i> | 14, 80 |
| <i>chlorthalidone</i> | 43 | CLINIMIX 8%- | | <i>cyclosporine modified</i> | 14 |
| CHOLBAM..... | 64 | D14W(SULFITE-FREE).. | 89 | CYLTEZO(CF) | 73 |
| <i>cholestyramine (with sugar)</i> . | 48 | <i>clobazam</i> | 25 | CYLTEZO(CF) PEN..... | 73 |
| <i>cholestyramine light</i> | 48 | <i>clobetasol</i> | 54 | CYLTEZO(CF) PEN | |
| CIBINQO | 51 | <i>clobetasol-emollient</i> | 54 | CROHN'S-UC-HS..... | 73 |
| <i>ciclodan</i> | 53 | <i>clodan</i> | 54 | CYLTEZO(CF) PEN | |
| <i>ciclopirox</i> | 53 | <i>clofarabine</i> | 14 | PSORIASIS-UV | 73 |
| <i>cidofovir</i> | 2 | <i>clomid</i> | 62 | CYRAMZA | 14 |
| <i>cilostazol</i> | 46 | <i>clomiphene citrate</i> | 62 | <i>cyred eq</i> | 77 |
| CIMDUO..... | 3 | <i>clomipramine</i> | 36 | CYSTAGON | 87 |
| CIMERLI | 80 | <i>clonazepam</i> | 25 | CYSTARAN..... | 80 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | |
|-------------------------------------|----|---|---------------------------------------|----|
| <i>cytarabine</i> | 14 | <i>desog-e.estradiol/e.estradiol</i> 77 | <i>dimenhydrinate</i> | 65 |
| <i>cytarabine (pf)</i> | 14 | <i>desogestrel-ethinyl estradiol</i> 77 | <i>dimethyl fumarate</i> | 30 |
| D | | <i>desonide</i> | <i>diphenhydramine hcl</i> | 82 |
| <i>d10 %-0.45 % sodium chloride</i> | 55 | <i>desvenlafaxine succinate</i> | <i>diphenoxylate-atropine</i> | 64 |
| | 55 | <i>dexamethasone</i> | <i>dipyridamole</i> | 46 |
| <i>d2.5 %-0.45 % sodium</i> | | <i>dexamethasone intensol</i> | <i>disulfiram</i> | 56 |
| <i>chloride</i> | 55 | <i>dexamethasone sodium phos</i> | <i>divalproex</i> | 26 |
| <i>d5 % and 0.9 % sodium</i> | | <i>(pf)</i> | <i>dobutamine</i> | 49 |
| <i>chloride</i> | 55 | <i>dexamethasone sodium</i> | <i>dobutamine in d5w</i> | 49 |
| <i>d5 %-0.45 % sodium chloride</i> | 55 | <i>phosphate</i> | <i>docetaxel</i> | 15 |
| | 55 | <i>dextrazoxane hcl</i> | <i>dofetilide</i> | 42 |
| <i>dabigatran etexilate</i> | 46 | <i>dextroamphetamine-</i> | <i>donepezil</i> | 30 |
| <i>dacarbazine</i> | 14 | <i>amphetamine</i> | <i>dopamine</i> | 50 |
| <i>dactinomycin</i> | 15 | <i>dextrose 10 % and 0.2 % nacl</i> | <i>dopamine in 5 % dextrose</i> | 49 |
| <i>dalfampridine</i> | 30 | | DOPTELET (10 TAB PACK) | |
| <i>danazol</i> | 62 | <i>dextrose 10 % in water (d10w)</i> | | 46 |
| <i>dantrolene</i> | 31 | | DOPTELET (15 TAB PACK) | |
| DANYELZA | 15 | <i>dextrose 25 % in water (d25w)</i> | | 46 |
| <i>dapsone</i> | 7 | | DOPTELET (30 TAB PACK) | |
| DAPTACEL (DTAP | | <i>dextrose 5 % in water (d5w)</i> .. | | 47 |
| PEDIATRIC) (PF) | 69 | <i>dextrose 5 %-lactated ringers</i> | <i>dorzolamide</i> | 81 |
| <i>daptomycin</i> | 7 | | <i>dorzolamide-timolol</i> | 81 |
| DAPTOMYCIN | 7 | <i>dextrose 5%-0.2 % sod</i> | <i>dotti</i> | 76 |
| <i>darunavir</i> | 3 | <i>chloride</i> | DOVATO | 3 |
| DARZALEX | 15 | | <i>doxazosin</i> | 44 |
| <i>dasetta 1/35 (28)</i> | 77 | <i>dextrose 5%-0.3 %</i> | <i>doxepin</i> | 37 |
| <i>dasetta 7/7/7 (28)</i> | 77 | <i>sod.chloride</i> | <i>doxercalciferol</i> | 62 |
| <i>daunorubicin</i> | 15 | <i>dextrose 50 % in water (d50w)</i> | <i>doxorubicin</i> | 15 |
| DAURISMO | 15 | | <i>doxorubicin, peg-liposomal</i> .. | 15 |
| <i>daysee</i> | 77 | <i>dextrose 70 % in water (d70w)</i> | <i>doxy-100</i> | 11 |
| <i>deblitane</i> | 76 | | <i>doxycycline hyclate</i> | 11 |
| <i>decitabine</i> | 15 | DIACOMIT | <i>doxycycline monohydrate</i> | 11 |
| <i>deferasirox</i> | 55 | | DRIZALMA SPRINKLE | 37 |
| <i>deferiprone</i> | 55 | <i>diazepam</i> | <i>dronabinol</i> | 65 |
| <i>deferoxamine</i> | 55 | | <i>droperidol</i> | 65 |
| DELSTRIGO | 3 | <i>diazepam intensol</i> | DROPSAFE ALCOHOL | |
| <i>demeclocycline</i> | 11 | <i>diazoxide</i> | PREP PADS | 59 |
| DENGVAXIA (PF) | 69 | <i>diclofenac potassium</i> | <i>drospirenone-e.estradiol-lm.fa</i> | |
| <i>denta 5000 plus</i> | 57 | | | 77 |
| <i>dentagel</i> | 57 | <i>diclofenac sodium</i> | <i>drospirenone-ethinyl estradiol</i> | |
| DEPO-SUBQ PROVERA 104 | | | | 77 |
| | 76 | <i>diclofenac-misoprostol</i> | DROXIA | 15 |
| <i>dermacinrx lidocan</i> | 51 | <i>dicloxacillin</i> | <i>droxidopa</i> | 56 |
| DESCOVY | 3 | | DUAVEE | 76 |
| <i>desipramine</i> | 36 | <i>dicyclomine</i> | DULERA | 84 |
| <i>desmopressin</i> | 62 | DIFICID | <i>duloxetine</i> | 37 |
| | | | | |
| | | <i>diflunisal</i> | | |
| | | <i>digoxin</i> | | |
| | | <i>dihydroergotamine</i> | | |
| | | DILANTIN 30 MG | | |
| | | <i>diltiazem hcl</i> | | |
| | | <i>dilt-xr</i> | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|---------------------------------------|----|--|-------|--|----|
| DUPIXENT PEN | 51 | <i>enalaprilat</i> | 44 | <i>esomeprazole sodium</i> | 67 |
| DUPIXENT SYRINGE..... | 51 | <i>enalapril-hydrochlorothiazide</i> | | <i>estarylla</i> | 77 |
| <i>dutasteride</i> | 87 | | 44 | <i>estradiol</i> | 76 |
| <i>dutasteride-tamsulosin</i> | 87 | ENBREL | 73 | <i>estradiol valerate</i> | 76 |
| E | | ENBREL MINI | 73 | <i>estradiol-norethindrone acet</i> | 76 |
| <i>e.e.s. 400</i> | 7 | ENBREL SURECLICK | 73 | <i>eszopiclone</i> | 37 |
| <i>ec-naproxen</i> | 34 | ENDARI..... | 56 | <i>ethacrynate sodium</i> | 44 |
| <i>econazole</i> | 53 | <i>endocet</i> | 32 | <i>ethambutol</i> | 7 |
| EDARBI..... | 44 | ENGERIX-B (PF) | 69 | <i>ethosuximide</i> | 26 |
| EDARBYCLOR..... | 44 | ENGERIX-B PEDIATRIC | | <i>ethynodiol diac-eth estradiol</i> | 77 |
| EDURANT | 3 | (PF)..... | 69 | <i>etodolac</i> | 34 |
| <i>efavirenz</i> | 3 | <i>enoxaparin</i> | 47 | <i>etonogestrel-ethinyl estradiol</i> | |
| <i>efavirenz-emtricitabin-tenofov</i> | 3 | <i>enpresse</i> | 77 | | 77 |
| <i>efavirenz-lamivu-tenofov disop</i> | 3 | <i>enskyce</i> | 77 | ETOPOPHOS | 16 |
| | 3 | <i>entacapone</i> | 29 | <i>etoposide</i> | 16 |
| <i>effer-k</i> | 87 | <i>entecavir</i> | 3 | <i>etravirine</i> | 3 |
| ELAPRASE..... | 62 | ENTRESTO..... | 50 | <i>euthyrox</i> | 63 |
| <i>electrolyte-148</i> | 89 | ENTYVIO | 65 | <i>everolimus (antineoplastic)</i> .. | 16 |
| <i>electrolyte-48 in d5w</i> | 89 | <i>enulose</i> | 65 | <i>everolimus</i> | |
| <i>electrolyte-a</i> | 89 | ENVARBUS XR | 15 | (immunosuppressive)..... | 16 |
| <i>eletriptan</i> | 29 | EPCLUSA | 3 | EVOTAZ | 3 |
| ELIGARD | 15 | EPIDIOLEX | 26 | <i>exemestane</i> | 16 |
| ELIGARD (3 MONTH)..... | 15 | <i>epinastine</i> | 80 | EXKIVITY | 16 |
| ELIGARD (4 MONTH)..... | 15 | <i>epinephrine</i> | 82 | EYLEA | 80 |
| ELIGARD (6 MONTH)..... | 15 | <i>epirubicin</i> | 15 | <i>ezetimibe</i> | 48 |
| <i>elimest</i> | 77 | <i>epitol</i> | 26 | <i>ezetimibe-simvastatin</i> | 48 |
| ELIQUIS | 47 | EPKINLY | 15 | F | |
| ELIQUIS DVT-PE TREAT | | <i>eplerenone</i> | 44 | FABRAZYME | 62 |
| 30D START | 47 | EPONTIA | 26 | <i>falmina (28)</i> | 77 |
| ELITEK..... | 12 | ERBITUX..... | 15 | <i>famciclovir</i> | 3 |
| ELIXOPHYLLIN..... | 84 | <i>ergotamine-caffeine</i> | 29 | <i>famotidine</i> | 68 |
| ELMIRON..... | 87 | ERIVEDGE | 15 | <i>famotidine (pf)</i> | 67 |
| ELREXFIO..... | 15 | ERLEADA | 15 | <i>famotidine (pf)-nacl (iso-os)</i> | 67 |
| <i>eluryng</i> | 77 | <i>erlotinib</i> | 16 | FANAPT..... | 37 |
| ELZONRIS..... | 15 | <i>errin</i> | 76 | FARXIGA | 59 |
| EMCYT | 15 | <i>ertapenem</i> | 7 | FASENRA | 84 |
| EMEND..... | 65 | ERWINASE | 16 | FASENRA PEN | 84 |
| EMGALITY PEN | 29 | <i>ery pads</i> | 52 | <i>febuxostat</i> | 72 |
| EMGALITY SYRINGE..... | 29 | <i>ery-tab</i> | 7 | <i>felbamate</i> | 26 |
| EMPLICITI | 15 | <i>erythrocin (as stearate)</i> | 7 | <i>felodipine</i> | 44 |
| EMSAM | 37 | <i>erythromycin</i> | 7, 79 | <i>fenofibrate</i> | 48 |
| <i>emtricitabine</i> | 3 | <i>erythromycin ethylsuccinate</i> ... | 7 | <i>fenofibrate micronized</i> | 48 |
| <i>emtricitabine-tenofov</i> | 3 | <i>erythromycin with ethanol</i> | 52 | <i>fenofibrate nanocrystallized</i> | 48 |
| <i>emtriva</i> | 3 | <i>escitalopram oxalate</i> | 37 | <i>fenofibric acid</i> | 48 |
| EMTRIVA..... | 3 | <i>esmolol</i> | 44 | <i>fenofibric acid (choline)</i> | 48 |
| EMVERM | 7 | <i>esomeprazole magnesium</i> | 67 | <i>fentanyl</i> | 32 |
| <i>enalapril maleate</i> | 44 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|--|--------|---|-----------|--|----|
| <i>fentanyl citrate</i> | 32 | <i>fosaprepitant</i> | 65 | <i>glycine urologic solution</i> | 87 |
| <i>fentanyl citrate (pf)</i> | 32 | <i>fosinopril</i> | 44 | <i>glycopyrrolate</i> | 64 |
| <i>fesoterodine</i> | 86 | <i>fosinopril-hydrochlorothiazide</i> | | <i>glycopyrrolate (pf) in water</i> .. | 64 |
| FETZIMA..... | 37 | | 44 | <i>glydo</i> | 51 |
| <i>finasteride</i> | 87 | <i>fosphenytoin</i> | 26 | GLYXAMBI..... | 59 |
| <i> fingolimod</i> | 30 | FOTIVDA | 16 | GRALISE | 26 |
| FINTEPLA | 26 | FRUZAQLA..... | 16 | <i>granisetron (pf)</i> | 65 |
| FIRDAPSE | 30 | <i>fulvestrant</i> | 16 | <i>granisetron hcl</i> | 65 |
| FIRMAGON KIT W | | <i>furosemide</i> | 44 | <i>griseofulvin microsize</i> | 2 |
| DILUENT SYRINGE | 16 | FUZEON | 3 | <i>griseofulvin ultramicrosize</i> | 2 |
| <i>flac otic oil</i> | 57 | FYARRO..... | 17 | GVOKE | 59 |
| <i>flavoxate</i> | 86 | <i>fyavolv</i> | 76 | GVOKE HYPOPEN 1-PACK | |
| <i>flecainide</i> | 42 | FYCOMPA..... | 26 | | 59 |
| <i>floxuridine</i> | 16 | G | | GVOKE HYPOPEN 2-PACK | |
| <i>fluconazole</i> | 2 | <i>gabapentin</i> | 26 | | 59 |
| <i>fluconazole in nacl (iso-osm)</i> . | 2 | <i>galantamine</i> | 30 | GVOKE PFS 1-PACK | |
| <i>flucytosine</i> | 2 | GAMASTAN | 69 | SYRINGE..... | 59 |
| <i>fludarabine</i> | 16 | GAMASTAN S/D | 69 | GVOKE PFS 2-PACK | |
| <i>fludrocortisone</i> | 58 | <i>ganciclovir sodium</i> | 3 | SYRINGE..... | 59 |
| <i>flumazenil</i> | 37 | GARDASIL 9 (PF)..... | 70 | H | |
| <i>flunisolide</i> | 84 | <i>gatifloxacin</i> | 79 | HALAVEN..... | 17 |
| <i>fluocinolone</i> | 54 | GATTEX 30-VIAL | 65 | <i>halobetasol propionate</i> | 54 |
| <i>fluocinolone acetonide oil</i> | 57 | GATTEX ONE-VIAL..... | 65 | <i>haloperidol</i> | 38 |
| <i>fluocinolone and shower cap</i> | 54 | GAUZE PAD | 71 | <i>haloperidol decanoate</i> | 38 |
| <i>fluocinonide</i> | 54 | <i>gavilyte-c</i> | 65 | <i>haloperidol lactate</i> | 38 |
| <i>fluocinonide-emollient</i> | 54 | <i>gavilyte-g</i> | 65 | HARVONI..... | 3 |
| <i>fluoride (sodium)</i> | 57, 89 | GAVRETO..... | 17 | HAVRIX (PF) | 70 |
| <i>fluorometholone</i> | 81 | GAZYVA | 17 | <i>heather</i> | 76 |
| <i>fluorouracil</i> | 16, 51 | <i>gefitinib</i> | 17 | <i>heparin (porcine)</i> | 47 |
| <i>fluoxetine</i> | 37 | <i>gemcitabine</i> | 17 | <i>heparin (porcine) in 5 % dex</i> | 47 |
| <i>fluoxetine (pmd)</i> | 37 | GEMCITABINE | 17 | <i>heparin (porcine) in nacl (pf)</i> | |
| <i>fluphenazine decanoate</i> | 37 | <i>gemfibrozil</i> | 49 | | 47 |
| <i>fluphenazine hcl</i> | 38 | <i>generlac</i> | 65 | <i>heparin(porcine) in 0.45% nacl</i> | |
| <i>flurbiprofen</i> | 34 | <i>gengraf</i> | 17 | | 47 |
| <i>flurbiprofen sodium</i> | 81 | <i>gentamicin</i> | 7, 53, 79 | HEPARIN(PORCINE) IN | |
| <i>fluticasone propionate</i> | 84 | <i>gentamicin in nacl (iso-osm)</i> .. | 7 | 0.45% NACL..... | 47 |
| <i>fluticasone propion-salmeterol</i> | | <i>gentamicin sulfate (ped) (pf)</i> .. | 8 | <i>heparin, porcine (pf)</i> | 48 |
| | 84 | GENVOYA | 3 | HEPARIN, PORCINE (PF).. | 48 |
| <i>fluvastatin</i> | 49 | GILOTRIF..... | 17 | HEPLISAV-B (PF)..... | 70 |
| <i>fluvoxamine</i> | 38 | <i>glatiramer</i> | 30 | HIBERIX (PF)..... | 70 |
| FOLOTYN | 16 | <i>glatopa</i> | 30 | HIZENTRA | 70 |
| <i>fomepizole</i> | 69 | GLEOSTINE | 17 | HUMALOG JUNIOR | |
| <i>fondaparinux</i> | 47 | <i>glimepiride</i> | 59 | KWIKPEN U-100 | 59 |
| <i>formoterol fumarate</i> | 84 | <i>glipizide</i> | 59 | HUMALOG KWIKPEN | |
| FOSAMAX PLUS D..... | 72 | <i>glipizide-metformin</i> | 59 | INSULIN | 59 |
| <i>fosamprenavir</i> | 3 | <i>glycine urologic</i> | 87 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|--|------------|--|--------|--|--------|
| HUMALOG MIX 50-50 INSULN U-100..... | 59 | <i>hydromorphone</i> | 32, 33 | <i>incassia</i> | 76 |
| HUMALOG MIX 50-50 KWIKPEN | 59 | <i>hydromorphone (pf)</i> | 32 | INCRELEX | 56 |
| HUMALOG MIX 75-25 KWIKPEN | 59 | <i>hydroxychloroquine</i> | 8 | <i>indapamide</i> | 44 |
| HUMALOG MIX 75-25(U- 100)INSULN..... | 60 | <i>hydroxyprogesterone caproate</i> | 76 | INFANRIX (DTAP) (PF)..... | 70 |
| HUMALOG U-100 INSULIN | 60 | <i>hydroxyurea</i> | 17 | INGREZZA | 31 |
| HUMIRA..... | 74 | <i>hydroxyzine hcl</i> | 82 | INGREZZA INITIATION PACK | 31 |
| HUMIRA PEN | 74 | HYPERHEP B..... | 70 | INLYTA | 18 |
| HUMIRA PEN CROHNS-UC- HS START | 74 | HYPERHEP B NEONATAL | 70 | INPEFA | 60 |
| HUMIRA PEN PSOR- UVEITS-ADOL HS | 74 | HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314)..... | 74, 75 | INQOVI..... | 18 |
| HUMIRA(CF)..... | 74 | HYRIMOZ PEN CROHN'S- UC STARTER..... | 75 | INREBIC | 18 |
| HUMIRA(CF) PEDI CROHNS STARTER..... | 74 | HYRIMOZ PEN PSORIASIS STARTER | 75 | INSULIN GLARGINE..... | 60 |
| HUMIRA(CF) PEN..... | 74 | HYRIMOZ(CF) PEDI CROHN STARTER | 75 | INSULIN LISPRO | 60 |
| HUMIRA(CF) PEN CROHNS-UC-HS | 74 | I | | INSULIN SYRINGE..... | 71 |
| HUMIRA(CF) PEN PEDIATRIC UC | 74 | <i>ibandronate</i> | 72 | INSULIN SYRINGE- NEEDLE U-100 | 71, 72 |
| HUMIRA(CF) PEN PSOR- UV-ADOL HS..... | 74 | IBRANCE | 17 | INSULIN SYRINGES (NON- PREFERRED BRANDS).72 | |
| HUMULIN 70/30 U-100 INSULIN..... | 60 | <i>ibu</i> | 34 | INTELENCE | 3 |
| HUMULIN 70/30 U-100 KWIKPEN | 60 | <i>ibuprofen</i> | 34 | <i>intralipid</i> | 89 |
| HUMULIN N NPH INSULIN KWIKPEN | 60 | <i>ibutilide fumarate</i> | 42 | <i>introvale</i> | 77 |
| HUMULIN N NPH U-100 INSULIN..... | 60 | <i>icatibant</i> | 84 | INVEGA HAFYERA | 38 |
| HUMULIN R REGULAR U- 100 INSULN | 60 | ICLUSIG | 17 | INVEGA SUSTENNA | 38 |
| HUMULIN R U-500 (CONC) INSULIN..... | 60 | <i>icosapent ethyl</i> | 49 | INVEGA TRINZA | 38, 39 |
| HUMULIN R U-500 (CONC) KWIKPEN | 60 | <i>idarubicin</i> | 17 | INVELTYS..... | 81 |
| <i>hydralazine</i> | 44 | IDHIFA | 17 | IPOL | 70 |
| <i>hydrochlorothiazide</i> | 44 | <i>ifosfamide</i> | 17 | <i>ipratropium bromide</i> | 57, 84 |
| <i>hydrocodone-acetaminophen</i> | 32 | ILARIS (PF)..... | 68 | <i>ipratropium-albuterol</i> | 84 |
| <i>hydrocodone-ibuprofen</i> | 32 | <i>imatinib</i> | 17 | <i>irbesartan</i> | 44 |
| <i>hydrocortisone</i> | 54, 58, 65 | IMBRUVICA | 17 | <i>irbesartan-hydrochlorothiazide</i> | 44 |
| <i>hydrocortisone-acetic acid</i> ...57 | | IMFINZI..... | 17 | <i>irinotecan</i> | 18 |
| | | <i>imipenem-cilastatin</i> | 8 | ISENTRESS | 3 |
| | | <i>imipramine hcl</i> | 38 | ISENTRESS HD | 3 |
| | | <i>imipramine pamoate</i> | 38 | <i>isibloom</i> | 77 |
| | | <i>imiquimod</i> | 51 | ISOLYTE S PH 7.4 | 89 |
| | | IMJUDO..... | 17 | ISOLYTE-P IN 5 % DEXTROSE | 89 |
| | | IMOVAX RABIES VACCINE (PF)..... | 70 | ISOLYTE-S..... | 89 |
| | | IMVEXXY MAINTENANCE PACK | 76 | <i>isoniazid</i> | 8 |
| | | IMVEXXY STARTER PACK | 76 | <i>isosorbide dinitrate</i> | 50 |
| | | | | <i>isosorbide mononitrate</i> | 50 |
| | | | | <i>isosorbide-hydralazine</i> | 44 |
| | | | | <i>isotretinoin</i> | 52 |
| | | | | <i>isradipine</i> | 44 |
| | | | | ISTODAX..... | 18 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|----------------------------------|-------|--|--------|--|--------|
| <i>itraconazole</i> | 2 | <i>klor-con 8</i> | 87 | <i>levetiracetam in nacl (iso-os)</i> | 27 |
| <i>ivermectin</i> | 8, 52 | <i>klor-con m10</i> | 87 | <i>levobunolol</i> | 80 |
| IXEMPRA..... | 18 | <i>klor-con m15</i> | 87 | <i>levocarnitine</i> | 56 |
| IXIARO (PF)..... | 70 | <i>klor-con m20</i> | 87 | <i>levocarnitine (with sugar)</i> | 56 |
| J | | <i>klor-con oral packet 20</i> | 87 | <i>levocetirizine</i> | 82 |
| JAKAFI..... | 18 | <i>klor-con/ef</i> | 87 | <i>levofloxacin</i> | 11, 79 |
| <i>jantoven</i> | 48 | KORLYM..... | 62 | <i>levofloxacin in d5w</i> | 11 |
| JANUMET | 60 | KOSELUGO | 18 | <i>levoleucovorin calcium</i> | 12 |
| JANUMET XR..... | 60 | <i>kourzeq</i> | 57 | <i>levonest (28)</i> | 78 |
| JANUVIA..... | 60 | K-PHOS NO 2..... | 87 | <i>levonorgestrel-ethinyl estrad</i> 78 | |
| JARDIANCE..... | 60 | K-PHOS ORIGINAL | 87 | <i>levonorg-eth estrad triphasic</i> 78 | |
| <i>jasmiel (28)</i> | 78 | KRAZATI | 18 | <i>levora-28</i> | 78 |
| JAYPIRCA..... | 18 | <i>kurvelo (28)</i> | 78 | <i>levo-t</i> | 63 |
| JEMPERLI | 18 | KYPROLIS | 18 | <i>levothyroxine</i> | 64 |
| <i>jencycla</i> | 76 | L | | <i>levoxyl</i> | 64 |
| JENTADUETO | 60 | <i>l norgest/e.estradiol-e.estrad</i> 78 | | LEXIVA | 4 |
| JENTADUETO XR..... | 60 | <i>labetalol</i> | 45 | LIBTAYO..... | 19 |
| JEVTANA..... | 18 | <i>lacosamide</i> | 26 | <i>lidocaine</i> | 52 |
| <i>jinteli</i> | 76 | <i>lactated ringers</i> | 55, 87 | <i>lidocaine (pf)</i> | 43, 51 |
| <i>jolessa</i> | 78 | <i>lactulose</i> | 65 | <i>lidocaine hcl</i> | 51, 52 |
| <i>juleber</i> | 78 | LAGEVRIO (EUA)..... | 4 | <i>lidocaine in 5 % dextrose (pf)</i> | 43 |
| JULUCA..... | 4 | <i>lamivudine</i> | 4 | <i>lidocaine viscous</i> | 52 |
| JUXTAPID..... | 49 | <i>lamivudine-zidovudine</i> | 4 | <i>lidocaine-epinephrine</i> | 52 |
| JYNNEOS (PF)..... | 70 | <i>lamotrigine</i> | 26, 27 | <i>lidocaine-epinephrine (pf)</i> | 52 |
| K | | <i>lansoprazole</i> | 68 | <i>lidocaine-prilocaine</i> | 52 |
| KADCYLA | 18 | LANTUS SOLOSTAR U-100 INSULIN | 60 | <i>lincomycin</i> | 8 |
| <i>kalliga</i> | 78 | LANTUS U-100 INSULIN .. | 60 | <i>linezolid</i> | 8 |
| KALYDECO..... | 84 | <i>lapatinib</i> | 19 | <i>linezolid in dextrose 5%</i> | 8 |
| KANUMA..... | 62 | <i>larin 1.5/30 (21)</i> | 78 | <i>linezolid-0.9% sodium chloride</i> | 8 |
| <i>kariva (28)</i> | 78 | <i>larin 1/20 (21)</i> | 78 | LINZESS | 65 |
| <i>kelnor 1/35 (28)</i> | 78 | <i>larin 24 fe</i> | 78 | LIORESAL..... | 31 |
| <i>kelnor 1-50 (28)</i> | 78 | <i>larin fe 1.5/30 (28)</i> | 78 | <i>liothyronine</i> | 64 |
| <i>kemoplat</i> | 18 | <i>larin fe 1/20 (28)</i> | 78 | <i>lisinopril</i> | 45 |
| KEPIVANCE | 12 | <i>latanoprost</i> | 81 | <i>lisinopril-hydrochlorothiazide</i> | 45 |
| KERENDIA | 45 | <i>leflunomide</i> | 75 | <i>lithium carbonate</i> | 39 |
| KESIMPTA PEN | 31 | <i>lenalidomide</i> | 19 | <i>lithium citrate</i> | 39 |
| <i>ketoconazole</i> | 2, 53 | LENVIMA..... | 19 | LOKELMA..... | 56 |
| <i>ketorolac</i> | 81 | <i>lessina</i> | 78 | LONSURF..... | 19 |
| KEYTRUDA..... | 18 | <i>letrozole</i> | 19 | <i>loperamide</i> | 64 |
| KHAPZORY | 12 | <i>leucovorin calcium</i> | 12 | <i>lopinavir-ritonavir</i> | 4 |
| KIMMTRAK..... | 18 | LEUKERAN | 19 | <i>lorazepam</i> | 39 |
| KINRIX (PF)..... | 70 | LEUKINE..... | 68 | <i>lorazepam intensol</i> | 39 |
| KISQALI..... | 18 | <i>leuprolide</i> | 19 | | |
| KISQALI FEMARA CO- PACK | 18 | <i>levabuterol hcl</i> | 84 | | |
| <i>klor-con 10</i> | 87 | <i>levetiracetam</i> | 27 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|--|----|---|--------|--|------------|
| LORBRENA | 19 | <i>medroxyprogesterone</i> | 76 | <i>metro i.v.</i> | 8 |
| <i>loryna (28)</i> | 78 | <i>mefloquine</i> | 8 | <i>metronidazole</i> | 8, 52, 77 |
| <i>losartan</i> | 45 | <i>megestrol</i> | 19 | <i>metronidazole in nacl (iso-os)</i> | 8 |
| <i>losartan-hydrochlorothiazide</i> | 45 | MEKINIST | 19 | <i>metyrosine</i> | 45 |
| <i>loteprednol etabonate</i> | 81 | MEKTOVI | 19 | <i>mexiletine</i> | 43 |
| <i>lovastatin</i> | 49 | <i>meloxicam</i> | 34 | <i>micafungin</i> | 2 |
| <i>low-ogestrel (28)</i> | 78 | <i>melfhalan</i> | 19 | <i>microgestin 1.5/30 (21)</i> | 78 |
| <i>loxapine succinate</i> | 39 | <i>melfhalan hcl</i> | 20 | <i>microgestin 1/20 (21)</i> | 78 |
| <i>lo-zumandimine (28)</i> | 78 | <i>memantine</i> | 31 | <i>microgestin fe 1.5/30 (28)</i> | 78 |
| <i>lubiprostone</i> | 65 | MENACTRA (PF) | 70 | <i>microgestin fe 1/20 (28)</i> | 78 |
| LUMAKRAS | 19 | MENEST | 76 | <i>midodrine</i> | 56 |
| LUMIGAN | 81 | MENQUADFI (PF) | 70 | <i>mifepristone</i> | 77 |
| LUMIZYME | 62 | MENVEO A-C-Y-W-135-DIP (PF) | 70 | <i>mili</i> | 78 |
| LUNSUMIO | 19 | MEPSEVII | 62 | <i>milrinone</i> | 50 |
| LUPRON DEPOT | 19 | <i>mercaptopurine</i> | 20 | <i>milrinone in 5 % dextrose</i> | 50 |
| <i>lurasidone</i> | 39 | <i>meropenem</i> | 8 | <i>mimvey</i> | 76 |
| <i>lutera (28)</i> | 78 | <i>mesalamine</i> | 65, 66 | <i>minocycline</i> | 11 |
| <i>lyleq</i> | 76 | <i>mesalamine with cleansing</i> <i>wipe</i> | 66 | <i>minoxidil</i> | 45 |
| <i>lyllana</i> | 76 | <i>mesna</i> | 12 | <i>miostat</i> | 81 |
| LYNPARZA | 19 | MESNEX | 12 | <i>mirtazapine</i> | 39 |
| LYSODREN | 19 | <i>metformin</i> | 60, 61 | <i>misoprostol</i> | 68 |
| LYTGOBI | 19 | <i>methadone</i> | 33 | <i>mitomycin</i> | 20 |
| LYUMJEV KWIKPEN U-100 INSULIN | 60 | <i>methadone intensol</i> | 33 | <i>mitoxantrone</i> | 20 |
| LYUMJEV KWIKPEN U-200 INSULIN | 60 | <i>methadose</i> | 33 | M-M-R II (PF) | 70 |
| LYUMJEV U-100 INSULIN | 60 | <i>methazolamide</i> | 81 | <i>modafinil</i> | 39 |
| <i>lyza</i> | 76 | <i>methenamine hippurate</i> | 12 | <i>moexipril</i> | 45 |
| M | | <i>methenamine mandelate</i> | 12 | <i>molindone</i> | 39 |
| <i>magnesium chloride</i> | 87 | <i>methimazole</i> | 58 | <i>mometasone</i> | 54, 84 |
| <i>magnesium sulfate</i> | 88 | <i>methotrexate sodium</i> | 20 | <i>mondoxyne nl</i> | 12 |
| MAGNESIUM SULFATE IN D5W | 88 | <i>methotrexate sodium (pf)</i> | 20 | MONJUVI | 20 |
| <i>magnesium sulfate in water</i> .. | 88 | <i>methoxsalen</i> | 52 | <i>mono-lynyah</i> | 78 |
| <i>malathion</i> | 55 | <i>methsuximide</i> | 27 | <i>montelukast</i> | 84 |
| <i>mannitol 20 %</i> | 45 | <i>methylergonovine</i> | 79 | <i>morphine</i> | 33 |
| <i>mannitol 25 %</i> | 45 | <i>methylphenidate hcl</i> | 39 | <i>morphine (pf)</i> | 33 |
| <i>maraviroc</i> | 4 | <i>methylprednisolone</i> | 58 | <i>morphine concentrate</i> | 33 |
| MARGENZA | 19 | <i>methylprednisolone acetate</i> .. | 58 | MOUNJARO | 61 |
| <i>marlissa (28)</i> | 78 | <i>methylprednisolone sodium</i> <i>succ</i> | 58 | MOVANTIK | 66 |
| MARPLAN | 39 | <i>metoclopramide hcl</i> | 66 | <i>moxifloxacin</i> | 11, 79, 80 |
| MATULANE | 19 | <i>metolazone</i> | 45 | <i>moxifloxacin-sod.chloride(iso)</i> | 11 |
| <i>matzim la</i> | 45 | <i>metoprolol succinate</i> | 45 | MOZOBIL | 68 |
| <i>meclizine</i> | 65 | <i>metoprolol ta-hydrochlorothiaz</i> | 45 | <i>mupirocin</i> | 53 |
| | | <i>metoprolol tartrate</i> | 45 | MYALEPT | 63 |
| | | | | <i>mycophenolate mofetil</i> | 20 |
| | | | | <i>mycophenolate mofetil (hcl)</i> .. | 20 |
| | | | | <i>mycophenolate sodium</i> | 20 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|--------------------------------------|--------|--|--------|--|--------|
| MYFEMBREE..... | 77 | <i>nifedipine</i> | 45 | O | |
| MYLOTARG..... | 20 | <i>nikki (28)</i> | 78 | OCALIVA..... | 66 |
| MYRBETRIQ..... | 86 | <i>nilutamide</i> | 20 | <i>octreotide acetate</i> | 20 |
| N | | <i>nimodipine</i> | 45 | ODEFSEY..... | 4 |
| <i>nabumetone</i> | 34 | NINLARO..... | 20 | ODOMZO..... | 20 |
| <i>nadolol</i> | 45 | <i>nisoldipine</i> | 45 | OFEV..... | 85 |
| <i>nafcillin</i> | 10 | <i>nitazoxanide</i> | 8 | <i>ofloxacin</i> | 57, 80 |
| <i>nafcillin in dextrose iso-osm</i> | 10 | <i>nitisinone</i> | 56 | OJJAARA..... | 20 |
| <i>naftifine</i> | 53 | <i>nitro-bid</i> | 50 | <i>olanzapine</i> | 39, 40 |
| NAGLAZYME..... | 63 | <i>nitrofurantoin macrocrystal</i> | 12 | <i>olanzapine-fluoxetine</i> | 40 |
| <i>nalbuphine</i> | 34 | <i>nitrofurantoin monohyd/m-</i> | | <i>olmesartan</i> | 45 |
| <i>naloxone</i> | 34 | <i>cryst</i> | 12 | <i>olmesartan-amlodipin-</i> | |
| <i>naltrexone</i> | 34 | <i>nitroglycerin</i> | 50 | <i>hcthiiazid</i> | 45 |
| NAMZARIC..... | 31 | <i>nitroglycerin in 5 % dextrose</i> | | <i>olmesartan-</i> | |
| <i>naproxen</i> | 34 | | 50 | <i>hydrochlorothiazide</i> | 45 |
| <i>naproxen sodium</i> | 35 | NIVESTYM..... | 68 | <i>olopatadine</i> | 80 |
| <i>naratriptan</i> | 29 | <i>nizatidine</i> | 68 | <i>omega-3 acid ethyl esters</i> | 49 |
| NATACYN..... | 80 | <i>nora-be</i> | 76 | <i>omeprazole</i> | 68 |
| <i>nateglinide</i> | 61 | <i>norepinephrine bitartrate</i> | 50 | OMNIPOD 5 G6 INTRO KIT | |
| NATPARA..... | 63 | <i>norethindrone (contraceptive)</i> | | (GEN 5)..... | 72 |
| NAYZILAM..... | 27 | | 76 | OMNIPOD 5 G6 PODS (GEN | |
| <i>nebivolol</i> | 45 | <i>norethindrone acetate</i> | 76 | 5)..... | 72 |
| <i>nefazodone</i> | 39 | <i>norethindrone ac-eth estradiol</i> | | OMNIPOD CLASSIC PODS | |
| <i>nelarabine</i> | 20 | | 76, 78 | (GEN 3)..... | 72 |
| <i>neomycin</i> | 8 | <i>norethindrone-e.estradiol-iron</i> | | OMNIPOD DASH INTRO | |
| <i>neomycin-bacitracin-poly-hc</i> | 81 | | 78 | KIT (GEN 4)..... | 72 |
| <i>neomycin-bacitracin-</i> | | <i>norgestimate-ethinyl estradiol</i> | | OMNIPOD DASH PODS | |
| <i>polymyxin</i> | 80 | | 78, 79 | (GEN 4)..... | 72 |
| <i>neomycin-polymyxin b gu</i> | 55 | <i>nortrel 0.5/35 (28)</i> | 79 | OMNITROPE..... | 68 |
| <i>neomycin-polymyxin b-</i> | | <i>nortrel 1/35 (21)</i> | 79 | ONCASPAR..... | 20 |
| <i>dexameth</i> | 81 | <i>nortrel 1/35 (28)</i> | 79 | <i>ondansetron</i> | 66 |
| <i>neomycin-polymyxin-</i> | | <i>nortrel 7/7/7 (28)</i> | 79 | <i>ondansetron hcl</i> | 66 |
| <i>gramicidin</i> | 80 | <i>nortriptyline</i> | 39 | <i>ondansetron hcl (pf)</i> | 66 |
| <i>neomycin-polymyxin-hc</i> .. | 57, 81 | NORVIR..... | 4 | ONIVYDE..... | 20 |
| <i>neo-polycin</i> | 80 | NUBEQA..... | 20 | ONUREG..... | 20 |
| <i>neo-polycin hc</i> | 81 | NUCALA..... | 84 | OPDIVO..... | 20 |
| NERLYNX..... | 20 | NUDEXTA..... | 31 | OPDUALAG..... | 20 |
| NEUPRO..... | 29 | NULOJIX..... | 20 | <i>opium tincture</i> | 64 |
| <i>nevirapine</i> | 4 | NUPLAZID..... | 39 | OPSUMIT..... | 85 |
| NEXLETOL..... | 49 | NURTEC ODT..... | 29 | <i>oralone</i> | 57 |
| NEXLIZET..... | 49 | <i>nyamyc</i> | 53 | ORENCIA..... | 75 |
| NEXPLANON..... | 77 | <i>nystatin</i> | 2, 53 | ORENCIA (WITH | |
| <i>niacin</i> | 49 | <i>nystatin-triamcinolone</i> | 53 | MALTOSE)..... | 75 |
| <i>nicardipine</i> | 45 | <i>nystop</i> | 53 | ORENCIA CLICKJECT..... | 75 |
| NICOTROL..... | 57 | NYVEPRIA..... | 68 | ORGOVYX..... | 21 |
| NICOTROL NS..... | 57 | | | ORKAMBI..... | 85 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|---------------------------------------|--------|-------------------------------------|--------|---------------------------------------|--------|
| ORSERDU | 21 | <i>penicillamine</i> | 75 | POLIVY | 21 |
| <i>oseltamivir</i> | 4 | PENICILLIN G POT IN | | <i>polocaine</i> | 52 |
| <i>osmitrol 20 %</i> | 45 | DEXTROSE | 10 | <i>polocaine-mpf</i> | 52 |
| OTEZLA | 75 | <i>penicillin g potassium</i> | 10 | <i>polycin</i> | 80 |
| OTEZLA STARTER..... | 75 | <i>penicillin g sodium</i> | 10 | <i>polymyxin b sulf-trimethoprim</i> | |
| <i>oxacillin</i> | 10 | <i>penicillin v potassium</i> | 10 | | 80 |
| <i>oxacillin in dextrose(iso-osm)</i> | | PENTACEL (PF) | 70 | POMALYST..... | 21 |
| | 10 | <i>pentamidine</i> | 8 | <i>portia 28</i> | 79 |
| <i>oxaliplatin</i> | 21 | PENTASA | 66 | PORTRAZZA..... | 21 |
| <i>oxaprozin</i> | 35 | <i>pentoxifylline</i> | 48 | <i>posaconazole</i> | 2 |
| <i>oxcarbazepine</i> | 27 | <i>perindopril erbumine</i> | 45 | <i>potassium acetate</i> | 88 |
| OXERVATE | 80 | <i>periogard</i> | 57 | <i>potassium chlorid-d5-</i> | |
| <i>oxybutynin chloride</i> | 86, 87 | PERJETA | 21 | 0.45%nacl | 88 |
| <i>oxycodone</i> | 33 | <i>permethrin</i> | 55 | <i>potassium chloride</i> | 88 |
| <i>oxycodone-acetaminophen</i> ... | 33 | <i>perphenazine</i> | 40 | <i>potassium chloride in</i> | |
| OXYCONTIN | 34 | PERSERIS..... | 40 | 0.9%nacl..... | 88 |
| OZEMPIC | 61 | <i>pfizerpen-g</i> | 10 | <i>potassium chloride in 5 % dex</i> | |
| OZURDEX..... | 81 | <i>phenelzine</i> | 40 | | 88 |
| P | | <i>phenobarbital</i> | 27 | <i>potassium chloride in lr-d5</i> .. | 88 |
| <i>pacerone</i> | 43 | <i>phenobarbital sodium</i> | 27 | <i>potassium chloride in water</i> .. | 88 |
| <i>paclitaxel</i> | 21 | <i>phentolamine</i> | 45 | <i>potassium chloride-0.45 %</i> | |
| PADCEV | 21 | <i>phenytoin</i> | 27 | nacl | 88 |
| <i>paliperidone</i> | 40 | <i>phenytoin sodium</i> | 27 | <i>potassium chloride-d5-</i> | |
| <i>palonosetron</i> | 66 | <i>phenytoin sodium extended</i> .. | 27 | 0.2%nacl..... | 88 |
| <i>pamidronate</i> | 63 | <i>philitih</i> | 79 | <i>potassium chloride-d5-</i> | |
| PANRETIN | 52 | PHOSPHOLINE IODIDE.... | 80 | 0.9%nacl..... | 88 |
| <i>pantoprazole</i> | 68 | PIFELTRO | 4 | <i>potassium citrate</i> | 87 |
| <i>paraplatin</i> | 21 | <i>pilocarpine hcl</i> | 56, 80 | <i>potassium phosphate m-/d-</i> | |
| <i>paricalcitol</i> | 63 | <i>pimecrolimus</i> | 52 | basic..... | 88 |
| <i>paromomycin</i> | 8 | <i>pimozide</i> | 40 | POTELIGEO | 21 |
| <i>paroxetine hcl</i> | 40 | <i>pimtrea (28)</i> | 79 | <i>pramipexole</i> | 29 |
| PAXLOVID | 4 | <i>pindolol</i> | 45 | <i>prasugrel</i> | 48 |
| <i>pazopanib</i> | 21 | <i>pioglitazone</i> | 61 | <i>pravastatin</i> | 49 |
| PEDIARIX (PF) | 70 | <i>piperacillin-tazobactam</i> .. | 10, 11 | <i>praziquantel</i> | 8 |
| PEDVAX HIB (PF)..... | 70 | PIQRAY | 21 | <i>prazosin</i> | 45 |
| <i>peg 3350-electrolytes</i> | 66 | <i>pirfenidone</i> | 85 | <i>prednicarbate</i> | 54 |
| <i>peg3350-sod sul-nacl-kcl-asb-c</i> | | <i>piroxicam</i> | 35 | <i>prednisolone</i> | 58 |
| | 66 | <i>pitavastatin calcium</i> | 49 | <i>prednisolone acetate</i> | 81 |
| PEGASYS..... | 68 | <i>plasbumin 25 %</i> | 87 | <i>prednisolone sodium</i> | |
| <i>peg-electrolyte</i> | 66 | <i>plasbumin 5 %</i> | 87 | <i>phosphate</i> | 58, 81 |
| PEMAZYRE | 21 | PLASMA-LYTE A | 89 | <i>prednisone</i> | 58 |
| <i>pemetrexed disodium</i> | 21 | <i>plasmanate</i> | 89 | <i>prednisone intensol</i> | 58 |
| PEN NEEDLES (NON- | | PLEGRIDY | 69 | <i>pregabalin</i> | 27, 28 |
| PREFERRED BRANDS). | 72 | PLENAMINE..... | 89 | PREHEVBRIO (PF)..... | 70 |
| PENBRAYA (PF) | 70 | <i>plerixafor</i> | 69 | PREMARIN | 76, 77 |
| <i>penciclovir</i> | 53 | <i>podofilox</i> | 52 | <i>premasol 10 %</i> | 89 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|--|----|--------------------------------------|----|---------------------------------------|------------|
| PREMPHASE | 77 | <i>pyrazinamide</i> | 8 | RHOPRESSA | 81 |
| PREMPRO | 77 | <i>pyridostigmine bromide</i> | 31 | <i>ribavirin</i> | 4 |
| <i>prenatal vitamin oral tablet</i> .. | 89 | <i>pyrimethamine</i> | 8 | RIDAURA | 75 |
| <i>prevalite</i> | 49 | Q | | <i>rifabutin</i> | 8 |
| PREVIDENT 5000 BOOSTER | | QINLOCK | 21 | <i>rifampin</i> | 8 |
| PLUS | 57 | QTERN..... | 61 | <i>riluzole</i> | 56 |
| PREVIDENT 5000 DRY | | QUADRACEL (PF) | 70 | <i>rimantadine</i> | 4 |
| MOUTH | 57 | <i>quetiapine</i> | 40 | <i>ringer's</i> | 55, 88 |
| PREVYMIS..... | 4 | <i>quinapril</i> | 45 | RINVOQ..... | 75 |
| PREZCOBIX..... | 4 | <i>quinapril-hydrochlorothiazide</i> | | <i>risedronate</i> | 56, 72, 73 |
| PREZISTA | 4 | | 45 | RISPERDAL CONSTA | 40 |
| PRIFTIN..... | 8 | <i>quinidine sulfate</i> | 43 | <i>risperidone</i> | 40, 41 |
| PRIMAQUINE..... | 8 | <i>quinine sulfate</i> | 8 | <i>risperidone microspheres</i> | 40 |
| <i>primidone</i> | 28 | QULIPTA..... | 29 | <i>ritonavir</i> | 4 |
| PRIMIDONE..... | 28 | QVAR REDIHALER..... | 85 | <i>rivastigmine</i> | 31 |
| PRIORIX (PF)..... | 70 | R | | <i>rivastigmine tartrate</i> | 31 |
| PRIVIGEN | 70 | RABAVERT (PF) | 70 | <i>rizatriptan</i> | 29 |
| <i>probenecid</i> | 72 | RADICAVA ORS | 31 | ROCKLATAN | 81 |
| <i>probenecid-colchicine</i> | 72 | RADICAVA ORS STARTER | | <i>roflumilast</i> | 85 |
| <i>procainamide</i> | 43 | KIT SUSP..... | 31 | <i>romidepsin</i> | 21 |
| <i>prochlorperazine</i> | 66 | <i>raloxifene</i> | 72 | <i>ropinirole</i> | 29 |
| <i>prochlorperazine edisylate</i> ... | 66 | <i>ramelteon</i> | 40 | <i>rosuvastatin</i> | 49 |
| <i>prochlorperazine maleate oral</i> | | <i>ramipril</i> | 45 | ROTARIX | 70 |
| | 66 | <i>ranolazine</i> | 50 | ROTATEQ VACCINE..... | 70 |
| PROCRIT | 69 | <i>rasagiline</i> | 29 | <i>roweepra</i> | 28 |
| <i>procto-med hc</i> | 66 | <i>reclipsen (28)</i> | 79 | ROZLYTREK | 22 |
| <i>proctosol hc</i> | 66 | RECOMBIVAX HB (PF) | 70 | RUBRACA..... | 22 |
| <i>proctozone-hc</i> | 66 | RECTIV..... | 66 | <i>rufinamide</i> | 28 |
| <i>progesterone</i> | 77 | REGANEX | 52 | RUKOBIA..... | 4 |
| <i>progesterone micronized</i> | 77 | RELENZA DISKHALER | 4 | RUXIENCE..... | 22 |
| PROGRAF | 21 | RELISTOR..... | 66 | RYBELSUS..... | 61 |
| PROLASTIN-C..... | 56 | REMICADE..... | 66 | RYBREVANT..... | 22 |
| PROLENSA | 81 | RENACIDIN | 87 | RYDAPT | 22 |
| PROLIA | 72 | <i>repaglinide</i> | 61 | RYLAZE | 22 |
| PROMACTA..... | 48 | REPATHA..... | 49 | S | |
| <i>promethazine</i> | 82 | REPATHA PUSHTRONEX | 49 | <i>sajazir</i> | 85 |
| <i>propafenone</i> | 43 | REPATHA SURECLICK | 49 | <i>salsalate</i> | 35 |
| <i>propranolol</i> | 45 | RETACRIT | 69 | SANCUSO | 66 |
| <i>propylthiouracil</i> | 58 | RETEVMO..... | 21 | SANDIMMUNE..... | 22 |
| PROQUAD (PF) | 70 | RETROVIR..... | 4 | SANDOSTATIN LAR | |
| <i>protamine</i> | 48 | REVCovi | 56 | DEPOT | 22 |
| <i>protriptyline</i> | 40 | <i>revonto</i> | 32 | SANTYL | 52 |
| PULMICORT FLEXHALER | | REXULTI..... | 40 | <i>sapropterin</i> | 63 |
| | 85 | REYATAZ | 4 | SARCLISA..... | 22 |
| PULMOZYME..... | 85 | REZLIDHIA..... | 21 | SAVELLA..... | 75 |
| PURIXAN | 21 | REZUROCK | 21 | <i>saxagliptin</i> | 61 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | |
|--|------------|--|---------------------------------------|--------|
| <i>saxagliptin-metformin</i> | 61 | <i>sodium,potassium,mag sulfates</i> | <i>sunitinib malate</i> | 22 |
| SCSEMBLIX..... | 22 | | SUNLENCA..... | 4 |
| <i>scopolamine base</i> | 66 | <i>solifenacin</i> | <i>syeda</i> | 79 |
| SECUADO..... | 41 | SOLQUA 100/33 | SYMDEKO | 85 |
| SEGLUOMET | 61 | SOLTAMOX..... | SYMLINPEN 120 | 61 |
| <i>selegiline hcl</i> | 29 | SOMATULINE DEPOT | SYMLINPEN 60 | 61 |
| <i>selenium sulfide</i> | 50 | SOMAVERT | SYMPAZAN | 28 |
| SELZENTRY | 4 | <i>sorafenib</i> | SYMTUZA..... | 4 |
| <i>sertraline</i> | 41 | <i>sorine</i> | SYNAGIS..... | 4 |
| <i>setlakin</i> | 79 | <i>sotalol</i> | SYNJARDY | 61 |
| <i>sevelamer carbonate</i> | 56 | <i>sotalol af</i> | SYNJARDY XR..... | 61 |
| <i>sf 57</i> | | SPIRIVA RESPIMAT..... | T | |
| <i>sf 5000 plus</i> | 57 | <i>spironolactone</i> | TABLOID..... | 22 |
| <i>sharobel</i> | 77 | <i>spironolacton-</i> | TABRECTA | 22 |
| SHINGRIX (PF)..... | 70 | <i>hydrochlorothiaz</i> | <i>tacrolimus</i> | 22, 52 |
| SIGNIFOR | 22 | SPRAVATO | <i>tadalafil (pulmonary arterial</i> | |
| <i>sildenafil (pulmonary arterial</i> | | <i>sprintec (28)</i> | <i>hypertension) oral tablet 20</i> | |
| <i>hypertension)</i> | 85 | SPRITAM..... | <i>mg</i> | 86 |
| <i>silodosin</i> | 87 | SPRYCEL | TAFINLAR | 22 |
| <i>silver sulfadiazine</i> | 52 | <i>sps (with sorbitol)</i> | <i>tafluprost (pf)</i> | 81 |
| SIMBRINZA..... | 81 | <i>sronyx</i> | TAGRISSE..... | 22 |
| SIMULECT..... | 22 | <i>ssd</i> | TALTZ AUTOINJECTOR .. | 51 |
| <i>simvastatin</i> | 49 | STEGLATRO..... | TALTZ AUTOINJECTOR (2 | |
| <i>sirolimus</i> | 22 | STELARA | PACK)..... | 51 |
| SIRTURO..... | 8 | STIOLTO RESPIMAT..... | TALTZ AUTOINJECTOR (3 | |
| SKYRIZI | 50, 66, 67 | STIVARGA..... | PACK)..... | 51 |
| <i>sodium acetate</i> | 88 | STRENSIQ..... | TALTZ SYRINGE | 51 |
| <i>sodium benzoate-sod</i> | | STREPTOMYCIN | TALVEY | 22 |
| <i>phenylacet</i> | 56 | STRIBILD | TALZENNA..... | 23 |
| <i>sodium bicarbonate</i> | 89 | STRIVERDI RESPIMAT | <i>tamoxifen</i> | 23 |
| <i>sodium chloride</i> | 56, 89 | <i>subvenite</i> | <i>tamsulosin</i> | 87 |
| <i>sodium chloride 0.45 %</i> | 89 | <i>subvenite starter (blue) kit</i> | <i>tarina 24 fe</i> | 79 |
| <i>sodium chloride 0.9 %</i> | 56 | <i>subvenite starter (green) kit</i> . | <i>tarina fe 1-20 eq (28)</i> | 79 |
| <i>sodium chloride 3 %</i> | | <i>subvenite starter (orange) kit</i> 28 | TASIGNA..... | 23 |
| <i>hypertonic</i> | 89 | SUCRAID | <i>tazarotene</i> | 52 |
| <i>sodium chloride 5 %</i> | | <i>sucrafate</i> | <i>tazicef</i> | 6 |
| <i>hypertonic</i> | 89 | <i>sulfacetamide sodium</i> | <i>taztia xt</i> | 46 |
| <i>sodium fluoride 5000 dry</i> | | <i>sulfacetamide sodium (acne)</i> 53 | TAZVERIK | 23 |
| <i>mouth</i> | 57 | <i>sulfacetamide-prednisolone</i> .. | TDVAX | 70 |
| <i>sodium fluoride 5000 plus</i> | 57 | <i>sulfadiazine</i> | TECENTRIQ..... | 23 |
| <i>sodium fluoride-pot nitrate</i> ... | 57 | <i>sulfamethoxazole-trimethoprim</i> | TECVAYLI..... | 23 |
| <i>sodium nitroprusside</i> | 50 | | TEFLARO | 6 |
| SODIUM OXYBATE | 41 | <i>sulfasalazine</i> | <i>telmisartan</i> | 46 |
| <i>sodium phenylbutyrate</i> | 56 | <i>sulindac</i> | <i>telmisartan-amlodipine</i> | 46 |
| <i>sodium phosphate</i> | 89 | <i>sumatriptan</i> | <i>telmisartan-hydrochlorothiazid</i> | |
| <i>sodium polystyrene sulfonate</i> 56 | | <i>sumatriptan succinate</i> | | 46 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|---|--------|---|----|---------------------------------------|--------|
| TEMODAR..... | 23 | <i>topiramate</i> | 28 | TRIUMEQ PD..... | 5 |
| <i>temsirolimus</i> | 23 | <i>topotecan</i> | 23 | <i>trivora (28)</i> | 79 |
| TENIVAC (PF) | 70 | <i>toremifene</i> | 23 | TRIZIVIR..... | 5 |
| <i>tenofovir disoproxil fumarate</i> .. | 4 | <i>torseamide</i> | 46 | TRODELVY..... | 23 |
| TEPMETKO..... | 23 | TOUJEO MAX U-300 | | TROGARZO | 5 |
| <i>terazosin</i> | 46 | SOLOSTAR | 62 | TROPHAMINE 10 %..... | 89 |
| <i>terbinafine hcl</i> | 2 | TOUJEO SOLOSTAR U-300 | | <i>trospium</i> | 87 |
| <i>terbutaline</i> | 86 | INSULIN | 62 | TRULANCE..... | 67 |
| <i>terconazole</i> | 77 | TRADJENTA..... | 62 | TRULICITY | 62 |
| <i>teriflunomide</i> | 31 | <i>tramadol</i> | 35 | TRUMENBA..... | 71 |
| TERIPARATIDE | 73 | <i>tramadol-acetaminophen</i> | 35 | TRUQAP | 23 |
| <i>testosterone</i> | 63 | <i>trandolapril</i> | 46 | TUKYSA..... | 23 |
| <i>testosterone cypionate</i> | 63 | <i>trandolapril-verapamil</i> | 46 | TURALIO..... | 23 |
| <i>testosterone enanthate</i> | 63 | <i>tranexamic acid</i> | 77 | <i>turqoz (28)</i> | 79 |
| TETANUS,DIPHThERIA | | <i>tranylcypropmine</i> | 41 | TWINRIX (PF)..... | 71 |
| TOX PED(PF) | 70 | <i>travasol 10 %</i> | 89 | TYPHIM VI..... | 71 |
| <i>tetrabenazine</i> | 31 | <i>travoprost</i> | 81 | TYVASO | 86 |
| <i>tetracycline</i> | 12 | TRAZIMERA..... | 23 | TYVASO INSTITUTIONAL | |
| THALOMID..... | 23 | <i>trazodone</i> | 41 | START KIT..... | 86 |
| THEO-24 | 86 | TRECTOR..... | 8 | TYVASO REFILL KIT..... | 86 |
| <i>theophylline</i> | 86 | TRELEGY ELLIPTA..... | 86 | TYVASO STARTER KIT .. | 86 |
| <i>thioridazine</i> | 41 | TRELSTAR..... | 23 | U | |
| <i>thiotepa</i> | 23 | <i>treprostinil sodium</i> | 46 | UBRELVY | 30 |
| <i>thiothixene</i> | 41 | <i>tretinoin (antineoplastic)</i> | 23 | <i>unithroid</i> | 64 |
| <i>tiadylt er</i> | 46 | <i>tretinoin topical</i> | 53 | UNITUXIN..... | 23 |
| <i>tiagabine</i> | 28 | <i>triamcinolone acetonide 55, 57,</i> | | UPTRAVI..... | 46 |
| TIBSOVO..... | 23 | 58 | | <i>ursodiol</i> | 67 |
| TICE BCG..... | 70 | <i>triamterene-hydrochlorothiazid</i> | | UZEDY | 41, 42 |
| TICOVAC | 70, 71 | | 46 | V | |
| <i>tigecycline</i> | 8 | <i>triderm</i> | 55 | <i>valacyclovir</i> | 5 |
| <i>tilia fe</i> | 79 | <i>trientine</i> | 56 | VALCHLOR | 52 |
| <i>timolol maleate</i> | 46, 80 | <i>tri-estarylla</i> | 79 | <i>valganciclovir</i> | 5 |
| <i>tinidazole</i> | 8 | <i>trifluoperazine</i> | 41 | <i>valproate sodium</i> | 28 |
| <i>tiotropium bromide</i> | 86 | <i>trifluridine</i> | 80 | <i>valproic acid</i> | 28 |
| TIVDAK..... | 23 | TRIJDARDY XR | 62 | <i>valproic acid (as sodium salt)</i> | |
| TIVICAY | 5 | TRIKAFTA | 86 | | 28 |
| TIVICAY PD | 5 | <i>tri-legest fe</i> | 79 | <i>valrubicin</i> | 23 |
| <i>tizanidine</i> | 32 | <i>tri-linyah</i> | 79 | <i>valsartan</i> | 46 |
| TOBI PODHALER | 8 | <i>tri-lo-estarylla</i> | 79 | <i>valsartan-hydrochlorothiazide</i> | |
| TOBRADEX | 81 | <i>tri-lo-marzia</i> | 79 | | 46 |
| <i>tobramycin</i> | 8, 80 | <i>tri-lo-sprintec</i> | 79 | VALTOCO | 28 |
| <i>tobramycin in 0.225 % nacl</i> .. | 8 | <i>trimethoprim</i> | 12 | <i>vancomycin</i> | 9 |
| <i>tobramycin sulfate</i> | 8 | <i>trimipramine</i> | 41 | VANCOMYCIN..... | 9 |
| <i>tobramycin-dexamethasone</i> .. | 81 | TRINTELLIX..... | 41 | VANCOMYCIN IN 0.9 % | |
| <i>tolterodine</i> | 87 | <i>tri-sprintec (28)</i> | 79 | SODIUM CHL | 9 |
| <i>tolvaptan</i> | 63 | TRIUMEQ..... | 5 | <i>vandazole</i> | 77 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

| | | | | | |
|---------------------------------------|----|--|--------|---------------------------------------|--------|
| VANFLYTA | 23 | VONJO..... | 24 | Z | |
| VAQTA (PF)..... | 71 | <i>voriconazole</i> | 2 | <i>zafemy</i> | 77 |
| <i>varenicline</i> | 57 | VOSEVI | 5 | <i>zafirlukast</i> | 86 |
| VARIVAX (PF) | 71 | VOTRIENT | 24 | <i>zaleplon</i> | 42 |
| VARIZIG | 71 | VRAYLAR..... | 42 | ZALTRAP | 24 |
| VARUBI..... | 67 | VUMERITY..... | 31 | ZANOSAR | 24 |
| VECAMYL | 50 | VYNDAMAX | 50 | ZARXIO | 69 |
| VECTIBIX | 23 | VYXEOS..... | 24 | ZEGALOGUE | |
| VEKLURY..... | 5 | W | | AUTOINJECTOR..... | 62 |
| <i>veletri</i> | 46 | <i>warfarin</i> | 48 | ZEGALOGUE SYRINGE... | 62 |
| <i>velivet triphasic regimen (28)</i> | | <i>water for irrigation, sterile</i> ... | 56 | ZEJULA | 24, 25 |
| | 79 | WELIREG..... | 24 | ZELBORAF | 25 |
| VELPHORO..... | 56 | <i>wera (28)</i> | 79 | <i>zenatane</i> | 53 |
| VELTASSA | 56 | <i>wescap-pn dha</i> | 89 | ZENPEP | 67 |
| VEMLIDY | 5 | <i>wixela inhub</i> | 86 | ZEPOSIA..... | 31 |
| VENCLEXTA..... | 23 | X | | ZEPOSIA STARTER KIT (28- | |
| VENCLEXTA STARTING | | XALKORI..... | 24 | DAY)..... | 31 |
| PACK | 24 | XARELTO | 48 | ZEPOSIA STARTER PACK | |
| <i>venlafaxine</i> | 42 | XARELTO DVT-PE TREAT | | (7-DAY) | 31 |
| <i>verapamil</i> | 46 | 30D START | 48 | ZEPZELCA | 25 |
| VERQUVO | 50 | XATMEP..... | 24 | <i>zidovudine</i> | 5 |
| VERSACLOZ | 42 | XCOPRI | 28 | ZIEXTENZO..... | 69 |
| VERZENIO..... | 24 | XCOPRI MAINTENANCE | | <i>ziprasidone hcl</i> | 42 |
| <i>vestura (28)</i> | 79 | PACK | 28 | <i>ziprasidone mesylate</i> | 42 |
| V-GO 20..... | 72 | XCOPRI TITRATION PACK | | ZIRABEV | 25 |
| V-GO 30..... | 72 | | 28, 29 | ZIRGAN..... | 80 |
| V-GO 40..... | 72 | XDEMVY | 80 | ZOLADEX | 25 |
| VIBATIV | 9 | XELJANZ | 75, 76 | <i>zoledronic acid</i> | 63 |
| VIBERZI..... | 67 | XELJANZ XR..... | 76 | <i>zoledronic acid-mannitol-water</i> | |
| <i>vienva</i> | 79 | XERMELO..... | 24 | | 56, 63 |
| <i>vigabatrin</i> | 28 | XGEVA | 12 | ZOLINZA..... | 25 |
| <i>vigadrone</i> | 28 | XIAFLEX..... | 56 | <i>zolmitriptan</i> | 30 |
| <i>vigpoder</i> | 28 | XIFAXAN..... | 9 | <i>zolpidem</i> | 42 |
| <i>vilazodone</i> | 42 | XIGDUO XR..... | 62 | ZONISADE | 29 |
| VIMIZIM | 63 | XIIDRA | 80 | <i>zonisamide</i> | 29 |
| <i>vinblastine</i> | 24 | XOFLUZA | 5 | <i>zovia 1-35 (28)</i> | 79 |
| <i>vincristine</i> | 24 | XOLAIR..... | 86 | ZTALMY | 29 |
| <i>vinorelbine</i> | 24 | XOSPATA..... | 24 | ZUBSOLV..... | 35 |
| VIOKACE..... | 67 | XPOVIO..... | 24 | <i>zumandimine (28)</i> | 79 |
| <i>viorele (28)</i> | 79 | XTANDI..... | 24 | ZURZUVAE..... | 42 |
| VIRACEPT | 5 | <i>xulane</i> | 77 | ZYDELIG..... | 25 |
| VIREAD..... | 5 | Y | | ZYKADIA..... | 25 |
| VISTOGARD..... | 12 | YERVOY | 24 | ZYNLONTA | 25 |
| VITRAKVI..... | 24 | YF-VAX (PF)..... | 71 | ZYNYZ..... | 25 |
| VIVITROL | 35 | YONDELIS | 24 | ZYPREXA RELPREVV | 42 |
| VIZIMPRO..... | 24 | <i>yuvafem</i> | 77 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 02/19/2024.

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at **1-833-230-2020**. Someone who speaks your language can help you. This is a free service.

Spanish: Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-833-230-2020. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

Chinese Mandarin: 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-833-230-2020。我们的中文工作人员很乐意帮助您。这是一项免费服务。

Chinese Cantonese: 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-833-230-2020。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

Tagalog: Mayroon kaming libreng serbisyo sa pagsasalang-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasalang-wika, tawagan lamang kami sa 1-833-230-2020. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

French: Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-833-230-2020. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

Vietnamese: Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-833-230-2020 sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

German: Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-833-230-2020. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

Korean: 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-833-230-2020 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와드릴 것입니다. 이 서비스는 무료로 운영됩니다.

TTY: 1-833-711-4711 or 711

Russian: Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-833-230-2020. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-833-230-2020. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

Hindi: हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-833-230-2020 पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

Italian: È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-833-230-2020. Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

Portuguese: Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-833-230-2020. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

French Creole: Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-833-230-2020. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

Polish: Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-833-230-2020. Ta usługa jest bezpłatna.

Japanese: 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、1-833-230-2020にお電話ください。日本語を話す人者が支援いたします。これは無料のサービスです。

CareSource complies with applicable state and federal civil rights laws. We do not discriminate, exclude people, or treat them differently because of age, gender, gender identity, color, race, disability, national origin, ethnicity, marital status, sexual preference, sexual orientation, religious affiliation, health status, or public assistance status. CareSource offers free aids and services to people with disabilities or those whose primary language is not English. We can get sign language interpreters or interpreters in other languages so they can communicate effectively with us or their providers. Printed materials are also available in large print, braille or audio at no charge. Please call Member Services at the number on your CareSource ID card if you need any of these services. If you believe we have not provided these services to you or discriminated in another way, you may file a grievance.

Mail: CareSource
Attn: Civil Rights Coordinator
P.O. Box 1947
Dayton, Ohio 45401

Email: CivilRightsCoordinator@CareSource.com
Phone: 1-800-488-0134 (TTY: 711)
Fax: 1-844-417-6254

You may also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights:

Mail: U.S. Dept of Health and Human Services
200 Independence Ave, SW Room 509F HHH Building
Washington, D.C. 20201

Online: ocrportal.hhs.gov/ocr/portal/lobby.jsf

Phone: 1-800-368-1019 (TTY: 1-800-537-7697)

Complaint forms are found at: <http://www.hhs.gov/ocr/office/file/index.html>.



Formulary ID: 00024246, Version #: 9

This formulary was updated on 03/01/2024

For more recent information or other questions, please contact CareSource Dual Advantage Member Services at **1-833-230-2020** or **TTY 1-833-711-4711 or 711**, 8 a.m. to 8 p.m. Monday through Friday, and from October 1 through March 31, the same hours seven days a week, or visit **CareSource.com/DSNP**.