# **Ohio Medicaid and MyCare Behaviora**

# These benefits are effective for MyCa January 1, 2019 MyCare full opt in - Medicare primary and Medicaid secondary

NOTE: As of 07/01/2018 Practitioners "U" Modifiers will be optional for providers submitting claims to CareSource, except for dually licensed practitioners that are billing under their secondary licensure and/or when indicated as required (for example: H2019). H Modifiers are required. For more details see MITS Bits 06/27/2018

Code	Procedure/Practitioner Modifier	Description
99201	*GT	<b>Evaluation and Management New Patient</b> 10 Minutes
99201	*GT	<b>Evaluation and Management New Patient</b> 10 Minutes
99202	*GT	<b>Evaluation and Management New Patient</b> 20 Minutes
99202	*GT	<b>Evaluation and Management New Patient</b> 20 Minutes
99203	*GT	<b>Evaluation and Management New Patient</b> 30 Minutes
99203	*GT	<b>Evaluation and Management New Patient</b> 30 Minutes
99204	*GT	<b>Evaluation and Management New Patient</b> 45 Minutes
99204	*GT	<b>Evaluation and Management New Patient</b> 45 Minutes
99205	*GT	<b>Evaluation and Management New Patient</b> 60 Minutes
99205	*GT	<b>Evaluation and Management New Patient</b> 60 Minutes
99211	*GT	<b>Evaluation and Management Established Patient</b> 5 Minutes
99211	*GT	<b>Evaluation and Management Established Patient</b> 5 Minutes
99211	*GT	<b>Evaluation and Management Established Patient</b> 5 Minutes
99212	*GT	<b>Evaluation and Management Established Patient</b> 10 Minutes
99212	*GT	<b>Evaluation and Management Established Patient</b> 10 Minutes
99213	*GT	<b>Evaluation and Management Established Patient</b> 15 Minutes
99213	*GT	<b>Evaluation and Management Established Patient</b> 15 Minutes
99214	*GT	<b>Evaluation and Management Established Patient</b> 25 Minutes
99214	*GT	<b>Evaluation and Management Established Patient</b> 25 Minutes
99215	*GT	<b>Evaluation and Management Established Patient</b> 40 Minutes
99215	*GT	<b>Evaluation and Management Established Patient</b> 40 Minutes
99341		Home Visit- New Patient 20 Minutes
99341		Home Visit- New Patient 20 Minutes
99342		Home Visit- New Patient 30 Minutes
99342		Home Visit- New Patient 30 Minutes
99343		Home Visit- New Patient 45 Minutes

al Health Benefit Grid	<b>Provider Type</b> Per the ODM B requirement of NPI inclusion
Care	U1 - Psychology Assi U3 - Licensed Profess U5 - Licensed Marriag U7 - Counselor Traine U9 - Social Worker - T

	Provider Type Modifier	
	Per the ODM BH Billing Manual, AF, HK modifier(s) is required CareSource made a business	decision that, effective 7/1/2018, this modifier(
	requirement of rendering	
	NPI inclusion on all claims. Modifier(s) may be required when billing under a secondary licent	sure.
	U1 - Psychology Assistant/Trainee	U2 - Licensed Professional Counselor II & III
	U3 - Licensed Professional Chemical Dependency II and III- Added II and III	U4 - Licensed Social Worker
	U5 - Licensed Marriage and Family Therapist	U6 - Chemical Dependency Counselor- Assistant
	U7 - Counselor Trainee	U8 - Social Worker - Assistant
	U9 - Social Worker - Trainee	UA - Marriage and Family Therapist - Trainee
	HB - Board-Licensed School Psychologist	HK - Licensed practitioner's providing TBS Group Hourly/Per Di
	HM - QMHS - High School/Associates, Care Management Specialist - High School/Associates, Peer Recovery Supporter Associates	AF- MD/DO Optional modifier for provider types MD/DO
	HN - QMHS - Bachelor's, Care Management Specialist - Bachelor's, Peer Recovery Bachelor's	UK- QMHS- 3 Years Experience
ng		
	HO - QMHS - Master's, Care Management Specialist - Master's, Peer Recovery Master's	

Covered **Professional Abbreviation** Place of Service Limits Y/N Medical Services MD/DO 11, 13, 31, 32, 53, 57 Y CNS CNP 11, 13, 31, 32, 53, 57 Y PA 11, 13, 31, 32, 53, 57 MD/DO Y CNS CNP 11, 13, 31, 32, 53, 57 Y PA 11, 13, 31, 32, 53, 57 MD/DO Y CNS 11, 13, 31, 32, 53, 57 CNP Y PA 11, 13, 31, 32, 53, 57 MD/DO Y CNS CNP 11, 13, 31, 32, 53, 57 Y PA MD/DO Y 11, 13, 31, 32, 53, 57 CNS CNP 11, 13, 31, 32, 53, 57 Y PA MD/DO 11, 13, 31, 32, 53, 57 Y CNS CNP 11, 13, 31, 32, 53, 57 Y PA RN 11, 13, 31, 32, 53, 57 Y LPN MD/DO 11, 13, 31, 32, 53, 57 Y CNS CNP 11, 13, 31, 32, 53, 57 Y PA MD/DO 11, 13, 31, 32, 53, 57 Y CNS CNP 11, 13, 31, 32, 53, 57 Y PA MD/DO Y 11, 13, 31, 32, 53, 57 CNS CNP 11, 13, 31, 32, 53, 57 Y PA MD/DO 11, 13, 31, 32, 53, 57 Y CNS 11, 13, 31, 32, 53, 57 CNP Y PA MD/DO 04, 12, 16 Y CNS CNP 04, 12, 16 Y PA MD/DO Y 04, 12, 16 CNS CNP 04, 12, 16 Y PA Y MD/DO 04, 12, 16

Unit of Measure	PA	Additional Information
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	Ν	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	* Secure video conferencing allowed with GT modifier.
1 Encounter per day	N	
1 Encounter per day	N	
1 Encounter per day	N	
1 Encounter per day	N	
1 Encounter per day	Ν	

Diem (day treatment) or SUD group counseling

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits	Unit of Measure	PA	Additional Inform
99343		Home Visit- New Patient 45 Minutes	CNS CNP	Ŷ	04, 12, 16		1 Encounter per day	N	
99344		Home Visit- New Patient 60 Minutes	PA MD/DO	Y	04, 12, 16		1 Encounter per day	N	
99344		Home Visit- New Patient 60 Minutes	CNS CNP	Y	04, 12, 16		1 Encounter per day	N	
99345		Home Visit- New Patient 75 Minutes	PA MD/DO	Y	04, 12, 16		1 Encounter per day	N	
99345		Home Visit- New Patient 75 Minutes	CNS CNP	Y	04, 12, 16		1 Encounter per day	N	
99347		Home Visit- Established Patient 15 Minutes	PA MD/DO	Y	04, 12, 16		1 Encounter per day	N	
99347		Home Visit- Established Patient 15 Minutes	CNS CNP	Y	04, 12, 16		1 Encounter per day	N	
99348		Home Visit- Established Patient 25 Minutes	PA MD/DO	Ŷ	04, 12, 16		1 Encounter per day	N	
99348		Home Visit- Established Patient 25 Minutes	CNS CNP	Y	04, 12, 16		1 Encounter per day	N	
99349		Home Visit- Established Patient 40 Minutes	PA MD/DO	Ŷ	04, 12, 16		1 Encounter per day	N	
99349		Home Visit- Established Patient 40 Minutes	CNS CNP	Ŷ	04, 12, 16		1 Encounter per day	N	
99350		Home Visit- Established Patient 60 Minutes	PA MD/DO	Ŷ	04, 12, 16		1 Encounter per day	N	
99350		Home Visit- Established Patient 60 Minutes	CNS CNP	Y	04, 12, 16		1 Encounter per day	N	
99354	*GT	<b>Prolonged E&amp;M or Psychotherapy Service</b> First hour in addition to code for office or other outpatient E&M or psychotherapy service	PA MD/DO PSY	Ŷ	04, 11, 12, 13, 16, 31, 32, 53, 57		1 Encounter per day	N	* Secure video conferencing allowe
99354	*GT	<b>Prolonged E&amp;M or Psychotherapy Service</b> First hour in addition to code for office or other outpatient E&M or psychotherapy service	CNS CNP PA LISW LIMFT LPCC LICDC LICDC	Υ	04, 11, 12, 13, 16, 31, 32, 53, 57		1 Encounter per day	N	* Secure video conferencing allowe For consistency purposes, merged rows since they have
99354	*GT + U2 *GT + U3 *GT + U4 *GT + U5	<b>Prolonged E&amp;M or Psychotherapy Service</b> First hour in addition to code for office or other outpatient E&M or psychotherapy service	LPC LCDC II & III LSW LMFT	Y	04, 11, 12, 13, 16, 31, 32, 53, 57		1 Encounter per day	Ν	* Secure video conferencing allowe
99354	*GT + U1	<b>Prolonged E&amp;M or Psychotherapy Service</b> First hour in addition to code for office or other outpatient E&M or psychotherapy service	PSY assistant	Y	04, 11, 12, 13, 16, 31, 32, 53, 57		1 Encounter per day	N	* Secure video conferencing allowe
99354	*GT + U9 *GT + UA *GT + U6 *GT + U7	<b>Prolonged E&amp;M or Psychotherapy Service</b> First hour in addition to code for office or other outpatient E&M or psychotherapy service	SW-T MFT-T CDC-A C-T	Y	04, 11, 12, 13, 16, 31, 32, 53, 57		1 Encounter per day	Ν	* Secure video conferencing allowe
99355	*GT	Prolonged E&M or Psychotherapy Service Each additional 30 minutes in addition to code for office or other outpatient E&M or psychotherapy service	MD/DO PSY	Y	04, 11, 12, 13, 16, 31, 32, 53, 57		1 Encounter per day	N	* Secure video conferencing allowe
99355	*GT	<b>Prolonged E&amp;M or Psychotherapy Service</b> Each additional 30 minutes in addition to code for office or other outpatient E&M or psychotherapy service	CNS CNP PA LISW LIMFT LPCC LICDC LIC SCHOOL PSY	Y	04, 11, 12, 13, 16, 31, 32, 53, 57		1 Encounter per day	N	* Secure video conferencing allowe
99355	*GT + U2 *GT + U3 *GT + U4 *GT + U5	<b>Prolonged E&amp;M or Psychotherapy Service</b> Each additional 30 minutes in addition to code for office or other outpatient E&M or psychotherapy service	LPC LCDC II & III LSW LMFT	Ŷ	04, 11, 12, 13, 16, 31, 32, 53, 57		1 Encounter per day	N	* Secure video conferencing allowe
99355	* GT + U1	Prolonged E&M or Psychotherapy ServiceEach additional 30 minutes in addition to code for office or other outpatientE&M or psychotherapy service	PSY assistant	Y	04, 11, 12, 13, 16, 31, 32, 53, 57		1 Encounter per day	N	* Secure video conferencing allowe
99355	* GT + U9* * GT + UA * GT + U6 * GT + U7	Prolonged E&M or Psychotherapy Service Each additional 30 minutes in addition to code for office or other outpatient E&M or psychotherapy service	SW-T MFT-T CDC-A C-T	Ŷ	04, 11, 12, 13, 16, 31, 32, 53, 57		1 Encounter per day	N	* Secure video conferencing allowe
90791	*GT	<b>Psychiatric Diagnostic Evaluation</b> Includes the assessment of the patient's psychosocial history, current mental status, review, and ordering of diagnostic studies followed by appropriate treatment recommendations	MD/DO PSY	Y	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 53, 57, 99		1 Encounter per day	N	

formation
lowed with GT modifier.
lowed with GT modifier. ave the same code/modifier/rate combination
lowed with GT modifier.

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y / N	Place of Service	Limits	Unit of Measure	PA	Additional Infor
			CNS						
		Psychiatric Diagnostic Evaluation	CNP PA						
90791	*•••	Includes the assessment of the patient's psychosocial history, current mental	LISW	V	03, 04, 11, 12, 13, 14, 16,		1 Encountor nor dour	N	
90791		status, review, and ordering of diagnostic studies followed by appropriate	LIMFT	Ŷ	18, 31, 32, 53, 57, 99		1 Encounter per day N	IN	
		treatment recommendations	LPCC						
			LICDC LIC SCHOOL PSY						
	*GT + U4	Psychiatric Diagnostic Evaluation	LSW						
90791	*GT + U5	Includes the assessment of the patient's psychosocial history, current mental	LMFT	Y	03, 04, 11, 12, 13, 14, 16,		1 Encounter per day	Ν	
	*GT + U2 *GT + U3	status, review, and ordering of diagnostic studies followed by appropriate treatment recommendations	LPC LCDC II & III		18, 31, 32, 53, 57, 99		1 5		
	G1 + 01	Psychiatric Diagnostic Evaluation	1 J 1 assistant			CareSource has opted			* Secure video conferencing allow
90791	*GT + U9 *GT + UA	Includes the assessment of the patient's psychosocial history, current mental		$v = \begin{bmatrix} 03, 04, 11, 12, 13, 14, 16, \end{bmatrix}$ on t			1 Encounter per day	Ν	
50751	*GT + U6	status, review, and ordering of diagnostic studies followed by appropriate CDC-A		i Encounter per duy					
	*CT ± 117	Psychiatric Diagnostic Evaluation w/ Medical Services	СТ			-			
		Includes the assessment of the patient's psychosocial history, current mental							
00705		status, review, and ordering of diagnostic studies followed by appropriate		<b>.</b>	03, 04, 11, 12, 13, 14, 16,				
90792	*GT	treatment recommendations. Additional medical services such as physical examination and prescription of pharmaceuticals are provided in addition to the	MD/DO	Y	18, 31, 32, 53, 57, 99		1 Encounter per day	Ν	
	diagnostic evaluati	diagnostic evaluation. Interviews and communication with family members or							
		other sources are included in these codes.							
		Psychiatric Diagnostic Evaluation				l			
		Includes the assessment of the patient's psychosocial history, current mental status, review, and ordering of diagnostic studies followed by appropriate	CNS						
90792	*GT	treatment recommendations. additional medical services such as physical	CNS CNP	Y	03, 04, 11, 12, 13, 14, 16,		1 Encounter per day	Ν	
	_	examination and prescription of pharmaceuticals are provided in addition to the			18, 31, 32, 53, 57, 99		· rJ		
		diagnostic evaluation. Interviews and communication with family members or							
		other sources are included in these codes.           Individual Psychotherapy 30 minutes							
00000	*⁄─Ţ	when performed w/ E&M		$\mathbf{V}$	03, 04, 11, 12, 13, 14, 16,		1 which represents an angent	NT	$*$ Common index on the set $\cdot$ 11
90833	*GT	(List separately in addition to code for primary service )	MD/DO	Y	18, 31, 32, 34, 53, 57, 99		1 which represents an encounter	IN	* Secure video conferencing allow
		Individual Psychotherapy 30 minutes							
00000	*~~	when performed w/ E&M	CNS CNIP	$\mathbf{N}$	03, 04, 11, 12, 13, 14, 16,		1 which was a set	<b>N</b> T	*C- ·1 · · · · · · · · · · · · · · · · · ·
90833	*GT	(List separately in addition to code for primary service)	CNP PA	Y	18, 31, 32, 34, 53, 57, 99		1 which represents an encounter	Ν	* Secure video conferencing allow
		Individual Psychotherapy 45 minutes							
0000	4 <b>0</b> T	when performed w/ E&M	MD/DO V 03	03, 04, 11, 12, 13, 14, 16,		1	<b>N</b> T	+ <b>C</b> • <b>1</b> · • • • • • • • •	
90836	*GT	(List separately in addition to code for primary service)	MD/DO	Y	18, 31, 32, 34, 53, 57, 99		1 which represents an encounter	N	* Secure video conferencing allow
		Individual Psychotherapy 45 minutes							
00007	*~~	when performed w/ E&M	CNS	$\mathbf{N}$	V 03, 04, 11, 12, 13, 14, 16, 1 which represents an encounter N		<b>N</b> T	*C- ·1 · · · · · · · · · · · · · · · · · ·	
90836	*GT	(List separately in addition to code for primary service)	CNP PA	Y	18, 31, 32, 34, 53, 57, 99		Ν	* Secure video conferencing allow	
		Individual Psychotherapy 60 minutes							
90838	*GT	when performed w/ E&M	MD/DO	$\mathbf{v}$	03, 04, 11, 12, 13, 14, 16,		1 which represents an encounter	Ν	* Contro vidoo conformaina alla-
20030	GI	(List separately in addition to code for primary service)		I	18, 31, 32, 34, 53, 57, 99		i which represents an encounter	1N	* Secure video conferencing allow
		Individual Psychotherapy 60 minutes							
90838	*GT	when performed w/ E&M	CNS CNP	$\mathbf{V}$	03, 04, 11, 12, 13, 14, 16,		1 which rongonts on ancounter	NT	* Commo video conferencia - 11
20030	GI	(List separately in addition to code for primary service)	PA	I	18, 31, 32, 34, 53, 57, 99		1 which represents an encounter	1N	* Secure video conferencing allow
		<b>Interactive Complexity</b> Use 90785 in conjunction with codes for diagnostic psychiatric evaluation [90791,							
90785		90792], psychotherapy [90832, 90834, 90837], psychotherapy when performed	NID/DO	Y	03, 04, 11, 12, 13, 14, 16,			Ν	
		with an evaluation and management service [90833, 90836, 90838, 99201-99255,	PSY		18, 31, 32, 53, 57, 99				
		99304–99337, 99341–99350], and group psychotherapy [90853]				Interactive Complexity			
						is an add-on code that is only valid in			
			CNS CNIP			conjunction with codes			
		Interactive Complexity	CNP PA			as determined by the			
00705		Use 90785 in conjunction with codes for diagnostic psychiatric evaluation [90791,	LISW	<b>\</b> /	03, 04, 11, 12, 13, 14, 16,	AMA, i.e. Psychiatric		<b>N</b> T	
90785		90792], psychotherapy [90832, 90834, 90837], psychotherapy when performed with an evaluation and management service [90833, 90836, 90838, 99201-99255,	LIMFT	Y	18, 31, 32, 53, 57, 99	Diagnostic Evaluation (90791, 90792),	1 which represents an encounter	N	
		99304–99337, 99341–99350], and group psychotherapy [90853]	LPCC			Psychotherapy (90832,			
			LICDC LIC SCHOOL PSY			90834, and 90837),			
	U4		LIC SCHOOL 151			Psychotherapy add-ons	-		
90785	U5	<b>Interactive Complexity non E/M</b> Use in conjunction with codes for psychotherapy 90832, 90834, 90837 and group	LMFT	V	03, 04, 11, 12, 13, 14, 16,	(90833, 90836, and 90838), and Group		N	
20100	U2	psychotherapy 90852, 90854, 90857 and group	LPC	1	18, 31, 32, 53, 57, 99	Psychotherapy (90853).		11	
	U3 U1		LCDC II & III PSY assistant						
	U1 U9	Interactive Complexity non E/M	SW-T						
90785	UA	Use in conjunction with codes for psychotherapy 90832, 90834, 90837 and group	MFT-T	Y	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 53, 57, 99			Ν	
	U6	psychotherapy 90853	CDC-A		10, 01, 02, 00, 07, 99				
	<b>—</b> — — —		C-T			1			
	U7		C-1			Traditional Ser			

## allowed with GT modifier.

llowed with GT modifier.

llowed with GT modifier.

allowed with GT modifier.

allowed with GT modifier.

allowed with GT modifier.

llowed with GT modifier.

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y / N	<b>Place of Service</b>	Limits Unit of Measure	PA	Additional Infor
90832	*GT	Individual Psychotherapy 30 minutes with PatientPsychotherapy is a variety of treatment techniques in which a physician or otherqualified health care provider helps a patient with a mental illness or behavioraldisturbance identify and alleviate any emotional disruptions, maladaptivebehavioral patterns, and contributing/exacerbating factors. This treatment alsoinvolves encouraging personality growth and development through coping techniques and problem-solving skills	MD/DO PSY	Ŷ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	Ν	* Secure video conferencing allow When provided with KX modifier,
90832	*GT	Individual Psychotherapy 30 minutes with Patient Psychotherapy is a variety of treatment techniques in which a physician or other qualified health care provider helps a patient with a mental illness or behavioral disturbance identify and alleviate any emotional disruptions, maladaptive behavioral patterns, and contributing/exacerbating factors. This treatment also involves encouraging personality growth and development through coping techniques and problem-solving skills	LISW	Υ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	Ν	* Secure video conferencing allow When provided with KX modifier,
90832	*GT + U4 *GT + U5 *GT + U2 *GT + U3	Individual Psychotherapy 30 minutes with PatientPsychotherapy is a variety of treatment techniques in which a physician or otherqualified health care provider helps a patient with a mental illness or behavioraldisturbance identify and alleviate any emotional disruptions, maladaptivebehavioral patterns, and contributing/exacerbating factors. This treatment alsoinvolves encouraging personality growth and development through copingtechniques and problem-solving skills	LSW LMFT LPC	Υ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	Ν	* Secure video conferencing allow When provided with KX modifier,
90832	*GT + U1 *GT + U9 *GT + UA *GT + U6 *GT + U7	Individual Psychotherapy 30 minutes with PatientPsychotherapy is a variety of treatment techniques in which a physician or otherqualified health care provider helps a patient with a mental illness or behavioraldisturbance identify and alleviate any emotional disruptions, maladaptivebehavioral patterns, and contributing/exacerbating factors. This treatment alsoinvolves encouraging personality growth and development through coping techniques and problem-solving skills		Y	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	Ν	* Secure video conferencing allow When provided with KX modifier,
90834	*GT	Individual Psychotherapy 45 minutes with PatientPsychotherapy is a variety of treatment techniques in which a physician or otherqualified health care provider helps a patient with a mental illness or behavioraldisturbance identify and alleviate any emotional disruptions, maladaptivebehavioral patterns, and contributing/exacerbating factors. This treatment alsoinvolves encouraging personality growth and development through coping techniques and problem-solving skills	MD/DO	Y	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	Ν	* Secure video conferencing allow
90834	*GT	Individual Psychotherapy 45 minutes with Patient Psychotherapy is a variety of treatment techniques in which a physician or other qualified health care provider helps a patient with a mental illness or behavioral disturbance identify and alleviate any emotional disruptions, maladaptive behavioral patterns, and contributing/exacerbating factors. This treatment also involves encouraging personality growth and development through coping techniques and problem-solving skills	LISW LIMET	Y	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	Ν	* Secure video conferencing allow
90834	*GT + U4 *GT + U5 *GT + U2 *GT + U3	Individual Psychotherapy 45 minutes with PatientPsychotherapy is a variety of treatment techniques in which a physician or otherqualified health care provider helps a patient with a mental illness or behavioraldisturbance identify and alleviate any emotional disruptions, maladaptivebehavioral patterns, and contributing/exacerbating factors. This treatment alsoinvolves encouraging personality growth and development through coping techniques and problem-solving skills	LSW LMFT LPC	Υ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	N	* Secure video conferencing allow
90834	*GT + U1 *GT + U9 *GT + U6 *GT + U7 *GT + UA	Individual Psychotherapy 45 minutes with Patient Psychotherapy is a variety of treatment techniques in which a physician or other qualified health care provider helps a patient with a mental illness or behavioral disturbance identify and alleviate any emotional disruptions, maladaptive behavioral patterns, and contributing/exacerbating factors. This treatment also involves encouraging personality growth and development through coping techniques and problem-solving skills	SW-T MFT-T	Υ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	Ν	* Secure video conferencing allow
90837	*GT	Individual Psychotherapy 60 plus minutes with PatientPsychotherapy is a variety of treatment techniques in which a physician or otherqualified health care provider helps a patient with a mental illness or behavioraldisturbance identify and alleviate any emotional disruptions, maladaptivebehavioral patterns, and contributing/exacerbating factors. This treatment alsoinvolves encouraging personality growth and development through coping techniques and problem-solving skills	MD/DO PSY	Ŷ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	Ν	* Secure video conferencing allow
90837	*GT	Individual Psychotherapy 60 plus minutes with Patient Psychotherapy is a variety of treatment techniques in which a physician or other qualified health care provider helps a patient with a mental illness or behavioral disturbance identify and alleviate any emotional disruptions, maladaptive behavioral patterns, and contributing/exacerbating factors. This treatment also involves encouraging personality growth and development through coping techniques and problem-solving skills	LISW LIMET	Υ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	Ν	* Secure video conferencing allow For consistency purposes, merged rows since they have
90837	*GT + U4 *GT + U5 *GT + U2 *GT + U3	Individual Psychotherapy 60 plus minutes with PatientPsychotherapy is a variety of treatment techniques in which a physician or otherqualified health care provider helps a patient with a mental illness or behavioraldisturbance identify and alleviate any emotional disruptions, maladaptivebehavioral patterns, and contributing/exacerbating factors. This treatment alsoinvolves encouraging personality growth and development through coping techniques and problem-solving skills	LSW LMFT LPC	Υ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	N	* Secure video conferencing allow

llowed with GT modifier. ifier, POS 23 also available

llowed with GT modifier. ifier, POS 23 also available

llowed with GT modifier. ifier, POS 23 also available

llowed with GT modifier. ifier, POS 23 also available

llowed with GT modifier.

llowed with GT modifier. have the same code/modifier/rate combination

llowed with GT modifier.

Code	Procedure/Practitioner Modifier	Description	Professional Abbreviation	Covered Y/N	Place of Service	Limits Unit of Measure	PA	Additional Infor
90837	*GT + U1 *GT + U9 *GT + UA *GT + U6 *GT + U7	Individual Psychotherapy 60 plus minutes with PatientPsychotherapy is a variety of treatment techniques in which a physician or otherqualified health care provider helps a patient with a mental illness or behavioraldisturbance identify and alleviate any emotional disruptions, maladaptivebehavioral patterns, and contributing/exacerbating factors. This treatment alsoinvolves encouraging personality growth and development through coping techniques and problem-solving skills	SW-T MFT-T	Y	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	N	* Secure video conferencing allow
90846	*GT	<b>Family Psychotherapy (without the patient present), 50 minutes</b> family psychotherapy in a setting where the care provider meets with the patient's family without the patient present. The family is part of the patient evaluation and treatment process. Family dynamics as they relate to the patient's mental status and behavior are a main focus of the sessions. Attention is also given to the impact the patient's condition has on the family, with therapy aimed at improving the interaction between the patient and family members.	F51	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	1 which represents an encounter	Ν	* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versi
90846	*GT	<b>Family Psychotherapy (without the patient present), 50 minutes</b> family psychotherapy in a setting where the care provider meets with the patient's family without the patient present. The family is part of the patient evaluation and treatment process. Family dynamics as they relate to the patient's mental status and behavior are a main focus of the sessions. Attention is also given to the impact the patient's condition has on the family, with therapy aimed at improving the interaction between the patient and family members.	LIMF I I PCC	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	1 which represents an encounter	N	* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versi
90846	*GT + U4 *GT + U5 *GT + U2 *GT + U3	<b>Family Psychotherapy (without the patient present), 50 minutes</b> family psychotherapy in a setting where the care provider meets with the patient's family without the patient present. The family is part of the patient evaluation and treatment process. Family dynamics as they relate to the patient's mental status and behavior are a main focus of the sessions. Attention is also given to the impact the patient's condition has on the family, with therapy aimed at improving the interaction between the patient and family members.		Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	1 which represents an encounter	N	* Secure video conferencing allowed with GT modifier.Re version 1.5 published 01/30/
90846	*GT + U1 *GT + U9 *GT + UA *GT + U6 *GT + U7	<b>Family Psychotherapy (without the patient present), 50 minutes</b> family psychotherapy in a setting where the care provider meets with the patient's family without the patient present. The family is part of the patient evaluation and treatment process. Family dynamics as they relate to the patient's mental status and behavior are a main focus of the sessions. Attention is also given to the impact the patient's condition has on the family, with therapy aimed at improving the interaction between the patient and family members.	CDC-A	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	1 which represents an encounter	N	* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versi
90847	*GT	Family psychotherapy (conjoint psychotherapy) (with patient present), 50 minutes         Family psychotherapy in a setting where the care provider meets with the patient and the patient's family jointly. The family is part of the patient evaluation and treatment process. Family dynamics as they relate to the patient's mental status and behavior are a main focus of the sessions. Attention is also given to the impact the patient's condition has on the family, with therapy aimed at improving the interaction between the patient and family members. Reviewing records, communicating with other providers, observing and interpreting patterns of behavior and communication between the patient and family members, and decision making regarding treatment, including medication management or any physical exam related to the medication, is included.	MD/DO PSY	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	1 which represents an encounter	N	* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versi
90847	*GT	Family psychotherapy (conjoint psychotherapy) (with patient present), 50 minutes         Family psychotherapy in a setting where the care provider meets with the patient and the patient's family jointly. The family is part of the patient evaluation and treatment process. Family dynamics as they relate to the patient's mental status and behavior are a main focus of the sessions. Attention is also given to the impact the patient's condition has on the family, with therapy aimed at improving the interaction between the patient and family members. Reviewing records, communicating with other providers, observing and interpreting patterns of behavior and communication between the patient and family members, and decision making regarding treatment, including medication management or any physical exam related to the medication, is included.	LISW LIMFT LPCC	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	1 which represents an encounter	N	* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versi
90847	*GT + U4 *GT + U5 *GT + U2 *GT + U3	Family psychotherapy (conjoint psychotherapy) (with patient present), 50 minutes         Family psychotherapy in a setting where the care provider meets with the patient and the patient's family jointly. The family is part of the patient evaluation and treatment process. Family dynamics as they relate to the patient's mental status and behavior are a main focus of the sessions. Attention is also given to the impact the patient's condition has on the family, with therapy aimed at improving the interaction between the patient and family members. Reviewing records, communicating with other providers, observing and interpreting patterns of behavior and communication between the patient and family members, and decision making regarding treatment, including medication management or any physical exam related to the medication, is included.	LSVV I MFT	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	1 which represents an encounter	N	* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versi

formation llowed with GT modifier. nllowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50 allowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50 r.Removed POS 18 ODM Reimbursement manual '30/2018 page 49 & 50 allowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50 nllowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50 allowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50 nllowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50

Additional Infor	PA	Unit of Measure	Limits	Place of Service	Covered Y/N	<b>Professional Abbreviation</b>	Description	Procedure/Practitioner Modifier	Code
					1 / IN		Family psychotherapy (conjoint psychotherapy) (with patient present), 50 minutes	Iviouniei	
* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versio	Ν	1 which represents an encounter		03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	Υ	SW-T MFT-T CDC-A	<ul> <li>Family psychotherapy in a setting where the care provider meets with the patient and the patient's family jointly. The family is part of the patient evaluation and treatment process. Family dynamics as they relate to the patient mental status and behavior are a main focus of the sessions. Attention is also given to the impact the patient's condition has on the family, with therapy aime at improving the interaction between the patient and family members. Reviewing records, communicating with other providers, observing and</li> </ul>	*GT + U9 *GT + UA *GT + U6	90847
						С-Т	interpreting patterns of behavior and communication between the patient and family members, and decision making regarding treatment, including medication management or any physical exam related to the medication, is included.		
* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versio	N	1 which represents an encounter		03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	Ŷ	r I MD/DO PSY	Multiple-family group psychotherapyThe therapist provides multiple family group psychotherapy by meeting withseveral patients' families together. This is usually done in cases involving similarissues and often in settings of group homes, drug treatment facilities, or hospitalrehabilitation centers. The session may focus on the issues of the patient'shospitalization or substance abuse problems. Attention is also given to theimpact the patient's condition has on the family. This code is reported once foreach family group present.	*GT	90849
* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versio	N	1 which represents an encounter		03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	Υ	r PA I LISW LIMFT LPCC	Multiple-family group psychotherapyThe therapist provides multiple family group psychotherapy by meeting withseveral patients' families together. This is usually done in cases involving similarissues and often in settings of group homes, drug treatment facilities, or hospitalrehabilitation centers. The session may focus on the issues of the patient'shospitalization or substance abuse problems. Attention is also given to theimpact the patient's condition has on the family. This code is reported once foreach family group present.	*GT	90849
* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versio	N	1 which represents an encounter		03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	Υ	r LSW I LMFT LPC LCDC II & III	Multiple-family group psychotherapyThe therapist provides multiple family group psychotherapy by meeting withseveral patients' families together. This is usually done in cases involving similarissues and often in settings of group homes, drug treatment facilities, or hospitalrehabilitation centers. The session may focus on the issues of the patient'shospitalization or substance abuse problems. Attention is also given to theimpact the patient's condition has on the family. This code is reported once foreach family group present.	*GT + U4 *GT + U5 *GT + U2 *GT + U3	90849
* Secure video conferencing allow Removed POS 18 ODM Reimbursement manual versio	N	1 which represents an encounter		03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57, 99	Υ	r SW-T MFT-T CDC-A	Multiple-family group psychotherapyThe therapist provides multiple family group psychotherapy by meeting with several patients' families together. This is usually done in cases involving similar issues and often in settings of group homes, drug treatment facilities, or hospital rehabilitation centers. The session may focus on the issues of the patient's hospitalization or substance abuse problems. Attention is also given to the impact the patient's condition has on the family. This code is reported once for each family group present.	*GT + U1 *GT + U9 *GT + UA *GT + U6 *GT + U7	90849
* Secure video conferencing allow	N	1 which represents an encounter		03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	Υ	MD/DO PSY	Group psychotherapy (other than of a multiple-family group)The psychiatric treatment provider conducts psychotherapy for a group ofseveral patients in one session. Group dynamics are explored. Emotional andrational cognitive interactions between individual persons in the group arefacilitated and observed. Personal dynamics of any individual patient may bediscussed within the group setting. Processes that help patients move towardemotional healing and modification of thought and behavior are used, such asfacilitating improved interpersonal exchanges, group support, and reminiscing.The group may be composed of patients with separate and distinct maladaptivedisorders or persons sharing some facet of a disorder. This code should be usedfor group psychotherapy with other patients, and not members of the patients' families.	*GT	90853
* Secure video conferencing allow	N	1 which represents an encounter		03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	Υ	CNP PA LISW LIMFT LPCC LICDC LIC SCHOOL PSY	Group psychotherapy (other than of a multiple-family group)The psychiatric treatment provider conducts psychotherapy for a group ofseveral patients in one session. Group dynamics are explored. Emotional andrational cognitive interactions between individual persons in the group arefacilitated and observed. Personal dynamics of any individual patient may bediscussed within the group setting. Processes that help patients move towardemotional healing and modification of thought and behavior are used, such asfacilitating improved interpersonal exchanges, group support, and reminiscing.The group may be composed of patients with separate and distinct maladaptivedisorders or persons sharing some facet of a disorder. This code should be usedfor group psychotherapy with other patients, and not members of the patients' families.	*GT	90853
* Secure video conferencing allow	N	1 which represents an encounter		03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	Y	LMFT LPC LCDC II & III	Group psychotherapy (other than of a multiple-family group)The psychiatric treatment provider conducts psychotherapy for a group ofseveral patients in one session. Group dynamics are explored. Emotional andrational cognitive interactions between individual persons in the group arefacilitated and observed. Personal dynamics of any individual patient may bediscussed within the group setting. Processes that help patients move towardemotional healing and modification of thought and behavior are used, such asfacilitating improved interpersonal exchanges, group support, and reminiscing.The group may be composed of patients with separate and distinct maladaptivedisorders or persons sharing some facet of a disorder. This code should be usedfor group psychotherapy with other patients, and not members of the patients' families.	*GT + U4 *GT + U5 *GT + U2 *GT + U3 *GT + U3	90853

nllowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50 nllowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50 nllowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50 nllowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50 nllowed with GT modifier. Version 1.5 published 01/30/2018 page 49 & 50 llowed with GT modifier. llowed with GT modifier. llowed with GT modifier.

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits Unit of Measure	PA	Additional Inform
90853	*GT + U1 *GT + U9 *GT + UA *GT + U6 *GT + U7	Group psychotherapy (other than of a multiple-family group)The psychiatric treatment provider conducts psychotherapy for a group ofseveral patients in one session. Group dynamics are explored. Emotional andrational cognitive interactions between individual persons in the group arefacilitated and observed. Personal dynamics of any individual patient may bediscussed within the group setting. Processes that help patients move towardemotional healing and modification of thought and behavior are used, such asfacilitating improved interpersonal exchanges, group support, and reminiscing.The group may be composed of patients with separate and distinct maladaptivedisorders or persons sharing some facet of a disorder. This code should be usedfor group psychotherapy with other patients, and not members of the patients' families.	MFT-T CDC-A C-T	Y	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 which represents an encounter	N	* Secure video conferencing allowe
H0004	*GT + U1 *GT + U9 *GT + UA *GT + U6 *GT + U7	Individual Counseling This code reports provision of behavioral health counseling and therapy services. Behavioral health counseling and therapy provides individual counseling by a clinician for a patient in a private setting and is billed in 15- minute increments.	PSY assistant SW-T MFT-T CDC-A C-T	Y	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 57, 99	1 Unit = 15 min	N	* Secure video conferencing allowe Modifier "KX" when provided to When provided with KX modifier, I
H0005	*GT + AF	Group Counseling Alcohol and/or drug group counseling by a clinician provides the patient support in a group setting (two or more individuals) in abstaining from substance abuse and assisting the patient with sobriety maintenance. Group counseling focuses on cognitive or behavioral approaches that typically address triggers and relapse prevention, self evaluation, the process of recovery, and issues pertaining to changes in lifestyle. Group sizes and treatment plans may vary according to the needs of the individual.		Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57	1 Unit = 15 min	Ν	Modifier "AF" Is optional for MD/ * Secure video conferencing allowe
H0005	*GT + HK	Group Counseling Alcohol and/or drug group counseling by a clinician provides the patient support in a group setting (two or more individuals) in abstaining from substance abuse and assisting the patient with sobriety maintenance. Group counseling focuses on cognitive or behavioral approaches that typically address triggers and relapse prevention, self evaluation, the process of recovery, and issues pertaining to changes in lifestyle. Group sizes and treatment plans may vary according to the needs of the individual.	LIMFT	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57	1 Unit = 15 min	N	* Secure video conferencing allowe
H0005	*GT + U4 and HK *GT + U5 and HK *GT + U2 and HK *GT + U3 and HK	Group Counseling Alcohol and/or drug group counseling by a clinician provides the patient support in a group setting (two or more individuals) in abstaining from substance abuse and assisting the patient with sobriety maintenance. Group counseling focuses on cognitive or behavioral approaches that typically address triggers and relapse prevention, self evaluation, the process of recovery, and issues pertaining to changes in lifestyle. Group sizes and treatment plans may vary according to the needs of the individual.	LSW LMFT LPC LCDC II & III	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57	1 Unit = 15 min	N	* Secure video conferencing allowe
H0005	*GT + U1 *GT + U9 *GT + UA *GT + U6 *GT + U7	Group Counseling Alcohol and/or drug group counseling by a clinician provides the patient support in a group setting (two or more individuals) in abstaining from substance abuse and assisting the patient with sobriety maintenance. Group counseling focuses on cognitive or behavioral approaches that typically address triggers and relapse prevention, self evaluation, the process of recovery, and issues pertaining to changes in lifestyle. Group sizes and treatment plans may vary according to the needs of the individual.	CDC-A	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 34, 53, 57	1 Unit = 15 min	Ν	* Secure video conferencing allowe
					Crisis Services			
90839		Psychotherapy for crisis; first 60 minutes Psychotherapy is a variety of treatment techniques in which a physician or other qualified health care provider helps a patient with a mental illness or behavioral disturbance identify and alleviate any emotional disruptions, maladaptive behavioral patterns, and contributing/exacerbating factors. Report these codes when the psychotherapy is for a patient with a life-threatening or highly complex psychiatric crisis	MD/DO PSY	Y	01, 03, 04, 11, 12, 13, 14, 15, 16, 17, 18, 20, 23, 24, 25, 31, 32, 33, 34, 41, 42, 53, 57, 99	1 unit = 60 minutes	N	
90839		<b>Psychotherapy for crisis; first 60 minutes</b> Psychotherapy is a variety of treatment techniques in which a physician or other qualified health care provider helps a patient with a mental illness or behavioral disturbance identify and alleviate any emotional disruptions, maladaptive behavioral patterns, and contributing/exacerbating factors. Report these codes when the psychotherapy is for a patient with a life-threatening or highly complex psychiatric crisis	LISW	Y	01, 03, 04, 11, 12, 13, 14, 15, 16, 17, 18, 20, 23, 24, 25, 31, 32, 33, 34, 41, 42, 53, 57, 99	1 unit = 60 minutes	Ν	
90839	U4 U5 U2 U3	Psychotherapy for crisis; first 60 minutes Psychotherapy is a variety of treatment techniques in which a physician or other qualified health care provider helps a patient with a mental illness or behavioral disturbance identify and alleviate any emotional disruptions, maladaptive behavioral patterns, and contributing/exacerbating factors. Report these codes when the psychotherapy is for a patient with a life-threatening or highly complex psychiatric crisis	LSW LMFT LPC	Y	01, 03, 04, 11, 12, 13, 14, 15, 16, 17, 18, 20, 23, 24, 25, 31, 32, 33, 34, 41, 42, 53, 57, 99	1 unit = 60 minutes	N	
90839	U1 U9 UA U6 U7	Psychotherapy for crisis; first 60 minutes Psychotherapy is a variety of treatment techniques in which a physician or other qualified health care provider helps a patient with a mental illness or behavioral disturbance identify and alleviate any emotional disruptions, maladaptive behavioral patterns, and contributing/exacerbating factors. Report these codes when the psychotherapy is for a patient with a life-threatening or highly complex psychiatric crisis	SW-T MFT-T	Ŷ	01, 03, 04, 11, 12, 13, 14, 15, 16, 17, 18, 20, 23, 24, 25, 31, 32, 33, 34, 41, 42, 53, 57, 99	1 unit = 60 minutes	Ν	

llowed with GT modifier.

allowed with GT modifier. ded to a patient in crisis ifier, POS 23 also available

MD/DO provider types

llowed with GT modifier.

llowed with GT modifier.

llowed with GT modifier.

llowed with GT modifier.

Code	<b>Procedure/Practitioner</b>	Description	Professional Abbreviation	Covered	Place of Service	Limits Unit of Measure	PA	Additional Information
90840	Modifier	Psychotherapy for crisis each additional 30 minutes (List separately in addition to code for primary service)	MD/DO PSY	Y / N Y	01, 03, 04, 11, 12, 13, 14, 15, 16, 17, 18, 20, 23, 24, 25, 31, 32, 33, 34, 41, 42, 53, 57, 99	1 unit = each additional 30 min beyond the original 60 min	N	
90840		<b>Psychotherapy for crisis each additional 30 minutes</b> (List separately in addition to code for primary service)	CNS CNP PA LISW LIMFT LPCC LICDC LIC SCHOOL PSY	Y	01, 03, 04, 11, 12, 13, 14, 15, 16, 17, 18, 20, 23, 24, 25, 31, 32, 33, 34, 41, 42, 53, 57, 99	1 unit = each additional 30 min beyond the original 60 min	N	
90840	U4 U5 U2 U3	<b>Psychotherapy for crisis each additional 30 minutes</b> (List separately in addition to code for primary service)	LSW LMFT LPC LCDC II & III	Y	01, 03, 04, 11, 12, 13, 14, 15, 16, 17, 18, 20, 23, 24, 25, 31, 32, 33, 34, 41, 42, 53, 57, 99	1 unit = each additional 30 min beyond the original 60 min	Ν	
90840	U1 U9 UA U6 U7	<b>Psychotherapy for crisis each additional 30 minutes</b> (List separately in addition to code for primary service)	PSY assistant SW-T MFT-T CDC-A C-T	Y	01, 03, 04, 11, 12, 13, 14, 15, 16, 17, 18, 20, 23, 24, 25, 31, 32, 33, 34, 41, 42, 53, 57, 99	1 unit = each additional 30 min beyond the original 60 min	N	
				Transcrani	al Magnetic Stimu	lation (TMS)		
90867		<b>Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment</b> Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; initial, including cortical mapping, motor threshold determination, delivery and management		Y			N	
90868		<b>Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment</b> Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; subsequent delivery and management, per session		Y			N	
90869		<b>Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment</b> Therapeutic repetitive transcranial magnetic stimulation (TMS) treatment; subsequent motor threshold re-determination with delivery and management		Y			N	
					EKG Services			
93000		<b>Electrocardiogram</b> Routine ECG with at least 12 leads; with interpretation and report	MD/DO	Y	11, 53, 57	Encounter	N	
93000		<b>Electrocardiogram</b> Routine ECG with at least 12 leads; with interpretation and report	CNS CNP PA	Y	11, 53, 57	Encounter	N	
93005		Electrocardiogram Routine ECG with at least 12 leads; tracing only, without interpretation and report	MD/DO	Y	11, 53, 57	Encounter	Ν	
93005		Electrocardiogram Routine ECG with at least 12 leads; tracing only, without interpretation and report	CNS CNP PA	Y	11, 53, 57	Encounter	N	
93010		<b>Electrocardiogram</b> Routine ECG with at least 12 leads; interpretation and report only	MD/DO	Y	11, 53, 57	Encounter	N	
93010		<b>Electrocardiogram</b> Routine ECG with at least 12 leads; interpretation and report only	CNS CNP PA	Y	11, 53, 57	Encounter	Ν	
					<b>Testing Services</b>			
96130	*GT	<b>Psychological testing evaluation; first 60 min</b> Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour	MD/DO PSY PA CNS CNP LISW LIMFT LPCC LIC SCHOOL PSY	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57		Ν	* Secure video conferencing allowed with GT modifier.
96130	*GT + U4 *GT + U5 *GT + U2 *GT + U1	Psychological testing evaluation; first 60 min Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour	LSW LMFT LPC PSY assistant	Y	03, 04, 11, 12, 13, 14, 16, 31, 53, 57		Ν	* Secure video conferencing allowed with GT modifier.

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits	Unit of Measure	PA	Additional Information
96130	*GT + U9 *GT + UA *GT + U7	Psychological testing evaluation; first 60 minPsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; first hour	SW-T MFT-T C-T	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57			N	* Secure video conferencing allowed with GT mo
96131	*GT	<b>Psychological testing evaluation; additional 60 min</b> Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour (List separately in addition to code for primary procedure)	MD/DO PSY PA CNS CNP LISW LIMFT LPCC LIC SCHOOL PSY	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57			N	* Secure video conferencing allowed with GT mo
96131	*GT + U4 *GT + U5 *GT + U2 *GT + U1	Psychological testing evaluation; additional 60 min Psychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour (List separately in addition to code for primary procedure)	LSW LMFT LPC PSY assistant	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57			N	* Secure video conferencing allowed with GT mo
96131	*GT + U9 *GT + UA *GT + U7	addition to code for primary procedure)Psychological testing evaluation; additional 60 minPsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed; each additional hour (List separately in addition to code for primary procedure)	SW-T MFT-T C-T	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57			N	* Secure video conferencing allowed with GT mo
96136	*GT	<b>Psychological or neuropsychological test administration; first 30 min</b> Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method;	MD/DO PSY PA CNS CNP LISW LIMFT LPCC LIC SCHOOL PSY	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57			N	* Secure video conferencing allowed with GT mo
96136	*GT + U4 *GT + U5 *GT + U2 *GT + U1	Psychological or neuropsychological test administration; first 30 min         Psychological or neuropsychological test administration and scoring by         physician or other qualified health care professional, two or more tests, any         method;	LICE SCHOOL FST LSW LMFT LPC PSY assistant	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	-		N	* Secure video conferencing allowed with GT mo
96136	*GT + U9 *GT + UA *GT + U7	<b>Psychological or neuropsychological test administration; first 30 min</b> Psychological or neuropsychological test administration and scoring by physician or other qualified health care professional, two or more tests, any method;	SW-T MFT-T C-T	Y	03, 04, 11, 12, 13, 14, 16, 31, 53, 57			N	* Secure video conferencing allowed with GT mo
96137	*GT	Psychological or neuropsychological test administration; additional 30 min         Psychological or neuropsychological test administration and scoring by         physician or other qualified health care professional, two or more tests, any         method; each additional 30 minutes (List separately in addition to code for         primary procedure)	MD/DO PSY PA CNS CNP LISW LIMFT LPCC LIC SCHOOL PSY	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57			N	* Secure video conferencing allowed with GT mo
96137	*GT + U4 *GT + U5 *GT + U2 *GT + U1	Psychological or neuropsychological test administration; additional 30 min         Psychological or neuropsychological test administration and scoring by         physician or other qualified health care professional, two or more tests, any         method; each additional 30 minutes (List separately in addition to code for	LSW LMFT LPC PSY assistant	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57			N	* Secure video conferencing allowed with GT mo
96137	*GT + U9 *GT + UA *GT + U7	primary procedure)         Psychological or neuropsychological test administration; additional 30 min         Psychological or neuropsychological test administration and scoring by         physician or other qualified health care professional, two or more tests, any         method; each additional 30 minutes (List separately in addition to code for         primary procedure)	SW-T MFT-T C-T	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57			N	* Secure video conferencing allowed with GT mo
96112	*GT	primary procedure)         Developmental Testing ; first hour         Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report	MD/DO PSY CNS CNP LISW LIMFT LPCC Lic school PSY	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	CareSource has opted		N	* Secure video conferencing allowed with GT mo
96112	*GT + U4 *GT + U5 *GT + U2 *GT + U1	Developmental Testing ; first hour Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report	LSW LMFT LPC PSY assistant	Y	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	not to have limits or PA on these services.		Ν	* Secure video conferencing allowed with GT mo
96112	*GT + U9 *GT + UA *GT + U7	Developmental Testing ; first hour Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report	SW-T MFT-T C-T	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57			N	* Secure video conferencing allowed with GT mo

# allowed with GT modifier. llowed with GT modifier. allowed with GT modifier. allowed with GT modifier. allowed with GT modifier. allowed with GT modifier.

allowed with GT modifier.

allowed with GT modifier.

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits
96113	*GT	Developmental Testing ; additonal 30 min Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; (List separately in addition to code for primary procedure)	MD/DO PSY CNS CNP LISW LIMFT LPCC Lic school PSY	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
96113	*GT + U4 *GT + U5 *GT + U2 *GT + U1	Developmental Testing ; additonal 30 min Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; (List separately in addition to code for primary procedure)	LSW LMFT LPC PSY assistant	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
96113	*GT + U9 *GT + UA *GT + U7	Developmental Testing ; additonal 30 min Developmental test administration (including assessment of fine and/or gross motor, language, cognitive level, social, memory and/or executive functions by standardized developmental instruments when performed), by physician or other qualified health care professional, with interpretation and report; (List separately in addition to code for primary procedure)	SW-T MFT-T C-T	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
96116	*GT	Neurobehavioral Status ExamNeurobehavioral status exam (clinical assessment of thinking, reasoning andjudgment, eg, acquired knowledge, attention, language, memory, planning andproblem solving, and visual spatial abilities), per hour of the psychologist's orphysician's time, both face-to-face time with the patient and time interpretingtest results and preparing the report	MD/DO PA PSY CNS, CNP	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
96116	*GT + U1	Neurobehavioral Status Exam Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities), per hour of the psychologist's or physician's time, both face-to-face time with the patient and time interpreting test results and preparing the report	PSY assistant	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
96121	*GT	Neurobehavioral Status Exam; additional hour Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; (List separately in addition to code for primary procedure)	MD/DO PA PSY CNS, CNP	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
96121	*GT + U1	Neurobehavioral Status Exam; additional hour Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, [eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities]), by physician or other qualified health care professional, both face-to-face time with the patient and time interpreting test results and preparing the report; (List separately in addition to code for primary procedure)	PSY assistant	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
96132	*GT	Neuropsychological Testing; first hour Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed	MD/DO PA PSY CNS CNP	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
96132	*GT + U1	Neuropsychological Testing; first hour Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed	PSY assistant	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
96133	*GT	Neuropsychological Testing; additional hour Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed	MD/DO PA PSY CNS CNP	Ŷ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
96133	*GT + U1	Neuropsychological Testing; additonal hour Neuropsychological testing evaluation services by physician or other qualified health care professional, including integration of patient data, interpretation of standardized test results and clinical data, clinical decision making, treatment planning and report, and interactive feedback to the patient, family member(s) or caregiver(s), when performed	PSY assistant	Υ	03, 04, 11, 12, 13, 14, 16, 31, 53, 57	
					Assessment Servi	ces

Unit of Measure	PA	Additional Info
	N	* Secure video conferencing allo
	N	* Secure video conferencing allo
	N	* Secure video conferencing allo
	N	* Secure video conferencing allo
	N	* Secure video conferencing allo
	Ν	* Secure video conferencing allo
	Ν	* Secure video conferencing allo
	Ν	* Secure video conferencing allo
	Ν	* Secure video conferencing allo
	N	* Secure video conferencing allo
	N	* Secure video conferencing allo

# formation allowed with GT modifier. llowed with GT modifier. allowed with GT modifier. llowed with GT modifier.

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits	Unit of Measure	PA	Additional Infor
G0396		<b>Screening, Brief Intervention and Referral to Treatment 15-30 minutes</b> Alcohol and substance abuse may be assessed by several different methods, including a drug abuse screening test (DAST) and an alcohol use disorder identification test (SBIRT).	MD/DO CNS CNP PA PSY RN LPN LISW LIMFT LPCC Lic school PSY	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 53		Encounter from 15 to 30 min	Ν	
G0396	U4 U5 U2 U1 U9 UA U7	<b>Screening, Brief Intervention and Referral to Treatment 15-30 minutes</b> Alcohol and substance abuse may be assessed by several different methods, including a drug abuse screening test (DAST) and an alcohol use disorder identification test (SBIRT).	LSW LMFT LPC PSY assistant SW-T MFT-T C-T	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 53		Encounter from 15 to 30 min	Ν	
G0397		<b>Screening, Brief Intervention and Referral to Treatment over 30 minutes</b> Alcohol and substance abuse may be assessed by several different methods, including a drug abuse screening test (DAST) and an alcohol use disorder identification test (SBIRT).	MD/DO CNS CNP PA PSY RN LPN LISW LIMFT LPCC Lic school PSY	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 53		Encounter over 30 min	Ν	
G0397	U4 U5 U2 U1 U9 UA U7	<b>Screening, Brief Intervention and Referral to Treatment over 30 minutes</b> Alcohol and substance abuse may be assessed by several different methods, including a drug abuse screening test (DAST) and an alcohol use disorder identification test (SBIRT).	LSW LMFT LPC PSY assistant SW-T MFT-T C-T	Y	03, 04, 11, 12, 13, 14, 16, 31, 32, 53		Encounter over 30 min	Ν	
H0001	*GT + U1 *GT + U9 *GT + UA *GT + U6 *GT + U7	Alcohol and/or drug assessment -1 Hour-SUD This code reports provision of alcohol and/or drug assessment services. A psychiatrist, clinical psychologist, or other specialized health care professional or team of professionals generally provides drug and/or alcohol assessments. Protocols vary, but an assessment is systematic and thorough and addresses all aspects of a patient's encounters with alcohol and/or drugs. A detailed family, social, and legal history is usually solicited and components may be verified independent of the patient interview. Quantity and frequency of alcohol and/or drug use is documented. Physical manifestations associated with alcohol or drug use or abuse may be noted if present, such as depression, mania, anxiety, etc. A physical medical examination may be a component of the assessment.	PSY assistant SW-T MFT-T CDC-A C-T	Y	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 34, 99		1 Encounter per day	Ν	* Secure video conferencing allow
H0006	* GT	<b>Case Management</b> Case management for patients needing services relating to alcohol or drug abuse provides assistance and care coordination based on the needs of the individual. The case manager assesses the needs of the patient, assists in developing plans to benefit the patient, as well as implementation of the plans, and reviews and evaluates the patient's status.	MD/DO CNS CNP PA PSY LISW LIMFT LPCC LICDC Lic school PSY	Y	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 33, 34, 57, 99		1 Unit = 15 min If more than six (6) units are delivered on the same date of service by the same agency, subsequent units will be paid at 50% of the above rates.	IN	* Secure video conferencing allow
H0006	*GT + U4 *GT + U5 *GT + U2 *GT + U3 *GT + U1 *GT + U9 *GT + U8 *GT + U8 *GT + UA *GT + U6 *GT + U7 *GT + HM *GT + HM *GT + HN *GT + HN	<b>Case Management</b> Case management for patients needing services relating to alcohol or drug abuse provides assistance and care coordination based on the needs of the individual. The case manager assesses the needs of the patient, assists in developing plans to benefit the patient, as well as implementation of the plans, and reviews and evaluates the patient's status.	LSW LMFT LPC LCDC II or LCDC III PSY assistant	Y	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 33, 34, 57, 99		1 Unit = 15 min If more than six (6) units are delivered on the same date of service by the same agency, subsequent units will be paid at 50% of the above rates.	IN	* Secure video conferencing allow
			MD/DO	Therap	outic Behavior Serv	vices (TBS)			
H2019		Individual Therapeutic Behavioral Services - 15 minutes Therapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	CNS CNP PA PSY LISW LIMFT LPPCC Lic school PSY	Ŷ	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 34, 53, <b>99</b>			Ν	* - In the Offic ** - In the Comm Modifier "KX" when provided to a pat

Office ommunity a patient in crisis and POS - 23

allowed with GT modifier.

llowed with GT modifier.

allowed with GT modifier.

formation

Additional Infor	PA	Unit of Measure	Limits	Place of Service	Covered Y / N	<b>Professional Abbreviation</b>	Description	Procedure/Practitioner Modifier	Code
* - In the Offic ** - In the Comm Modifier "KX" when provided to a par	Ν			03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 34, 53, 99	Ŷ	LINIFI	Individual Therapeutic Behavioral Services - 15 minutes Therapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	U4 U5 U2	H2019
* - In the Offic ** - In the Comm Modifier "KX" when provided to a pat	N			03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 34, 53, 99	Υ	PSY assistant (U1) & QMHS - Master's (HO) SW-T (U9) & QMHS - Master's (HO) SW-A (U8) & QMHS - Master's (HO) MFT-T (UA) & QMHS - Master's (HO) C-T (U7) & QMHS - Master's (HO) QMHS - Master's (HO)	<b>Individual Therapeutic Behavioral Services - 15 minutes</b> Therapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	U1 & HO U9 & HO U8 & HO UA & HO U7 & HO HO	H2019
* - In the Offic ** - In the Comm Modifier "KX" when provided to a par	N			03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 34, 53, 99	Ŷ	SW-T (U9) & QMHS Bachelor's (HN) SW-A (U8) & QMHS Bachelor's (HN) MFT-T (UA) & QMHS Bachelor's (HN) C-T (U7) & QMHS Bachelor's (HN) QMHS Bachelor's (HN)	Individual Therapeutic Behavioral Services - 15 minutes Therapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	U9 & HN U8 & HN UA & HN U7 & HN HN	H2019
* - In the Offic ** - In the Comm Modifier "KX" when provided to a pat	Ν	If more than six (6) units are delivered on the same date of service by the same agency in places of service 11 and/or 53, subsequent units will be		03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 34, 53, 99	Y	PA PSY LISW	Group Therapeutic Behavioral Services - 15 minutes Therapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	HQ	H2019
* - In the Offic ** - In the Comm Modifier "KX" when provided to a par	Ν	– paid at 50% of the above rates. —		03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 34, 53, 99	Ŷ	LSW LMFT LPC	Group Therapeutic Behavioral Services - 15 minutes Therapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	U4 + HQ U5 + HQ U2 + HQ	H2019
	N			11, 53	Ŷ	HQ + PSY assistant (U1) & QMHS - Master's (HO) SW-T (U9) & QMHS - Master's (HO) SW-A (U8) & QMHS - Master's (HO) MFT-T (UA) & QMHS - Master's (HO) C-T (U7) & QMHS - Master's (HO) QMHS - Master's (HO)	Group Therapeutic Behavioral Services - 15 minutes Therapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	HQ + U1 & HO U9 & HO U8 & HO UA & HO U7 & HO HO	H2019
	Ν			11, 53	Y	HQ + SW-T (U9) & QMHS Bachelor's (HN) SW-A (U8) & QMHS Bachelor's (HN) MFT-T (UA) & QMHS Bachelor's (HN) C-T (U7) & QMHS Bachelor's (HN) QMHS Bachelor's (HN)	Group Therapeutic Behavioral Services - 15 minutes Therapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	HQ + U9 & HN U8 & HN UA & HN U7 & HN	H2019
Added to grid based on ODM Reimbursement manual confirmation from ODM this is acceptable code/modifier/j any modifer including UK per ODM emai	Ν			03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 34, 53, 99	Ŷ	QMHS- 3 Years Experience	Group Therapeutic Behavioral Services - 15 minutes Therapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	UK	H2019
Added to grid based on ODM Reimbursement manual v confirmation from ODM this is acceptable code/modifier/j any modifer including UK per ODM emai	Ν			11, 53	Y	HQ + QMHS- 3 Years Experience	Group Therapeutic Behavioral Services - 15 minutes Therapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	HQ + UK	H2019
		eatment)	eiem (Day Tre	-Hourly and Per D	roup Service	TBS G			
	Ν	Hourly, maximum of 2 per day		03, 04, 11, 14, 53	Ŷ		Group- Mental Health Day Treatment Per Hour up to 2 Hours Day treatment for behavior health focuses on maintaining and improving functional abilities for the individual. Clients may participate in activities in a therapeutic and social environment several times per week for several hours per day to improve personal skills	HQ, HK	H2012
	Ν	Hourly, maximum of 2 per day		03, 04, 11, 14, 53	Y		<b>Group- Mental Health Day Treatment Per Hour up to 2 Hours</b> Day treatment for behavior health focuses on maintaining and improving functional abilities for the individual. Clients may participate in activities in a therapeutic and social environment several times per week for several hours per day to improve personal skills	HQ +U4 & HK HQ +U5 & HK HQ +U2 & HK	H2012

formation
Office nmunity patient in crisis and POS - 23
Office nmunity patient in crisis and POS - 23
Office nmunity patient in crisis and POS - 23
Office nmunity patient in crisis and POS - 23
Office nmunity patient in crisis and POS - 23
al version 1.5 published 01/30/2018 - Received er/price QMHS + HS are unable to bill H2019 with mail to regulatory on 10/05/2018
al version 1.5 published 01/30/2018 - Received er/price QMHS + HS are unable to bill H2019 with mail to regulatory on 10/05/2018

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits Unit of Measure	PA	Additional Infor
H2012	HQ + U1 & HO HQ + U9 & HO HQ + U8 & HO HQ + UA & HO HQ + U7 & HO HQ , HO	<b>Group- Mental Health Day Treatment Per Hour up to 2 Hours</b> Day treatment for behavior health focuses on maintaining and improving functional abilities for the individual. Clients may participate in activities in a therapeutic and social environment several times per week for several hours per day to improve personal skills	PSY assistant SW-T (Master's) SW-A (Master's) MFT-T (Masters) C-T (Master's) QMHS (Master's)	Y	03, 04, 11, 14, 53	Hourly, maximum of 2 per day	Ν	
H2012	HQ + U1 & HN HQ + U9 & HN HQ + U8 & HN HQ + UA & HN HQ + U7 & HN HQ , HN	<b>Group- Mental Health Day Treatment Per Hour up to 2 Hours</b> Day treatment for behavior health focuses on maintaining and improving functional abilities for the individual. Clients may participate in activities in a therapeutic and social environment several times per week for several hours per day to improve personal skills	PSY assistant (Bachelor's) SW-T (Bachelor's) SW-A (Bachelor's) MFT-T (Bachelor's) C-T (Bachelor's) QMHS (Bachelor's)	Y	03, 04, 11, 14, 53	Hourly, maximum of 2 per day	N	
H2012	HQ, UK	<b>Group- Mental Health Day Treatment Per Hour up to 2 Hours</b> Day treatment for behavior health focuses on maintaining and improving functional abilities for the individual. Clients may participate in activities in a therapeutic and social environment several times per week for several hours per day to improve personal skills	QMHS 3 yrs. + Experience	Y	03, 04, 11, 14, 53	Hourly, maximum of 2 per day	N	
H2020	HK U4 and HK U5 and HK U2 and HK	Mental Health Day Treatment-Per DiemTherapeutic behavioral services are treatments that attempt to changeunhealthy, potentially dangerous, or self-destructive behaviors. It focuses onhelping an individual understand how the behavior affects life and emotions.Behavioral therapy is usually action-based, using techniques of classicalconditioning and operant conditioning. The behavior itself is the problem andthe goal is to minimize or eliminate the problem.	PSY LISW LIMFT LPCC Lic school PSY LSW LMFT LPC	Y	03, 04, 11, 14, 53	Per Diem	N	The practitioner is assumed to deliver 5 hours of group th H2020, the program would have to provide over 2.5 hours qualifications
H2020	U1 and HO U9 and HO U8 and HO UA and HO U7 and HO HO	Mental Health Day Treatment-Per DiemTherapeutic behavioral services are treatments that attempt to change unhealthy, potentially dangerous, or self-destructive behaviors. It focuses on helping an individual understand how the behavior affects life and emotions. Behavioral therapy is usually action-based, using techniques of classical conditioning and operant conditioning. The behavior itself is the problem and the goal is to minimize or eliminate the problem.	PSY assistant SW-T (Master's) SW-A (Master's) MFT-T (Master's) C-T (Master's) QMHS (Master's)	Y	03, 04, 11, 14, 53	Per Diem	N	
H2020	U1 and HN U9 and HN U8 and HN UA and HN U7 and HN HN	Mental Health Day Treatment-Per DiemTherapeutic behavioral services are treatments that attempt to changeunhealthy, potentially dangerous, or self-destructive behaviors. It focuses onhelping an individual understand how the behavior affects life and emotions.Behavioral therapy is usually action-based, using techniques of classicalconditioning and operant conditioning. The behavior itself is the problem andthe goal is to minimize or eliminate the problem	PSY Assistant (Bachelor's) SW-T (Bachelor's) SW-A (Bachelor's) MFT-T (Bachelor's) C-T (Bachelor's) QMHS (Bachelor's)	Y	03, 04, 11, 14, 53	Per Diem	N	
H2020	UK	Mental Health Day Treatment-Per DiemTherapeutic behavioral services are treatments that attempt to changeunhealthy, potentially dangerous, or self-destructive behaviors. It focuses onhelping an individual understand how the behavior affects life and emotions.Behavioral therapy is usually action-based, using techniques of classicalconditioning and operant conditioning. The behavior itself is the problem andthe goal is to minimize or eliminate the problem.	QMHS 3 yrs. + Experience	Y	03, 04, 11, 14, 53	Per Diem	N	
			Comm	unity Psychiat	ric Supportive Tre	eatment (CPST) Services		
H0036	*GT	Individual- Community psychiatric supportive treatment per 15 minutes Community psychiatric supportive treatment programs assist individuals with persistent and severe mental illness to gain and maintain independence in the community. This is done with ongoing assessments, crisis intervention, and support. These programs may include advocacy, family education, helping in the development of activities of daily living, and managing basic needs to assist with achieving independence	MD/DO CNS CNP PA PSY LISW LIMFT LPCC Lic school PSY	Y	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 33, 34, 53, 99	1 unit = 15 min If more than six (6) units are delivered on the same date of service by the same agency, subsequent units will be paid at 50% of the above rates.	IN IN	* Secure video conferencing allow
H0036	*GT + U4 *GT + U5 *GT + U2 *GT + U1 *GT + U9 *GT + U8 *GT + U8 *GT + UA *GT + U7 *GT + UK *GT + HM *GT + HM *GT + HM *GT + HN *GT + HN	Individual- Community psychiatric supportive treatment per 15 minutes Community psychiatric supportive treatment programs assist individuals with persistent and severe mental illness to gain and maintain independence in the community. This is done with ongoing assessments, crisis intervention, and support. These programs may include advocacy, family education, helping in the development of activities of daily living, and managing basic needs to assist with achieving independence	LSW LMFT LPC PSY assistant SW-T SW-A MFT-T C-T OMHS (3 yrs + Exp.)	Y	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 33, 34, 53, 99	1 unit = 15 min If more than six (6) units are delivered on the same date of service by the same agency, subsequent units will be paid at 50% of the above rates.	IN IN	* Secure video conferencing allow
H0036	*GT + HQ	Group- Community psychiatric supportive treatment per 15 minutes Community psychiatric supportive treatment programs assist individuals with persistent and severe mental illness to gain and maintain independence in the community. This is done with ongoing assessments, crisis intervention, and support. These programs may include advocacy, family education, helping in the development of activities of daily living, and managing basic needs to assist with achieving independence	MD/DO CNS CNP PA PSY LISW LIMFT LPCC Lic school PSY	Y	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 33, 34, 53, 99	1 unit = 15 min If more than six (6) units are delivered on the same date of service by the same agency, subsequent units will be paid at 50% of the above rates.	IN IN	* Secure video conferencing allow

oup therapy under H2020. In order to bill a unit of ours of group therapy led by a practitioner of those ations.

llowed with GT modifier.

llowed with GT modifier.

llowed with GT modifier.

Code	<b>Procedure/Practitioner</b>	Description	Professional Abbreviation	Covered	Place of Service	Limits Unit of Measure	PA	Additional Infor
H0036	Modifier         *GT + HQ + U4         *GT + HQ + U5         *GT + HQ + U2         *GT + HQ + U1         *GT + HQ + U1         *GT + HQ + U9         *GT + HQ + U8         *GT + HQ + U8         *GT + HQ + UA         *GT + HQ + UA         *GT + HQ + UK         *GT + HQ + HM         *GT + HQ + HM	Group- Community psychiatric supportive treatment per 15 minutes Community psychiatric supportive treatment programs assist individuals with persistent and severe mental illness to gain and maintain independence in the community. This is done with ongoing assessments, crisis intervention, and support. These programs may include advocacy, family education, helping in the development of activities of daily living, and managing basic needs to assist with achieving independence	LSW LMFT LPC PSY assistant SW-T SW-A MFT-T C-T	Y/N Y	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 33, 34, 53, 99	1 unit = 15 min	N	* Secure video conferencing allow
				S	UD RN/LPN Serv	vices		
T1002		RN services, up to 15 minutes	RN	Υ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 33, 34, 57, 99 With KX Mod 23	1 unit = 15 minutes	Ν	Modifier "KX" when provided to a patient in crisis, as allow KX is not allowable with group RN nur IN = In the Off CO = In the Comr
T1002	HQ	Group- RN services, up to 15 minutes	RN	Y	11, 57	1 unit = 15 minutes	N	IN = In the Of CO = In the Com
T1003		LPN services, up to 15 minutes	LPN	Y	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 33, 34, 57, 99	1 unit = 15 minutes	Ν	IN = In the Off CO = In the Comm
					MH RN/LPN Serv	rices		Modifier "KX" when provided to a patient in
H2019		Individual-Nursing Services	RN	Υ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 99	1 Unit = 15 min	Ν	Updated limit information to change "UT" to "KX" Modif Final Version 1.3 state policy team 11/15/2017 ch
H2017		Individual- Nursing Services	LPN	Ŷ	03, 04, 11, 12, 13, 14, 16, 18, 31, 32, 34, 53, 99	1 Unit = 15 min	N	
H2019	HQ	Group- Nursing Services	RN	Y	11, 53	1 Unit = 15 min	N	
				Psychosoci	al Rehabilitation	Services (PSR)		
H2017	HM	<b>Psychosocial Rehabilitation -15 minutes</b> Psychosocial rehabilitation services are intended to help individuals to compensate for or to eliminate functional deficits and environmental and interpersonal barriers associated with their mental illness. The goal of the program is to help individuals achieve the fullest possible integration as an active and productive member of their family and community with the least possible ongoing professional intervention. Activities are done to achieve the goals for the individual	QMHS (high school) QMHS (Associate's)	Υ	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 34, 53, 99	IN = In the office If more than six (6) units are delivered on the same date of service by the same agency in places of service 11 and/or 53, subsequent units will be paid at 50% of the above rates. Modifier "KX" when provided to a patient in crisis When provided KX with modifier, POS 23 also available	Ν	
H2017	U9 and HM U8 and HM UA and HM U7 and HM	<b>Psychosocial Rehabilitation -15 minutes</b> Psychosocial rehabilitation services are intended to help individuals to compensate for or to eliminate functional deficits and environmental and interpersonal barriers associated with their mental illness. The goal of the program is to help individuals achieve the fullest possible integration as an active and productive member of their family and community with the least possible ongoing professional intervention. Activities are done to achieve the goals for the individual	SW-T & QMHS (High School/Associate's) SW-A & QMHS (High School/Associate's) MFT-A & QMHS (High School/Associate's) C-T & QMHS (High School/Associate's)	Ŷ	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 34, 53, 99	CO = In the Community Modifier "KX" when provided to a patient in crisis When provided KX with modifier, POS 23 also available	Ν	
H0040	AM	Assertive community treatment program Assertive community treatment uses a team based, multidisciplinary approach. The goal is to reduce the extent of hospital admissions, to improve the individual's quality of life, and to function in social situations by providing focused, proactive treatments. These services are most appropriate for individuals with severe and persistent mental illness and the greatest level of functional impairment.	MD/DO	(ACT) Asse	rtive Community         03, 04, 11, 12, 13, 14, 16, 17, 18, 20, 53, 99	Treatment-MH         1 representing a per diem	Y	Please review the ODM billing and IT I

llowed with GT modifier.

llowable within the practitioner's scope of practice.

nursing services (HQ modifier).

Office

ommunity

Office

ommunity

Office

'ommunity

t in crisis and POS 23 is also available

odifier for patient experiencing crisis to following 17 change to replace UT modifier with KX

IT Resources "ACT-IHBT Excel

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits	Unit of Measure	PA	Additional Infor
H0040	UC SA SA	Assertive community treatment program Assertive community treatment uses a team based, multidisciplinary approach. The goal is to reduce the extent of hospital admissions, to improve the individual's quality of life, and to function in social situations by providing focused, proactive treatments. These services are most appropriate for individuals with severe and persistent mental illness and the greatest level of functional impairment.	CNP CNS PA	Y	03, 04, 11, 12, 13, 14, 16, 17, 18, 20, 53, 99		1 representing a per diem	Y	Please review the ODM billing and IT R
H0040	HO	Assertive community treatment program Assertive community treatment uses a team based, multidisciplinary approach. The goal is to reduce the extent of hospital admissions, to improve the individual's quality of life, and to function in social situations by providing focused, proactive treatments. These services are most appropriate for individuals with severe and persistent mental illness and the greatest level of functional impairment.	(Master's Level) LPN RN LISW PSY LI School PSY LPCC LICDC LCDC II LCDC III LMFT LIMFT LIMFT LSW	Y	03, 04, 11, 12, 13, 14, 16, 17, 18, 20, 53, 99		1 representing a per diem	Y	Please review the ODM billing and IT F
H0040	HN	Assertive community treatment program Assertive community treatment uses a team based, multidisciplinary approach. The goal is to reduce the extent of hospital admissions, to improve the individual's quality of life, and to function in social situations by providing focused, proactive treatments. These services are most appropriate for individuals with severe and persistent mental illness and the greatest level of functional impairment.	(Bachelor's Level) C-T CDC-A MFT-T SW-A SW-T PSY-I (PSY assistant) PSY-T (PSY assistant) PSY-A (PSY assistant) CMS QMH + 3 QMH PRS	Ŷ	03, 04, 11, 12, 13, 14, 16, 17, 18, 20, 53, 99		1 representing a per diem	Y	Please review the ODM billing and IT R
H0040	HM	Assertive community treatment program Assertive community treatment uses a team based, multidisciplinary approach. The goal is to reduce the extent of hospital admissions, to improve the individual's quality of life, and to function in social situations by providing focused, proactive treatments. These services are most appropriate for individuals with severe and persistent mental illness and the greatest level of functional impairment.		Υ	03, 04, 11, 12, 13, 14, 16, 17, 18, 20, 53, 99		1 representing a per diem	Ŷ	Please review the ODM billing and IT R
				(IHBT) Inter	nsive Home Based	d Treatment-M	IH		
H2015		<b>Comprehensive community support services, per 15 minutes</b> Comprehensive community support services consist of mental health and substance abuse services. These services assist individuals in achieving their recovery and rehabilitation goals. The program aims to reduce psychiatric and addiction symptoms and to assist in developing community living skills. The services may include coordination of services, support during a crisis, development of system monitoring and management skills, monitoring medications, and help in developing independent living skills.	PSY LISW LIMFT LPCC	Υ	03, 04, 11, 12, 14, 16, 18, 23, 53, 57, 99		1 unit = 15 min	Y	Please review the ODM billing and IT R
H2015	U4 U5 U2	Comprehensive community support services, per 15 minutes Comprehensive community support services consist of mental health and substance abuse services. These services assist individuals in achieving their recovery and rehabilitation goals. The program aims to reduce psychiatric and addiction symptoms and to assist in developing community living skills. The services may include coordination of services, support during a crisis, development of system monitoring and management skills, monitoring medications, and help in developing independent living skills.	LSW LMFT LPC	Υ	03, 04, 11, 12, 14, 16, 18, 23, 53, 57, 99		1 unit = 15 min	Y	Please review the ODM billing and IT R
				Respite Ser	vices For BH (Ber	navioral Health	1)		
S5150		Unskilled respite care, not hospice; per 15 min Respite care is intended to help the patient remain living in a home environment by relieving the patient's unpaid caregiver. Typically, the "home environment" includes the home of a friend, foster home, or a licensed group home, but not a nursing home, hospital, or adult day care setting. Respite care does not refer to care provided by the patient's parent, spouse, or unpaid primary care giver. Use these codes to report respite care as a time increment or a per diem.	Agency - NPI of rendering practitioner overseeing treatment in rendering field	Y		100 hours per cal yr Combined (S5151 and S5150)	15 min = 1 per unit	Y	This benefit is for children under the age of 21. Please revie Member must be engaged in Care Management fo

# formation IT Resources "ACT-IHBT Excel IT Resources "ACT-IHBT Excel IT Resources "ACT-IHBT Excel" IT Resources "ACT-IHBT Excel" IT Resources "ACT-IHBT Excel" IT Resources "ACT-IHBT Excel" review ODM for additional eligibility requirements. ent for Prior Authorization to be obtained

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits	Unit of Measure	PA	Additional Infor
S5151		Unskilled respite care, not hospice; per diem Respite care is intended to help the patient remain living in a home environment by relieving the patient's unpaid caregiver. Typically, the "home environment" includes the home of a friend, foster home, or a licensed group home, but not a nursing home, hospital, or adult day care setting. Respite care does not refer to care provided by the patient's parent, spouse, or unpaid primary care giver. Use these codes to report respite care as a time increment or a per diem.	Agency - NPI of rendering practitioner overseeing treatment in rendering field	Υ		100 hours per cal yr Combined (S5151 and S5150)	Per Diem Any respite services lasting beyond 12 hours of care	Y	This benefit is for children under the age of 21. Please revie Member must be engaged in Care Management f
				Applied Beha	avioral Analysis	<b>(ABA)</b> Therap	y		
97151		<ul> <li>Behavior identification assessment, administered by a physician or other qualified healthcare professional, each 15 minutes of the physician's or other qualified healthcare professional's time face-to-face with member and/or guardian(s)/caregiver(s) administering assessments and discussing findings and recommendations, and non-face-to-face analyzing past data, scoring/interpreting the assessment, and preparing the report/treatment plan. (Attended by member and QHP)</li> </ul>	BCBA	Υ		24 maximum units	1 Unit = 15 min	Y	
97152		Behavior identification supporting assessment, administered by one technician under the direction of a physician or other qualified healthcare professional, face to-face with member, each 15 minutes. (Attended by member and technician (QHP may substitute for the technician))	BCBA, BCaBA, RBT	Y		See additional information for billing guidance	1 Unit = 15 min	Y	
97153		Adaptive behavior treatment by protocol, administered by technician under the direction of a physician or other qualified healthcare professional, face-to-face with one member, each 15 minutes. (Attended by member and technician (QHP may substitute for the technician))		Ŷ			1 Unit = 15 min	Y	
97154		Group adaptive behavior treatment by protocol, administered by technician under the direction of a physician or other qualified healthcare professional, face to-face with two or more patients, each 15 minutes. (Attended by 2 or more members and technician (QHP may substitute for	BCaBA, RBT	Y			1 Unit = 15 min	Y	
97155		Adaptive behavior treatment by protocol modification, administered by physician or other qualified healthcare professional, which may include simultaneous direction of technician, face-to-face with one patient, each 15 minutes. (Attended by member and QHP; may include technician and/or caregiver)	BCBA	Y			1 Unit = 15 min	Y	97151, Behavior identification assessment, can be billed Code 97151 and 97152 can be billed for a combined tot assessment
97156		Family adaptive behavior treatment guidance, administered by physician or other qualified healthcare professional (with or without the member present), face-to-face with guardian(s)/caregiver(s), each 15 minutes.         (Attended caregiver and QHP) 97157 Multiple-family group adaptive behavior	BCBA	Y			1 Unit = 15 min	Y	ABA Codes listed cannot be billed together for the same BCBA or BCBA-D cannot bill the same amount of time, fo (technician) All services administered by a technician must be directed
97157		Multiple-family group adaptive behavior treatment guidance, administered by physician or other qualified healthcare professional (without the member present), face-to-face with multiple sets guardians/caregivers, each 15 minutes.(Attended caregivers of 2 or more members and QHP)	BCBA	Ŷ			1 Unit = 15 min	Ŷ	A maximum of 1 hour of QHP supervision can be
97158		Group adaptive behavior treatment with protocol modification, administered by physician or other qualified healthcare professional, face-to-face with multiple members, each 15 minutes. (Attended by 2 or more members and QHP)	BCBA	Y			1 Unit = 15 min	Y	
0362T		Behavior identification supporting assessment, each 15 minutes of technicians' time face-to-face with a member, requiring the following components: □         administered by the physician or other qualified healthcare professional who is on site; □ with the assistance of two or more technicians; □ for a patient who exhibits destructive behavior; □ completed in an environment that is customized, to the patient's behavior. □ (Attended by member and 2 or more technicians;QHP on site)	BCBA, BCaBA, RBT	Υ			1 Unit = 15 min	Ŷ	
0373T		<ul> <li>Adaptive behavior treatment with protocol modification each 15 minutes of technicians' time face-to-face with patient, requiring the following components:         <ul> <li>administered by the physician or other qualified healthcare professional who is on site;</li> <li>with the assistance of two or more technicians;</li> <li>for a patient who exhibits destructive behavior;</li> <li>completed in an environment that is customized, to the patient's behavior.</li> </ul> </li> </ul>	BCBA, BCaBA, RBT,	Υ			1 Unit = 15 min	Y	
		Lattondod by momber and 2 or more techniciane ()HP on cite)		SUD Peer	r Recovery Supp	oort Services			
H0038	HM HN HO	SUD Individual Peer Recovery Support - Peer Recovery Support - Individual- ASAM Level 1 or 2Self help/peer services are specialized therapeutic interactions that are performed by individuals who are current or past recipients of behavioral health services. These individuals are trained and certified to provide support and assistance to individuals in their recovery and integration into the community. The goal is to provide understanding and coping skills and empowerment through mentoring and other supports so that individuals with severe and persistent mental disorders can cope with stress and achieve personal wellness.		Υ	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 33, 34, 53, 57, 99		1 unit = 15 min	Ν	

review ODM for additional eligibility requirements. The for Prior Authorization to be obtained

illed a maximum of 24 units for a total of 6 hours d total of 6 hours every 6 months after the initial ent.

same amount of time for the same date of service.

e, for the same date of service as the BCaBA or RBT cian). Acted and supervised by the BCaBA, BCBA or BCBA-

n be billed for every 10 hours of RBT time.

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits	Unit of Measure	PA	Additional Infor
H0038	HQ + HM HQ + HN HQ + HO	SUD Group Peer Recovery Support - Peer Recovery Support -Group ASAM Level 1 or 2 Self help/peer services are specialized therapeutic interactions that are performed by individuals who are current or past recipients of behavioral health services. These individuals are trained and certified to provide support and assistance to individuals in their recovery and integration into the community. The goal is to provide understanding and coping skills and empowerment through mentoring and other supports so that individuals with severe and persistent mental disorders can cope with stress and achieve personal wellness.		Ŷ	03, 04, 11, 12, 13, 14, 16, 18, 23, 31, 32, 33, 34, 53, 57, 99		1 unit = 15 min	N	
				SUD Inte	ensive Outpatient (	Group (IOP)			
H0015	HK	<ul> <li>Alcohol and/or drug services; Intensive Outpatient ASAM Level 2.1 - Counseling</li> <li>Services within an intensive outpatient treatment program requiring the patient to participate at least 3 hours per day for at least 3 days per week. The patient is assessed medically and psychologically, provided counseling, intervention, and activity therapy or education, according to the needs of the patient and the individual's treatment plan.</li> <li>* See BH Provider Manual on ODM website for additional information</li> </ul>		Y	03, 04, 11, 14, 16, 57		Per Diem rate	Ν	
H0015	U4, HK U5, HK U2, HK U3, HK	<ul> <li>Alcohol and/or drug services; Intensive Outpatient ASAM Level 2.1 - Counseling</li> <li>Services within an intensive outpatient treatment program requiring the patient to participate at least 3 hours per day for at least 3 days per week. The patient is assessed medically and psychologically, provided counseling, intervention, and activity therapy or education, according to the needs of the patient and the individual's treatment plan.</li> <li>* See BH Provider Manual on ODM website for additional information</li> </ul>		Υ	03, 04, 11, 14, 16, 57		Per Diem rate	N	
H0015	U1 U9 UA U6 U7	Alcohol and/or drug services; Intensive Outpatient ASAM Level 2.1 - Counseling Services within an intensive outpatient treatment program requiring the patient to participate at least 3 hours per day for at least 3 days per week. The patient is assessed medically and psychologically, provided counseling, intervention, and activity therapy or education, according to the needs of the patient and the individual's treatment plan. * See BH Provider Manual on ODM website for additional information	MFT-T	Y	03, 04, 11, 14, 16, 57		Per Diem rate	N	
				SUD Parti	al Hospitalization (	Group (PHP)			
H0015	TG, HK	Partial Hospitalization Level of Care- Group Counseling ASAM Level 2.5 Services within an intensive outpatient treatment program requiring the patient to participate at least 20 or more hours per week. The patient is assessed medically and psychologically, provided counseling, intervention, and activity therapy or education, according to the needs of the patient and the individual's treatment plan. * See BH Provider Manual on ODM website for additional information	PA PSV	Y	03, 04, 11, 14, 16, 57		Per Diem rate	Y	Eff 11/25/2019 - Change PA requirements for
H0015	TG + U4, HK TG + U5, HK TG + U2, HK TG + U3, HK TG + U3, HK	Partial Hospitalization Level of Care- Group Counseling ASAM Level 2.5 Services within an intensive outpatient treatment program requiring the patient to participate at least 20 or more hours per week. The patient is assessed medically and psychologically, provided counseling, intervention, and activity therapy or education, according to the needs of the patient and the individual's treatment plan. * See BH Provider Manual on ODM website for additional information	LSW LMFT LPC	Y	03, 04, 11, 14, 16, 57		Per Diem rate	Y	Eff 11/25/2019 - Change PA requirements for
H0015	TG + U1 TG + U9 TG + UA TG + U6 TG + U7	<ul> <li>Partial Hospitalization Level of Care- Group Counseling ASAM Level 2.5</li> <li>Services within an intensive outpatient treatment program requiring the patient to participate at least 20 or more hours per week. The patient is assessed medically and psychologically, provided counseling, intervention, and activity therapy or education, according to the needs of the patient and the individual's treatment plan.</li> <li>* See BH Provider Manual on ODM website for additional information</li> </ul>	SW-T	Y	03, 04, 11, 14, 16, 57		Per Diem rate	Y	Eff 11/25/2019 - Change PA requirements for
				SU	<b>UD Residential Ser</b>	vices			
H2034		Clinically Managed Low Intensity Residential Treatment ASAM 3.1 Halfway house services for alcohol and chemical dependency provide a transitional living environment. These services are structured to promote sobriety and independent living and to assist with continued treatment. Patients are free to work or attend classes during the day and return to the facility at night.	Agency - NPI of rendering practitioner overseeing treatment in rendering field	Y	55		Per Diem	Y	Up to 30 consecutive days without prior authorization. Prionecessity of continued stay, if not, only the initial 30 consecutive stays; any stays after that would be subject

# formation s for PA Required day 1 versus day 30 s for PA Required day 1 versus day 30 s for PA Required day 1 versus day 30

n. Prior authorization then must support the medical onsecutive days are reimbursed. Applies to first two subject to full prior authorization.

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits	Unit of Measure	PA	Additional Inform
H0010		Clinically Managed Withdrawal Management ASAM 3.2 (Subacute Detoxification) Acute and subacute detoxification services in which the differentiating factor is the setting where the patient is monitored for the long-term symptoms associated with the withdrawal from alcohol and/or drugs. Subacute detoxification deals with severe symptoms, such as alcohol and drug cravings, that do not require immediate intervention. Acute detoxification services are those in which the patient is medically managed and stabilized on an inpatient hospitalization basis for severe withdrawal syndrome associated with the withdrawal from alcohol/drugs. Acute withdrawal begins within hours and includes severe physical and psychological symptoms that may require medical management with medications such as methadone.	Agency - NPI of rendering practitioner overseeing treatment in rendering field	Y	55		Per Diem	N	
H2036	HI	Clinically Managed Population Specific High Intensity Residential Treatment ASAM 3.3 Outpatient services for alcohol and chemical dependency are structured to promote sobriety and independent living and to assist with continued treatment Outpatient services allow patients to present for prescribed treatments and therapy and to maintain an otherwise routine home life	Agency - NPI of rendering practitioner	Ŷ	55		Per Diem - Benefit only available for members 18 years of age and older	Y	Up to 30 consecutive days without prior authorization. Prior necessity of continued stay, if not, only the initial 30 consecu stays; any stays after that would be subject
H2036		Clinically Managed High Intensity Residential Treatment ASAM 3.5 Outpatient services for alcohol and chemical dependency are structured to promote sobriety and independent living and to assist with continued treatment Outpatient services allow patients to present for prescribed treatments and therapy and to maintain an otherwise routine home life	Agency - NPI of rendering practitioner . overseeing treatment in rendering field	Y	55		Per Diem	Y	Up to 30 consecutive days without prior authorization. Prior necessity of continued stay, if not, only the initial 30 consecu stays; any stays after that would be subject
H0014		Withdrawal Management Hourly ASAM 2 (Ambulatory Detoxification) 1 Hour         Acute and subacute detoxification services in which the differentiating factor is the setting where the patient is monitored for the long-term symptoms associated with the withdrawal from alcohol and/or drugs. Subacute detoxification deals with severe symptoms, such as alcohol and drug cravings, that do not require immediate intervention. Acute detoxification services are those in which the patient is medically managed and stabilized on an inpatient hospitalization basis for severe withdrawal syndrome associated with the withdrawal from alcohol/drugs. Acute withdrawal begins within hours and includes severe physical and psychological symptoms that may require medical management with medications such as methadone	RN	Y	11, 55, 57		1 hour	N	
H0014	AT	<ul> <li>Withdrawal Management Hourly ASAM 2 (Ambulatory Detoxification) billed for hours 2-3</li> <li>Acute and subacute detoxification services in which the differentiating factor is the setting where the patient is monitored for the long-term symptoms associated with the withdrawal from alcohol and/or drugs. Subacute detoxification deals with severe symptoms, such as alcohol and drug cravings, that do not require immediate intervention. Acute detoxification services are those in which the patient is medically managed and stabilized on an inpatient hospitalization basis for severe withdrawal syndrome associated with the withdrawal from alcohol/drugs. Acute withdrawal begins within hours and includes severe physical and psychological symptoms that may require medical management with medications such as methadone</li> </ul>	RN	Y	11, 55, 57		2-3 hours	N	
H0014		Withdrawal Management Hourly ASAM 2 (Ambulatory Detoxification) 1 hour         Acute and subacute detoxification services in which the differentiating factor is the setting where the patient is monitored for the long-term symptoms associated with the withdrawal from alcohol and/or drugs. Subacute detoxification deals with severe symptoms, such as alcohol and drug cravings, that do not require immediate intervention. Acute detoxification services are those in which the patient is medically managed and stabilized on an inpatient hospitalization basis for severe withdrawal syndrome associated with the withdrawal from alcohol/drugs. Acute withdrawal begins within hours and includes severe physical and psychological symptoms that may require medical management with medications such as methadone	LPN	Y	11, 55, 57		1 hour	N	
H0014	AT	Withdrawal Management Hourly ASAM 2 ( Ambulatory Detoxification) billed for hours 2-3         Acute and subacute detoxification services in which the differentiating factor is the setting where the patient is monitored for the long-term symptoms associated with the withdrawal from alcohol and/or drugs. Subacute detoxification deals with severe symptoms, such as alcohol and drug cravings, that do not require immediate intervention. Acute detoxification services are those in which the patient is medically managed and stabilized on an inpatient hospitalization basis for severe withdrawal syndrome associated with the withdrawal from alcohol/drugs. Acute withdrawal begins within hours and includes severe physical and psychological symptoms that may require medical management with medications such as methadone	LPN	Y	11, 55, 57		2-3 hours	N	

n. Prior authorization then must support the medical onsecutive days are reimbursed. Applies to first two subject to full prior authorization

n. Prior authorization then must support the medical onsecutive days are reimbursed. Applies to first two subject to full prior authorization.

Code	Procedure/Practitioner Modifier	Description	Professional Abbreviation	Covered Y / N	Place of Service	Limits Unit of Measure	PA	Additional Infor
H0012		Withdrawal Management Hourly ASAM 2 (Residential Addiction Program Outpatient)         Acute and subacute detoxification services in which the differentiating factor is the setting where the patient is monitored for the long-term symptoms associated with the withdrawal from alcohol and/or drugs. Subacute detoxification deals with severe symptoms, such as alcohol and drug cravings, that do not require immediate intervention. Acute detoxification services are those in which the patient is medically managed and stabilized on an inpatient hospitalization basis for severe withdrawal syndrome associated with the withdrawal from alcohol/drugs. Acute withdrawal begins within hours and includes severe physical and psychological symptoms that may require medical management with medications such as methadone	MD/DO CNS CNP PA	Y	11, 55, 57	Per Diem	N	
H2036	TG	Medically Monitored Intensive Inpatient Treatment (Adults) and Medically         Monitored High Intensity Inpatient Services (Adolescent) ASAM 3.7         Outpatient services for alcohol and chemical dependency are structured to         promote sobriety and independent living and to assist with continued treatment.         Outpatient services allow patients to present for prescribed treatments and         therapy and to maintain an otherwise routine home life	Agency - NPI of rendering practitioner	Y	55	Per Diem	Y	Up to 30 consecutive days without prior authorization. Prio necessity of continued stay, if not, only the initial 30 consecu- stays; any stays after that would be subje
H0011		<ul> <li>Medically Monitored Inpatient Withdrawal Management ASAM 3.7 (Residential Addiction Program Inpatient)</li> <li>Acute and subacute detoxification services in which the differentiating factor is the setting where the patient is monitored for the long-term symptoms associated with the withdrawal from alcohol and/or drugs. Subacute detoxification deals with severe symptoms, such as alcohol and drug cravings, that do not require immediate intervention. Acute detoxification services are those in which the patient is medically managed and stabilized on an inpatient hospitalization basis for severe withdrawal syndrome associated with the withdrawal from alcohol/drugs. Acute withdrawal begins within hours and includes severe physical and psychological symptoms that may require medical management with medications such as methadone</li> </ul>	Agency - NPI of rendering practitioner overseeing treatment in rendering field	Υ	55	Per Diem	Ν	
				SU	D - Urine Drug S	Screen		
H0048		Alcohol and/or other drug testing: collection, handling and point of service testing, specimens other than blood Collection of specimens for alcohol/drug analysis is dependent on the type of biological sample obtained. Samples typically include urine or hair. This code represents the collection and handling of specimens other than blood samples. The handling of specimens requires a chain of custody from the point of collection throughout the analysis process to ensure the integrity of the specimer	PA RN, LPN PSY LISW LIMFT	Υ	11, 57	Encounter	N	
H0048	U4 U5 U2 U3 U1 U9 U8 U8 UA U6 U7 HM HM HM HM HN HN HO	Alcohol and/or other drug testing: collection, handling and point of service testing, specimens other than blood Collection of specimens for alcohol/drug analysis is dependent on the type of biological sample obtained. Samples typically include urine or hair. This code represents the collection and handling of specimens other than blood samples. The handling of specimens requires a chain of custody from the point of collection throughout the analysis process to ensure the integrity of the specimer	LSW LMFT LPC LCDC III, LCDC II PSY assistant SW-T SW-A MFT-T CDC-A	Υ	11, 57	Encounter	N	
				e 2-6: Medicatio	ons Administered	by Medical Personnel		
J0400		Injection, aripiprazole (Abilify), intramuscular, 0.25 mg		Y	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J0401		Injection, aripiprazole (Abilify), 1 mg		Y	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J1200		Diphenhydramine hcl (Benadryl), up to 50 mg		Y	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J1630		Haloperidol injection, up to 5 mg		Υ	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J1631		Haloperidol Decanoate injection, per 50 mg		Y	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J2060		Lorazepam injection, 2 mg		Y	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J2310		Injection, naloxone (Narcan), 1 mg		Y	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J3490		Administration of Nasal Narcan		Y	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J2358		Olanzapine long acting injectable, 1 mg		Y	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J2680		Fluphenazine Decanoate injection, 25 mg		Y	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J2794		Risperidone, long acting, .5 mg		Y	03, 04, 11, 12, 14, 53, 55, 57	Based on HCPCS descriptor	Ν	
J2426		Paliperidone Palmitate injection (Invega Sustenna or Invega Trinza), 1 mg		Y	03, 04, 11, 12, 14, 53, 55,	Based on HCPCS descriptor	Ν	

A. Prior authorization then must support the medical onsecutive days are reimbursed. Applies to first two subject to full prior authorization

Additional Inform	PA	Unit of Measure	Limits	Place of Service	Covered Y/N	<b>Professional Abbreviation</b>	Description	Procedure/Practitioner Modifier	Code
	N	Based on HCPCS descriptor		03, 04, 11, 12, 14, 53, 55,	Ŷ		Valium injection, up to 5 mg		J3360
	N	Based on HCPCS descriptor		03, 04, 11, 12, 14, 53, 55, 57	Y		Cogentin (benztropine mesylate), per 1 mg		J0515
	N	Based on HCPCS descriptor		03, 04, 11, 12, 14, 53, 55, 57	Y		Injection, naltrexone (Vivitrol), depot form, 1 mg		J2315
	N	Based on HCPCS descriptor		03, 04, 11, 12, 14, 53, 55, 57	Y		Injection, methylnaltrexone (Relistor), 0.1 mg		J2212
	Ν	Based on HCPCS descriptor		03, 04, 11, 12, 14, 53, 55, 57	Y		Oral Naltrexone	HG	J8499
	Ν	Based on HCPCS descriptor		03, 04, 11, 12, 14, 53, 55, 57	Y		Buprenorphine, oral, 1 mg		J0571
	stration	her Medication Adminis	MH/SUD Oth	edical Personnel	nistered by M	ble 2-6: Medications Admi	Tal		
	Ν	CPT designation		03, 04, 11, 12, 14, 16, 18, 53, 57	Y	MD/DO CNS CNP PA RN/LPN	<b>Other Medication Administration:</b> Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular		96372
			Services	2 - 7: Laboratory S	Table				
	N	CPT designation		03, 04, 11, 12, 14, 53, 55, 57	Y		Skin test; tuberculosis, intradermal		86580
Note: Code 36415 collection of venous blood by venipunct with covered external la	Ν	CPT designation		03, 04, 11, 12, 14, 53, 55, 57	Y		Collection of venous blood by venipuncture		36415
	Ν	CPT designation		03, 04, 11, 12, 14, 53, 55, 57	Y		Alcohol (ethanol), breath		82075
Effective 8/1/20 The provider will need to have a minimum	N	CPT designation		03, 04, 11, 12, 14, 53, 55, 57	Y		Urine pregnancy test	QW	81025
		Providers	ioral Health P	accines for Behavi	-8: Covered V	Table 2			
	Ν				Y		Immunization administration through 18 years of age via any route of administration, with counseling by physician or other health care professional; first or only component of each vaccine or toxoid administered		90460
	N				Y		Immunization administration (includes percutaneous, intradermal, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)		90471
add-on to 9047	Ν				Y		Immunization administration; each additional vaccine. List separately in addition to code for primary procedure		90472
		/2019	Effective 8/1/2	king Cessation -	ble 3-6.5: Smo	Ta			
* Secure video conferencing allowe	Ν	1 which represents an encounter		03, 04, 11, 12,13, 14,16,31,32,34, 99, 53, 57	Y	MD/DO PSY CNS CNP PA LISW LIMFT LICDC (SUD only) Lic school PSY	Smoking and Tobacco Use Cessation Counseling - Intermediate: Greater that 3 minutes and up to 10 minutes		99406

formation
Incture may be billed for blood draws associated al lab services.
/2019 um CLIA waived test certification
0471
owed with GT modifier.

Unit of Measure PA	Limits Unit of Measure	Place of Service	Covered Y/N	<b>Professional Abbreviation</b>	Description	Procedure/Practitioner Modifier	Code
1 which represents an encounter <b>N</b> * Secure vid	1 which represents an encounte	03, 04, 11, 12,13, 14,16,31,32,34, 99, 53, 57	Y	LSW LMFT LPC LCDC III (SUD only) LCDC II (SUD onlly)	Smoking and Tobacco Use Cessation Counseling - Intermediate: Greater that 3 minutes and up to 10 minutes	U4 U5 U2 U3 U3	99406
1 which represents an encounter <b>N</b> * Secure vid	1 which represents an encounte	03, 04, 11, 12,13, 14,16,31,32,34, 99, 53, 57	Y	PSY assistant	Smoking and Tobacco Use Cessation Counseling - Intermediate: Greater that 3 minutes and up to 10 minutes	U1	99406
1 which represents an encounter <b>N</b> * Secure vid	1 which represents an encounte	03, 04, 11, 12,13, 14,16,31,32,34, 99, 53, 57	Ŷ	SW-T MFT-T CDC-A (SUD only) C-T	Smoking and Tobacco Use Cessation Counseling - Intermediate: Greater that 3 minutes and up to 10 minutes	U9 UA U6 U7	99406
1 which represents an encounter N * Secure vid	1 which represents an encounte	03, 04, 11, 12,13, 14,16,31,32,34, 99, 53, 57	Y	MD/DO PSY CNS CNP PA LISW LIMFT LPCC LICDC (SUD only) LIC school PSY	Smoking and Tobacco Use Cessation Counseling - Intensive: Greater that 10 minutes		99407
1 which represents an encounter <b>N</b> * Secure vid	1 which represents an encounte	03, 04, 11, 12,13, 14,16,31,32,34, 99, 53, 57	Ŷ	LSW LMFT LPC LCDC III (SUD only) LCDC II (SUD onlly)	Smoking and Tobacco Use Cessation Counseling - Intensive: Greater that 10 minutes	U4 U5 U2 U3 U3	99407
1 which represents an encounter <b>N</b> * Secure vid	1 which represents an encounte	03, 04, 11, 12,13, 14,16,31,32,34, 99, 53, 57	Y	PSY assistant	Smoking and Tobacco Use Cessation Counseling - Intensive: Greater that 10 minutes	U1	99407
1 which represents an encounter N * Secure vid	1 which represents an encounte	03, 04, 11, 12,13, 14,16,31,32,34, 99, 53, 57	Y	SW-T MFT-T CDC-A (SUD only) C-T	Smoking and Tobacco Use Cessation Counseling - Intensive: Greater that 10 minutes	U9 UA U6 U7	99407
		Vaccine CPT					
Ν			Y		Hepatitis A vaccine (HepA), pediatric/adolescent dosage-2 dose schedule, for intramuscular use		90633
N			Y		Hepatitis A vaccine (HepA), pediatric/adolescent dosage-3 dose schedule, for intramuscular use		90634
N N			<u>Y</u>		Hepatitis A vaccine (HepA), adult dosage, for intramuscular use		90632
N N			Y Y		Hepatitis B immune globulin (HBIg), human, for intramuscular useHuman Papillomavirus vaccine, types 16, 18, bivalent (2vHPV), 3 dose schedule,		90371 90650
					for intramuscular use Human Papillomavirus vaccine, types 6, 11, 16, 18, quadrivalent (4vHPV), 3 dose		90649
					schedule, for intramuscular use Vaccine for meningococcal and Hemophilus influenza B (4 dose schedule)		
N			Y		injection into muscle, children 6 weeks-18 months of age Diphtheria, tetanus toxoids, acellular pertussis vaccine, Haemophilus influenza		90644
N			Y		type b, and inactivated poliovirus vaccine (DTaP-IPV/Hib), for intramuscular use		90698
N			Y		Influenza virus vaccine, trivalent (IIV3), split virus, preservative-free, for intradermal use		90654
N N			Y		Vaccine for influenza for administration into muscle, 0.5 ml dosage		90658 90660
			Y		Influenza virus vaccine, trivalent, live (LAIV3), for intranasal usePneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use		90670
N N			Y		Rotavirus vaccine, pentavalent (RV5), 3 dose schedule, live, for oral use		90680
N I			Y		Rotavirus vaccine, human, attenuated (RV1), 2 dose schedule, live, for oral useDiphtheria, tetanus toxoids, acellular pertussis vaccine and inactivated		90681
							90696
N			Y		poliovirus vaccine (DTaP-IPV), when administered to children 4 through 6 years		
N N			. Ү 				90713
N         N           N         N			Y Y		poliovirus vaccine (DTaP-IPV), when administered to children 4 through 6 years of age, for intramuscular usePoliovirus vaccine, inactivated (IPV), for subcutaneous or intramuscular useMeasles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use		90713
N       N       N       N       N			Ү Ү Ү Ү		<ul> <li>poliovirus vaccine (DTaP-IPV), when administered to children 4 through 6 years of age, for intramuscular use</li> <li>Poliovirus vaccine, inactivated (IPV), for subcutaneous or intramuscular use</li> <li>Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use 90710</li> <li>Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous</li> </ul>		90713
N       N       N			Y Y Y		poliovirus vaccine (DTaP-IPV), when administered to children 4 through 6 years of age, for intramuscular usePoliovirus vaccine, inactivated (IPV), for subcutaneous or intramuscular useMeasles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use 90710		

# formation allowed with GT modifier. llowed with GT modifier. llowed with GT modifier. llowed with GT modifier. llowed with GT modifier. allowed with GT modifier. allowed with GT modifier.

Code	Procedure/Practitioner Modifier	Description	<b>Professional Abbreviation</b>	Covered Y/N	Place of Service	Limits	Unit of Measure	PA	Additional Info
90714		Tetanus and diphtheria toxoids adsorbed (Td), preservative free, when administered to individuals 7 years or older, for intramuscular use		Y				N	
90715		Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to individuals 7 years or older, for intramuscular use		Y				N	
90716		Varicella virus vaccine (VAR), live, for subcutaneous use		Y				N	
90736		Shingles vaccine (HZV), live, for subcutaneous injection (individuals 60+ years old)		Y				N	
90732		Pneumococcal polysaccharide vaccine, 23-valent (PPSV23), adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use		Y				N	
90733		Meningococcal polysaccharide vaccine, serogroups A, C, Y, W-135, quadrivalent (MPSV4), for subcutaneous use		Y				N	
90734		Vaccine for meningococcus for administration into muscle		Y				N	
90740		Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 3 dose schedule, for intramuscular use		Y				N	
90746		Hepatitis B vaccine (HepB), adult dosage, 3 dose schedule, for intramuscular use		Y				N	
90747		Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 4 dose schedule, for intramuscular use		Y				N	
		NOTE: Service code consider	ations referenced in the ODM I	Billing and IT Reso	urces section of ODM	's BH Re-design/Ca	arve-in website may apply (htt	p://bh.medicaid.ohio.gov/ma	nnuals)