



## MEDICAL POLICY STATEMENT Arkansas PASSE

Policy Name & Number	Date Effective
Applied Behavior Analysis for Autism Spectrum Disorder-AR PASSE-MM-1227	06/01/2024-12/31/2024
Policy Type	
MEDICAL	

Medical Policy Statement prepared by CareSource and its affiliates are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

Medical Policy Statements prepared by CareSource and its affiliates do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced in the Medical Policy Statement. If there is a conflict between the Medical Policy Statement and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination. According to the rules of Mental Health Parity Addiction Equity Act (MHPAEA), coverage for the diagnosis and treatment of a behavioral health disorder will not be subject to any limitations that are less favorable than the limitations that apply to medical conditions as covered under this policy.

### Table of Contents

A. Subject.....	2
B. Background.....	2
C. Definitions .....	3
D. Policy .....	4
E. Conditions of Coverage .....	11
F. Related Policies/Rules .....	11
G. Review/Revision History .....	11
H. References .....	11

A. Subject

**Applied Behavior Analysis for Autism Spectrum Disorder**

B. Background

The *Diagnostic and Statistical Manual of Mental Disorders, 5<sup>th</sup> Edition, Text Revised* (DSM-5-TR) classifies Autism Spectrum Disorder (ASD) as a neurodevelopmental disorder that varies widely in severity and symptoms, depending on the developmental level and chronological age of the individual. ASD is characterized by specific developmental deficits that affect socialization, communication, academic, and personal functioning. Individuals are typically diagnosed before entering grade school, and symptoms are noticed across multiple contexts, including social reciprocity, nonverbal communicative behaviors, and skills in developing, maintaining and understanding relationships. Restricted, repetitive patterns of behavior, interests or activities are also often present.

Currently, there is no cure for ASD, nor is there any single treatment for the disorder. The diagnosis may be managed through a combination of therapies, including behavioral, cognitive, pharmacological, and educational interventions with a goal of minimizing the severity of ASD symptoms, maximizing learning, facilitating social integration, and improving quality of life for the member and family/caregiver(s). Applied behavior analysis (ABA), one such therapy, may be provided in centers or at home and provides an evidence-based practice for the treatment of ASD.

ABA is based on the science of behavior, which was founded on the premise that understanding behavior functioning, how it is affected by the environment, and how learning to change behavior can improve the human condition. It is a flexible treatment in that it should always be adapted to the needs of each individual, teaches skills that are useful and generalizable, and involves individual, group and family training. Qualified and trained practitioners provide and/or oversee ABA programs and are accountable to state boards for registration, certification, or licensure requirements. Clinical decisions on telehealth service delivery models should be selected based on the individual needs, strengths, preference of service modality, caregiver availability, and environmental support available.

CareSource follows Arkansas Code and Arkansas Department of Health and Human Services guidelines in the provision of ABA services, which are based on a diagnosis from the *Diagnostic and Statistical Manual of Mental Disorders, 5<sup>th</sup> ed., Text Revised* (DSM-5-TR). Severity levels are divided into two domains, social communication and restricted, repetitive behaviors, and are defined by the *DSM-5-TR* as follows:

Severity Levels for Autism Spectrum Disorder		
Severity Level	Social Communication	Restricted, Repetitive Behaviors
Level 3 – “Requiring very	Severe deficits in verbal & nonverbal social communication skills cause severe impairments in functioning, very	Inflexibility of behavior, extreme difficulty coping with change, or other restricted/ repetitive behaviors markedly

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

substantial support”	limited initiation of social interactions, and minimal response to social overtures from others.	interfere with functioning in all spheres. Great distress/difficulty changing focus or action.
Level 2 – “Requiring substantial support”	Marked deficits in verbal and nonverbal social communication skills, social impairments apparent even with supports in place, limited initiation of social interactions, and reduced or abnormal responses to social overtures from others.	Inflexibility of behavior, difficulty coping with change, or other restricted/ repetitive behaviors appear frequently enough to be obvious to the casual observer and interfere with functioning in a variety of contexts. Distress and/or difficulty changing focus or action.
Level 1 – “Requiring support”	Without supports in place, deficits in social communication cause noticeable impairments. Difficulty initiating social interactions and clear examples of atypical or unsuccessful responses to social overtures of others. May appear to have decreased interest in social interactions.	Inflexibility of behavior causes significant interference with functioning in one or more contexts. Difficulty switching between activities. Problems of organization and planning hamper independence.

### C. Definitions

- **Autism Spectrum Disorder (ASD)** – *DSM-5-TR* disorder with identified diagnostic criteria and associated severity levels characterized by persistent deficits in social communication and interaction across multiple contexts and the presence of restricted, repetitive patterns of behavior, interests, or activities causing significant impairment.
- **Applied Behavior Analysis (ABA)** – Design, implementation, and evaluation of environmental modifications by a board-certified behavior analyst using behavioral stimuli and consequences to produce socially significant improvement in behavior, including direct observation, measurement, and functional analysis of the relationship between environment and behavior.
- **Caregiver/Family Training** – Training taught by a therapist to parents/caregivers on how to implement methods utilized in a clinical setting into other environments, such as the home or community, to maximize outcomes furthering generalization of skills and maximizing and reinforcing methods being taught.
- **Person Centered Service Plan (PCSP)** – A member’s total plan of care made in accordance with 42 C.F.R. § 441.301(c)(1) that indicates services necessary for the member, specific member needs, member strengths, and a crisis plan.
- **Standardized Diagnostic Assessment Tools** – Evidence-based tools designed to assist with identification of symptoms and criteria for a diagnosis or disorder. Common tools for the diagnosis of ASD, include the following:
- **SMART Goals** – Goals that are specific (S), measurable (M), attainable (A), relevant (R), and time-bound (T).
- **Independent Practitioner** – All ABA services must be provided by a Behavior Analyst Certification Board (BACB)-certified behavior professional/paraprofessional:

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

- Board Certified Assistant Behavior Analyst (BCaBA)
- Board Certified Behavior Analyst (BCBA)
- Board Certified Behavior Analyst - Doctoral (BCBA-D)
- **Supervision** - Directing, guiding, training and assessing individuals who provide behavior-analytic services with responsibilities in accordance with the board from which the practitioner received a license.
  - Services delivered by a BCaBA must be supervised by a BCBA, BCBA-D or a licensed/ registered psychologist certified by the American Board of Professional Psychology in Behavioral and Cognitive Psychology who has tested in ABA.

## D. Policy

### I. General Guidelines

- A. Medical necessity review is required for all ABA services initially with a baseline and then, again, every 6 months. Appropriate documentation, as indicated in this policy, must be submitted for review and align with the State's definition of medical necessity that includes that treatment is not more costly than an alternative service or sequence of services at least as likely to produce equivalent therapeutic or diagnostic results.
- B. ABA therapy should begin early in life, ideally by the age of 2, typically lasting up to 3 to 4 years and is subject to the member's response to treatment.
- C. Members under 21 will be assessed. Treatment goals and intensity will be based on individual needs and progress in treatment with a focus on remediation of symptoms.

### II. Initiation of ABA Services

#### A. Documentation

CareSource must receive documentation that confirms the following medical criteria:

1. definitive, primary diagnosis of ASD made by one of the following practitioners upon evaluation:
  - a. child and adolescent psychiatrist
  - b. psychologist
  - c. child neurologist
  - d. developmental pediatrician
2. standardized diagnostic assessment tools considered multidisciplinary evaluations, including
  - a. Autism Diagnostic Observation Schedule (ADOS)
  - b. Autism Diagnostic Interview Revised (ADI-R)
  - c. Childhood Autism Rating Scale, 2<sup>nd</sup> edit. (CARS-2)
3. written documentation (eg, provider letter) that describes DSM clinical symptoms present within the past year requiring treatment if the submitted diagnostic evaluation was completed more than 24 months from date

#### B. Initial Behavior Assessment

Before services are provided, an initial behavior identification assessment will be performed by a fully credentialed BCBA with state licensure, if available, and

a treatment plan developed. Generally, behavioral assessments are not to exceed 8 hours every 6 months, unless additional justification is provided.

C. Initial Treatment Plan

An initial ABA treatment plan individualized to the caregiver/family needs, values, priorities and circumstances for member goals and parent/caregiver training will be developed by the member, family/caregiver, and provider and must include the following:

1. Biopsychosocial information, including, but not limited to:
  - a. current family structure
  - b. medication history, including dosage and prescribing physician
  - c. medical history
  - d. school placement and hours in school per week, including homeschool instruction and any individualized education plans (IEP)
  - e. history of ABA services, including service dates and progress notes
  - f. all behavioral health diagnoses and services, including any hospitalizations
  - g. other services member is receiving (eg, speech therapy [ST], occupational therapy [OT], physical therapy [PT]), including evidence of coordination with other disciplines involved in the assessment
  - h. caregiver proficiency and involvement in treatment
  - i. any major life changes
2. rationale for ABA services (eg, how ABA addresses current areas of need), including the following:
  - a. history with symptom intensity and symptom duration, including how symptoms affect the member's ability to function in various settings
  - b. evidence of previous therapy (eg, outcomes from previous ABA treatment, ST, OT, PT) and how results influence proposed treatment
  - c. type, duration, frequency for services.
3. goals related to core deficits (eg, communication problems, relationship development, social and problem behaviors) must include the following:
  - a. outcome driven, performance-based, and individualized measures focused on targeted symptoms, behaviors, and functional impairments
  - b. based on the behavioral assessment and a standardized developmental and functional skills assessment/curriculum (eg, Verbal Behavior Milestones Assessment and Placement Program [VB-MAPP], Assessment of Basic Language and Learning Skills [ABLLS-R]).
  - c. a description of treatment activities and documentation of active participation by member and caregiver/family in the implementation of treatment OR documentation detailing barriers to family/ caregiver participation and how those barriers are being actively addressed
  - d. SMART goals that define how improvement will be noted, frequency of treatment (number of hours per week), and duration of treatment
4. Behavioral Intervention Plan and/or a Plan of Care (POC)

5. a prescription with the number of ABA hours requested per week based on the member's specific needs, not on a general program structure, as evidenced by all of the following:
  - a. Treatment is provided at the lowest level of intensity appropriate to the member's clinical needs and goals with the number of hours requested reflecting the actual number of hours intended to be provided.
  - b. A detailed description of problems, goals and interventions support the requested intensity of treatment.
6. a plan to modify the intensity and duration of treatment over time based on the member's progress, including an individualized discharge plan specific to treatment needs
7. coordination with other behavioral health and medical

### III. Continuation of ABA

Requests for continuation of ABA services are to be submitted every six months, and documentation must meet **EITHER** of the following criteria:

- A. A definitive diagnosis of ASD persists, and member continues to demonstrate ASD symptoms that will benefit from treatment in at least two settings.
- B. A treatment plan as noted in D. II. C., including the following:
  1. an updated progress report with assessment scores that note improvement and member response to treatment from baseline targeted symptoms, behaviors, and functional impairments using the same modes of measurement utilized for baseline measurements
  2. a plan to transition services in intensity over time
- C. Parent/caregiver(s) are involved and making progress in development of behavioral interventions.

#### OR

- D. When requesting continuation with inadequate progress on targeted symptoms or behaviors or no demonstrable progress within a 6-month period, an assessment of the reasons for lack of progress should be documented and provided. Treatment interventions should be modified to achieve adequate progress. Documentation should include
  1. change in possible treatment techniques
  2. increased parent/caregiver training
  3. increased time and/or frequency working on specific targets
  4. identification and resolution of barriers to treatment efficacy
  5. any newly identified co-existing disorders and possible treatment
  6. modified or removed goals and interventions

### IV. Discontinuation of ABA Therapy

Titration or discontinuation of ABA therapy should occur when any of the following conditions are met (not an all-inclusive list):

- A. Treatment ceases to produce significant meaningful progress or maximum benefit has been reached.



- B. Member behavior does not demonstrate meaningful progress for two successive 6-month authorization periods as demonstrated via standardized assessments.
  - C. ABA therapy worsens symptoms, behaviors or impairments.
  - D. Symptoms stabilize allowing member to transition to less intensive treatment or level of care.
  - E. Parents/caregivers have refused treatment recommendations, are unable to participate in the treatment program, and/or do not follow through on treatment recommendations to an extent that compromises the effectiveness of the services for member progress.
- V. Parent/caregiver Training
- Training will evolve as goals are met. ABA services must include documentation of the following:
- A. Parents/caregivers understand and agree to comply with the requirements of treatment.
  - B. The treatment request addresses how the parents/caregivers will be trained in skills that can be generalized to the home and other environments.
  - C. The treatment plan includes methods by which the parents/caregivers will demonstrate trained skills.
  - D. Barriers to parent involvement and plans to address are noted (eg, does parent/caregiver address treatment goals when treatment professionals are not present, parent/caregiver overall skill abilities).
  - E. Parent/caregiver time involvement, including any materials or meetings occurring on a routine basis, is documented.
  - F. Parent/caregiver should be actively working on at least one unmet goal.
- VI. Telehealth
- Parent/caregiver training and supervision may be provided by telehealth. 1:1 ABA services may be provided via telehealth in instances deemed medically necessary with supporting documentation that provides a plan for the provision of service delivery.
- VII. Other Documentation Requirements
- Arkansas (AR) Department of Human Services (DHS) outlines requirements for documentation expectations for client records. Required enrollment documentation is detailed in Section 140.000 of provider manuals on the AR DHS website. Each dated entry in the professional record is maintained for a period of not less than 10 years after the last date of service or not less than the length of time required by other regulations, if longer. All written, electronic and other records will be stored and disposed of in such a manner as to ensure confidentiality. All must be legible, and electronic signatures are accepted, provided that the signature complied with Ark. Code Ann. § 25-31-103. General documentation requirements are included in CareSource's policies *Behavioral Health Service Record Documentation Requirements* and *Medical Record Documentation Standards for Practitioners*. AR stipulates that documentation, at a minimum, include the following:

- A. a copy of the member's treatment plan
- B. specific services rendered
- C. signed consent by a parent/legal guardian to receive services
- D. date and actual time (start/stop) services were rendered
- E. name and title of individual providing the service, including a dated signature
- F. relationship of the service to the treatment regimen listed on the treatment plan
- G. updates describing member progress or lack thereof

#### VIII. Codes of Conduct

Codes of conduct exist to meet credentialing needs of professionals but also function to protect members by establishing, disseminating, and managing professional standards. CareSource supports professional standards established by licensing and credentialing bodies, and therefore, encourages professional compliance to any and all standards across disciplines for the protection of members and families. The ethics code written by the Behavior Analyst Certification Board includes the following standards (not all-inclusive):

- A. Family oversight must occur by/with the BCBA or BCaBA. An RBT may be present during a family training session to provide assistance with interventions, but the training or supervision of interventions cannot be completed by the RBT.
- B. Providers will create a contract for consent to services (eg, "Declaration of Professional Practices and Procedures") at the onset of services that defines and documents, in writing, the professional role with relevant parties.
- C. Appropriate effort will be made to involve members and stakeholders in treatment, including selecting goals, designing assessments and interventions, and conducting continual progress monitoring.
- D. Providers will identify and address environmental conditions (eg, behavior of others, hazards to client or staff) that may interfere with service delivery, including the identification of effective modifications to interventions and appropriate documentation of conditions, actions taken, and eventual outcomes.
- E. Continuity of services will be facilitated to avoid interruption or disruption of services for members, including documentation of actions taken and eventual outcomes.
- F. Providers will address any possible circumstances when relevant stakeholders are not complying with the behavior-change intervention(s) despite documented and appropriate efforts to address barriers to treatment.

#### IX. Supervision Expectations

The Behavior Analyst Certification Board enacts guidelines for supervision requirements and documentation expectations for providers within the profession. Supervision contract requirements can be found in the *BACB Handbook*. Documentation related to supervision must be maintained for a minimum of 7 years from the last date of supervision.

- A. At a minimum, RBTs must document the following related to supervision (not all inclusive):
  - 1. days and times behavior-analytic services were provided



2. dates and duration of supervision
3. supervision format (one-on-one, group)
4. dates of direct observation
5. names of supervisors providing supervision
6. noncertified RBT supervisor form, if applicable
7. proof of supervisor's relationship to the client
8. additional documentation in the event of discrepant records (session notes)
- B. Supervisors must document the following for any supervision hours conducted:
  1. date with start and stop times
  2. fieldwork type
  3. supervision type (group or individual)
  4. activity category (restricted or unrestricted)
  5. summary of supervision activity, including:
    - a. discussion of activities completed during independent hours and any feedback provided
    - b. progress toward individual member goals
    - c. outcome of supervision, including any modification to treatment interventions or plans of care
    - d. collaboration of care among providers
  6. dated signature of supervisor and supervisee, including credentials
- C. Observations must include the following (at a minimum):
  1. date with start and stop times
  2. fieldwork type
  3. setting name
  4. supervisor name
  5. activity category (restricted or unrestricted)
- X. Special Provisions Related to RBTs
  - A. Current Standards for RBTs
    1. RBT services must be supervised by a qualified RBT supervisor. RBTs must obtain ongoing supervision for a minimum of 5% of the hours spent providing ABA services per month.
    2. An RBT who is certified by the National Behavior Analyst Certification Board may provide ABA under the supervision of an independent practitioner if enrolled in the Medicaid program and affiliated with the organization under which he/she is employed or contracted. If the independent practitioner leaves the affiliated organization and no longer provides supervision, the RBT may not continue to provide services under that independent practitioner. Additionally, if the RBT leaves the affiliated organization and no longer receives board mandated supervision, the RBT may not continue to provide services to the member.
    3. RBTs must use appropriate modifiers that indicate qualifications of staff delivering services.

- B. Upcoming RBT Changes from the Behavior Analyst Certification Board
  - 1. **Effective January 1, 2026:** In the interest of consumer protection, the BACB Board of Directors approved a recommendation that RBT supervisors must hold BCBA or BCaBA certification. Noncertified supervisors will not be allowed to provide BACB-required supervision to RBTs. During this transition, RBT Requirements Coordinators who currently attest to the qualifications of noncertified supervisors should make preparations to ensure continuity of care for clients.
  - 2. **Effective January 1, 2026:** New rules regarding eligibility for and maintenance of certification for RBTs were adopted by the BACB Board of Directors and can be located in the *BACB Newsletter: December 2023* at [www.bacb.com](http://www.bacb.com).

#### XI. Exclusions

- A. rehabilitative services (eg, community psychiatric supportive treatment, therapeutic behavioral service, psychosocial rehabilitation service) will not be reimbursed for the provision of ABA
- B. reimbursement for the following services or activities is not permitted:
  - 1. any services not documented in the treatment plan
  - 2. behavioral methods or modes considered experimental
  - 3. education-related services or activities described under Individuals with Disabilities Education Improvement Act of 2004, 20 U.S.C. §1400 (IDEA)
  - 4. vocational services in nature or those available through programs funded under Section 110 of the Rehabilitation Act of 1973
  - 5. components of adult day care programs
- C. treatment solely for the benefit of the family, caregiver, or therapist
- D. treatment focused on recreational or educational outcomes
- E. treatment worsening symptoms or prompting member regression
- F. treatment for symptoms and behaviors not part of core symptoms of ASD (eg, impulsivity due to ADHD, reading difficulties due to learning disabilities, excessive worry due to an anxiety disorder)
- G. goals focused on academic targets (eg, treatment should address autistic symptoms impeding deficits in the home environment, such as reduction of frequency of self-stimulatory behavior to follow through with toilet training or completing a mathematic sorting task)
- H. treatment unexpected to cause measurable, functional improvement or improvement is not documented
- I. duplicative therapy services addressing the same behavioral goals using the same techniques as the treatment plan, including services under an IEP.
- J. more than 1 program or lead behavioral therapist or more than 1 agency or organization providing ABA for a member at any 1 time
- K. services provided by family or household members
- L. care primarily custodial in nature and not requiring trained/professional ABA staff
- M. shadowing, para-professional, or companion services in any setting
- N. personal training or life coaching

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

- O. services more costly than an alternative service(s), which are as likely to produce equivalent diagnostic or therapeutic results for the member
- P. any program or service performed in nonconventional settings, even if performed by a licensed provider (eg, spas/resorts, vocational or recreational settings, Outward Bound, wilderness, camp or ranch programs).

#### E. Conditions of Coverage

- I. Compliance with the provisions in this policy may be monitored and addressed through post payment data analysis, subsequent medical review audits, recovery of overpayments identified, and provider prepayment review. Program Integrity will be engaged for an annual review of data.
- II. When a member has other insurance, Medicaid is always the payer of last resort. CareSource will not pay more than the Medicaid rate totals for service. Primary payer must provide evidence of determinations for consideration of Medicaid coverage for services.

III. CareSource reserves the right to request supervision documentation.

#### F. Related Policies/Rules

Behavioral Health Service Record Documentation Standards  
Medical Necessity Determinations  
Nonmedical Community Supports and Services

#### G. Review/Revision History

DATE		ACTION
<b>Date Issued</b>	02/02/2022	New Policy
<b>Date Revised</b>	01/04/2023	Added definition of PCSP, PSSP to revised initial ABA treatment plan & section V.J. Parent/caregiver involvement.
	03/29/2023	Revised definitions. Restructured policy for clarity. Approved at Committee.
	04/12/2023	Removed any telehealth exclusions. Approved at Committee.
	03/13/2024	Annual review. Revised background. Added sections VII – X. Updated H. Approved at Committee.
<b>Date Effective</b>	06/01/2024	
<b>Date Archived</b>	12/31/2024	This Policy is no longer active and has been archived. Please note that there could be other Policies that may have some of the same rules incorporated and CareSource reserves the right to follow CMS/State/NCCI guidelines without a formal documented Policy.

#### H. References

1. Anglim M, Conway EV, Barry M, et al. An initial examination of the psychometric properties of the Diagnostic Instrument for Social and Communication Disorders (DISCO-11) in a clinical sample of children with a diagnosis of autism spectrum disorder. *Ir J Psychol Med*. 2022;39(3):251-260. doi:10.1017/ipm.2020.100

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

2. Application for a 1915(c) Home and Community-Based Services Waiver. AR.0188.R06.01. Updated July 1, 2022. Accessed February 22, 2024. [www.humanservices.arkansas.gov](http://www.humanservices.arkansas.gov)
3. Applied Behavior Analysis: B-806-T. MCG. 28th ed. Updated December 12, 2023. Accessed February 19, 2024. [www.careweb.careguidelines.com](http://www.careweb.careguidelines.com)
4. Arkansas Legislative Task Force on Autism Act, Ark. Code Ann. § § 10-3-2601 to 2603 (2023).
5. Augustyn M. Autism spectrum disorder in children and adolescents: evaluation and diagnosis. UpToDate. Updated May 16, 2022. Accessed February 19, 2024. [www.uptodate.com](http://www.uptodate.com)
6. Augustyn M. Autism spectrum disorder (ASD) in children and adolescents: terminology, epidemiology, and pathogenesis. UpToDate. Updated January 24, 2024. Accessed February 19, 2024. [www.uptodate.com](http://www.uptodate.com)
7. Augustyn M, Von Hahn E. Autism spectrum disorder in children and adolescents: clinical features. UpToDate. Updated May 17, 2023. Accessed February 19, 2024. [www.uptodate.com](http://www.uptodate.com)
8. Autism spectrum disorder. American Academy of Pediatrics. Updated April 5, 2023. Accessed February 19, 2024. [www.aap.org](http://www.aap.org)
9. *Autism Spectrum Disorder in Young Children: Screening*. U.S. Preventive Services Task Force; 2016. Accessed February 19, 2024. [www.uspreventiveservicestaskforce.org](http://www.uspreventiveservicestaskforce.org)
10. Autism Spectrum Disorders: M-7075. MCG. 28th ed. Updated December 12, 2023. Accessed February 19, 2024. [www.careweb.careguidelines.com](http://www.careweb.careguidelines.com)
11. Autism Spectrum Disorders: B-012-HC. MCG. 28th ed. Updated December 12, 2023. Accessed February 19, 2024. [www.careweb.careguidelines.com](http://www.careweb.careguidelines.com)
12. Autism Spectrum Disorders, Adult, Inpatient Care: B-012-IP. MCG. 28th ed. Updated December 12, 2023. Accessed February 19, 2024. [www.careweb.careguidelines.com](http://www.careweb.careguidelines.com)
13. Autism Spectrum Disorders, Child or Adolescent: B-019-IP. MCG. 28th ed. Updated December 12, 2023. Accessed February 19, 2024. [www.careweb.careguidelines.com](http://www.careweb.careguidelines.com)
14. Autism Spectrum Disorders, Intensive Outpatient Program: B-012-IOP. MCG. 28th ed. Updated December 12, 2023. Accessed February 19, 2024. [www.careweb.careguidelines.com](http://www.careweb.careguidelines.com)
15. Autism Spectrum Disorders, Outpatient Care: B-012-AOP. MCG. 28th ed. Updated December 12, 2023. Accessed February 19, 2024. [www.careweb.careguidelines.com](http://www.careweb.careguidelines.com)
16. Autism Spectrum Disorders, Partial Hospitalization Program: B-012-PHP. MCG. 28th ed. Updated December 12, 2023. Accessed February 19, 2024. [www.careweb.careguidelines.com](http://www.careweb.careguidelines.com)
17. Autism Spectrum Disorders, Residential Care: B-012-RES. MCG. 28th ed. Updated December 12, 2023. Accessed February 19, 2024. [www.careweb.careguidelines.com](http://www.careweb.careguidelines.com)
18. *BACB Newsletter*. Behavior Analyst Certification Board; 2023. Accessed February 23, 2024. [www.bacb.com](http://www.bacb.com)

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

19. *BACB Newsletter: Introducing the 2026 RBT Examination and Certification Requirements*. Behavior Analyst Certification Board; 2023. Accessed February 23, 2024. [www.bacb.com](http://www.bacb.com)
20. Bak M, Plavnick J, Dueñas A, et al. The use of automated data collection in applied behavior analytic research: a systematic review. *Behav Anal: Res Practice*. 2021;21(4), 376–405. doi:10.1037/bar0000228
21. *Board Certified Behavior Analyst Handbook*. Behavior Analyst Certification Board. Updated December 2023. Accessed February 19, 2024. [www.bacb.com](http://www.bacb.com)
22. *Board Certified Assistant Behavior Analyst Handbook*. Behavior Analyst Certification Board. Updated December 2023. Accessed February 19, 2024. [www.bacb.com](http://www.bacb.com)
23. Buckley A, Hirtz D, Oskoui M, et al; Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology. Practice guideline: treatment for insomnia and disrupted sleep behavior in children and adolescents with autism spectrum disorder. *Neurology*. 2020;94(9):392-404. doi:10.1212/WNL.00000000000009033
24. Chun T, Mace S, Katz E; American Academy of Pediatrics; Committee on Pediatric Emergency Medicine and American College of Emergency Physicians; Pediatric Emergency Medicine Committee. Evaluation and management of children and adolescents with acute mental health or behavioral health problems, I: common clinical challenges of patients with mental health or behavioral emergencies. *Pediatr*. 2016;138(3):e20161570. doi:10.1542/peds.2016-1570
25. Chun T, Mace S, Katz E; American Academy of Pediatrics; Committee on Pediatric Emergency Medicine and American College of Emergency Physicians; Pediatric Emergency Medicine Committee. Evaluation and management of children and adolescents with acute mental health or behavioral health problems, II: recognition of clinically challenging mental health related conditions presenting with medical or uncertain symptoms. *Pediatr*. 2016;138(3):e20161573. doi:10.1542/peds.2016-1573
26. Contents of a Request for a Waiver, 42 C.F.R. § 441.301 (2024).
27. Coverage for Autism Spectrum Disorders Required – Definitions, ARK. CODE ANN. § 23-99-418- (2023).
28. Crockett, JL, Fleming RK, Doepke K, et al. Parent training: acquisition and generalization of discrete trials teaching skills with parents of children with autism. *Res Dev Disabilities*. 2007;28(1):23-36. doi:10.1016/j.ridd.2005.10.003
29. Electronic Records and Signatures, ARK. CODE ANN. § 25-31-103 (2023).
30. *Ethics Code for Behavior Analysts*. Behavior Analyst Certification Board; 2020. Updated January 1, 2023. Accessed February 19, 2024. [www.bacb.com](http://www.bacb.com)
31. Evidence Analysis Research Brief: Applied Behavior Analysis Training Via Telehealth for Caregivers of Children with Autism Spectrum Disorder. Hayes; 2022. Accessed February 19, 2024. [www.evidence.hayesinc.com](http://www.evidence.hayesinc.com)
32. Evidence Analysis Research Brief: Direct-To-Patient Applied Behavior Analysis Telehealth for Children with Autism Spectrum Disorder. Hayes; 2022. Accessed February 19, 2024. [www.evidence.hayesinc.com](http://www.evidence.hayesinc.com)
33. González MC, Vásquez M, Hernández-Chávez M. Autism spectrum disorder: clinical diagnosis and ADOS Test. *Rev Chil Pediatr*. 2019;90(5):485-491. doi:10.32641/rchped.v90i5.872

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.



34. Health Technology Assessment: Comparative Effectiveness Review of Intensive Behavioral Intervention for Treatment of Autism Spectrum Disorder. Hayes; 2019. Updated February 10, 2022. Accessed February 19, 2024. [www.evidence.hayesinc.com](http://www.evidence.hayesinc.com)
35. Hyman S, Levy S, Myers S; Council on Children with Disabilities. Developmental and behavioral pediatrics: identification, evaluation, and management of children with autism spectrum disorder. *Pediatr*. 2020;145(1):e20193447. doi:10.1542/peds.2019-3447
36. Information on autism spectrum disorder for healthcare providers. Centers for Disease Control and Prevention (CDC). Updated December 6, 2022. Accessed February 19, 2024. [www.cdc.gov](http://www.cdc.gov)
37. Lebersfeld JB, Swanson M, Clesi CD, et al. Systematic review and meta-analysis of the clinical utility of the ADOS-2 and the ADI-R in diagnosing autism spectrum disorders in children. *J Autism Dev Disord*. 2021;51(11):4101-4114. doi:10.1007/s10803-020-04839-z
38. Lefort-Besnard J, Vogeley K, Schilbach L, et al. Patterns of autism symptoms: hidden structure in the ADOS and ADI-R instruments. *Transl Psychiatry*. 2020;10(1):257. doi:10.1038/s41398-020-00946-8
39. Lim N, Russell-George A. Home-based early behavioral interventions for young children with autism spectrum disorder. *Clin Psychol*. 2022;29(4):415-416. doi:10.1037/cps0000117
40. Medicaid Waiver for Autism Spectrum Disorder – Definitions, ARK. CODE ANN. § 20-77-124 (2023).
41. *Registered Behavior Technician Handbook*. Behavior Analyst Certification Board. Updated December 2023. Accessed February 19, 2024. [www.bacb.com](http://www.bacb.com)
42. Person-Centered Service Plan, 42 C.F.R. § 441.725 (2024).
43. *Provider-Led Arkansas Shared Savings Entity (PASSE) Program Provider Manual*, Arkansas Dept of Human Services. Accessed February 26, 2024. [www.humanservices.arkansas.gov](http://www.humanservices.arkansas.gov)
44. Sneed L, Little S, Akin-Little A. Evaluating the effectiveness of two models of applied behavior analysis in a community-based setting for children with autism spectrum disorder. *Behav Anal: Res Pract*. 2023;23(4):238-253. doi:10.1037/bar0000277
45. Society guideline links: autism spectrum disorder. UpToDate. Accessed February 19, 2024. [www.uptodate.com](http://www.uptodate.com)
46. Volkmar F, Siegel M, Woodbury-Smith M, et al; American Academy of Child and Adolescent Psychiatry (AACAP) Committee on Quality Issues (CQI). Practice parameter for the assessment and treatment of children and adolescents with autism spectrum disorder. *J Am Acad Child Adolesc Psychiatry*. 2014;53(2):237-57. doi:10.1016/j.jaac.2013.10.013
47. Weissman L. Autism spectrum disorders in children and adolescents: behavioral and educational interventions. UpToDate. Updated December 4, 2023. Accessed February 19, 2024. [www.uptodate.com](http://www.uptodate.com)
48. Weissman L. Autism spectrum disorder in children and adolescents: overview of management. UpToDate. Updated September 8, 2023. Accessed February 19, 2024. [www.uptodate.com](http://www.uptodate.com)

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.



49. Weissman L. Autism spectrum disorder in children and adolescents: pharmacologic interventions. UpToDate. Updated October 27, 2021. Accessed February 19, 2024. [www.uptodate.com](http://www.uptodate.com)
50. Weissman L. Autism spectrum disorder in children and adolescents: screening tools. UpToDate. Updated January 24, 2024. Accessed February 19, 2024. [www.uptodate.com](http://www.uptodate.com)
51. Weissman L. Autism spectrum disorder in children and adolescents: surveillance and screening in primary care. UpToDate. Updated May 5, 2022. Accessed February 19, 2024. [www.uptodate.com](http://www.uptodate.com)
52. Weissman L, Harris H. Autism spectrum disorder in children and adolescents: complementary and alternative therapies. UpToDate. Updated June 20, 2022. Accessed February 19, 2024. [www.uptodate.com](http://www.uptodate.com)
53. Wergeland J, Posserud M, Fjermestad K, et al. Early behavioral interventions for children and adolescents with autism spectrum disorder in routine clinical care: a systematic review and metaanalysis. *Clin Psychol.* 2022;29(4):400-414. doi:10.1037/cps0000106
54. Witwer A, Walton K, Held M. Taking an evidence-based child- and family-centered perspective on early autism intervention. *Clin Psychol.* 2022;29(4):420-422. doi:10.1037/cps0000122