

## MEDICAL POLICY STATEMENT Arkansas PASSE

| Policy Name & Number             | Date Effective        |
|----------------------------------|-----------------------|
| Standing Frames-AR PASSE-MM-1335 | 11/01/2023-09/30/2024 |
| Policy Type                      |                       |
| MEDICAL                          |                       |

Medical Policy Statement prepared by CareSource and its affiliates are derived from literature based on and supported by clinical guidelines, nationally recognized utilization and technology assessment guidelines, other medical management industry standards, and published MCO clinical policy guidelines. Medically necessary services include, but are not limited to, those health care services or supplies that are proper and necessary for the diagnosis or treatment of disease, illness, or injury and without which the patient can be expected to suffer prolonged, increased or new morbidity, impairment of function, dysfunction of a body organ or part, or significant pain and discomfort. These services meet the standards of good medical practice in the local area, are the lowest cost alternative, and are not provided mainly for the convenience of the member or provider. Medically necessary services also include those services defined in any Evidence of Coverage documents, Medical Policy Statements, Provider Manuals, Member Handbooks, and/or other policies and procedures.

Medical Policy Statements prepared by CareSource and its affiliates do not ensure an authorization or payment of services. Please refer to the plan contract (often referred to as the Evidence of Coverage) for the service(s) referenced in the Medical Policy Statement. If there is a conflict between the Medical Policy Statement and the plan contract (i.e., Evidence of Coverage), then the plan contract (i.e., Evidence of Coverage) will be the controlling document used to make the determination. According to the rules of Mental Health Parity Addiction Equity Act (MHPAEA), coverage for the diagnosis and treatment of a behavioral health disorder will not be subject to any limitations that are less favorable than the limitations that apply to medical conditions as covered under this policy.

### Table of Contents

|                                 |   |
|---------------------------------|---|
| A. Subject.....                 | 2 |
| B. Background.....              | 2 |
| C. Definitions .....            | 2 |
| D. Policy .....                 | 3 |
| E. Conditions of Coverage.....  | 4 |
| F. Related Policies/Rules.....  | 4 |
| G. Review/Revision History..... | 4 |
| H. References.....              | 5 |

A. Subject  
**Standing Frames**

B. Background

Supported standing is a common, adjunctive therapeutic practice in which patients with neurological conditions are enabled to assume an upright position. Home-based standing programs are commonly recommended for adults and children who cannot stand and/or walk independently and are usually part of a postural management program, which plays a role in preventing contracture, deformity, pain, and asymmetry. Standers might include prone, supine, vertical, multi-positional and sit-to-stand types.

Standing frames consist of a simple base with an upright support to which the patient can be strapped. These devices provide no mobility, but research has shown medical benefits supporting use, including an enhanced ability to perform tasks, maintained or improved joint range of motion, muscle spasticity and bone density, and an enhanced ability to perform activities of daily living. In recent studies, some adults and children report a decrease in pain, suppository use, decubitus ulcers, urinary tract infections (UTI), and clinical depression, while reporting an increase in improved bowel function, breathing, circulation, and muscle tone.

Psychological benefits have also been documented and include improved socialization, patient satisfaction and quality of life due to improved interaction with others. Additional benefits for some patients can include enhanced independence, improved vocational activities, and increased recreational activities with peers and others, which have been reported to instill a heightened sense of confidence and equality and improved self-esteem in children and adults. Acceptance by others and a sense of integration is perceived to be higher among standing frame users.

No adverse events or effects have been frequently reported or documented in literature, but some contraindications have been widely discussed. Additionally, many patients do not report pain with use of standing frames. With the added benefit of the enhancement of functional recovery with early physical rehabilitation, many providers are adding supported standing as a practice in postural management after consideration of contraindications is examined.

C. Definitions

- **Activities of Daily Living (ADLs)** - Fundamental skills required to independently care for oneself, including the following two categories:
  - **Basic ADLs** - Skills required to manage one's basic physical needs, including ambulation, feeding, dressing, personal hygiene, continence and toileting.
  - **Instrumental ADLs** - Skills that require more complex thinking skills, including transportation and shopping, finance management, meal preparation, house cleaning and home maintenance, communication management, and medication management.

- **Durable Medical Equipment (DME)** - A collective term for a covered durable medical equipment item, prosthetic device, orthotic device, or medical supply item furnished by an eligible provider to an eligible recipient.
- **Postural Management** - A multi-disciplinary approach incorporating a comprehensive schedule of daily and night-time positions, equipment, and physical activity to help maintain or improve body structures and function and increase activity and participation.
- **Specialized Rehabilitative Equipment (SRE)** - Prescribed by an authorized health care professional to maintain a recipient's health care condition.

#### D. Policy

- I. CareSource will review medical necessity requests for non-powered standing frames on a case-by-case basis once **all** the following information is submitted for review:
  - A. New Equipment
    1. Arkansas DMS-679A, which might also serve as the provider prescription if medical necessity and orders are documented adequately. A separate, written prescription is not required. CareSource reserves the right to obtain additional information if medical necessity is not adequately documented. The dated signature of one of the following appropriately Arkansas-licensed and/or certified medical professionals within his/her scope of practice and having a professional relationship with the recipient must be present:
      - a. primary care physician (PCP)
      - b. advanced practice registered nurse (APRN)
    2. Stander information, including **all** the following details:
      - a. manufacturer
      - b. model number
      - c. type of stander
    3. Specific recipient diagnosis (-es) documenting a neuromuscular condition (e.g., multiple sclerosis, cerebral palsy, spinal cord injury, stroke) or documented developmental delay impairing the recipient's ability to stand independently
    4. Documentation that the recipient has had training in use of standers or standing frames and has demonstrated an ability to safely use the device in the home setting,
    5. Documentation that use of the device can be reasonably expected to provide therapeutic benefits or enable the recipient to perform certain tasks unable to perform otherwise due to the diagnosis, such as but not limited to **one or more** of the following:
      - a. aids in the prevention of atrophy in the trunk and leg muscles
      - b. improves strength and/or circulation to the trunk and lower extremities
      - c. prevents formation of decubitus ulcers with changeable positions
      - d. helps maintain bone and/or skin integrity
      - e. reduces swelling in the lower extremities
      - f. improves range of motion and/or aids normal skeletal development
      - g. improves function of kidneys, bladder, and/or bowels

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

- h. decreases muscle spasms
- i. strengthens the cardiovascular system and builds endurance
- j. prevents or decreases muscle contractures and/or progressive scoliosis
- k. improves social interaction and psychological well-being
- l. increase performance of activities of daily living (ADLs)
- 6. No contraindications to a supported standing program are present, such as but not limited to, the following:
  - a. healing fracture or severe osteoporosis that precludes weight bearing of any kind
  - b. significant hip or knee flexion or ankle plantarflexion contractures in which stretch or pressure prevents standing
  - c. compromised cardiovascular or respiratory systems that require frequent monitoring or circulation and function while in a stander
  - d. significant skeletal deformities that are not flexible
  - e. lack of standing tolerance (i.e., cannot maintain a standing position due to little or no residual strength in the hips, legs, and lower body)
  - f. postural hypotension
- B. Replacement of a non-powered standing frame is considered medically necessary after five (5) years when both the following criteria have been met:
  - 1. medical necessity criteria above have been met
  - 2. device is out of warranty and cannot be refurbished or adequately repaired
- II. The following items or services are not covered:
  - A. electric, motorized or powered standing frames
  - B. items or services covered under manufacturer or dealer warranty
  - C. DME items that duplicate or conflict with another item currently in the recipient's possession
  - D. replacement items or previously approved equipment that have been damaged as a result of perceived misuse, abuse, or negligence
- E. Conditions of Coverage  
NA
- F. Related Policies/Rules  
Medical Necessity Determinations

#### G. Review/Revision History

| DATE                  |            | ACTION  |
|-----------------------|------------|---|
| <b>Date Issued</b>    | 08/31/2022 | New policy.   |
| <b>Date Revised</b>   | 08/02/2023 | Annual review. Updated references. Approved at Committee.   |
| <b>Date Effective</b> | 11/01/2023 |   |
| <b>Date Archived</b>  | 09/30/2024 | This Policy is no longer active and has been archived. Please note that there could be other Policies that may have some of the same rules incorporated and CareSource reserves the right to follow CMS/State/NCCI guidelines without a formal documented Policy. |

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

## H. References

1. Arva J, Paleg G, Lange M, et al. RESNA position on the application of wheelchair standing devices. *Assist Technol*. 2009;21(3):161-171. doi:10.1080/1044393175622.
2. Capati V, Covert SY, Paleg G. Stander use for an adolescent with cerebral palsy at GMFCS level with hip and knee contractures. *Assist Technol*. 2020;32(6):335-341. doi:10.1080/10400435.2019.1579268
3. Durable Medical Equipment-Definition, ARK. CODE ANN.§ 4-88-117 (2022).
4. Durable Medical Equipment, Mobility Enhancing Equipment, Prosthetic Devices, and Disposable Medical Supplies- Definitions, ARK. CODE ANN § 26-53-141 (2022).
5. Edemekong PF, Bomgaars DL, Sukumaran S, et al. Activities of Daily Living. In: *StatPearls*. StatPearls Publishing; 2022.
6. Ferrarello F, Deluca G, Pizzi A. et al. Passive standing as an adjunct rehabilitation intervention after stroke: a randomized controlled trial. *Arch Physiother*. 2015;5(2). doi.org/10.1186/s40945-015-0002-05
7. Goodwin J, Lecouturier J, Basu A, et al. Standing frames for children with cerebral palsy: a mixed-methods feasibility study. *Health Technol Assess*. 2018;22(50):1-232. doi:10.3310/hta22500
8. Macias-Merlo L, Bagur-Calafat C, Girabent-Farrés M, et al. Standing programs to promote hip flexibility in children with spastic diplegic cerebral palsy. *Pediatr Phys Ther*. 2015;27(3):243-249. doi:10.1097/PEP.000000000000150
9. Martinsson C, Himmelmann K. Abducted standing in children with cerebral palsy: effects on hip development after 7 years. *Pediatr Phys Ther*. 2021;33(2):101-107. doi:10.1097/PEP.0789
10. Newman M, Barker K. The effect of supported standing in adults with upper motor neurone disorders: a systematic review. *Clin Rehabil*. 2012;26(12):1059-1077. doi:10.1177/0269215512443373
11. Paleg G, Livingstone R. Evidence-informed clinical perspectives on postural management for hip health in children and adults with non-ambulant cerebral palsy. *J Pediatr Rehabil Med*. 2022;15(1):39-48. doi:10.3233/PRM-220002
12. Paleg G, Livingstone R. Systematic review and clinical recommendations for dosage of supported home-based standing programs for adults with stroke, spinal cord injury and other neurological conditions. *BMC Musculoskelet Disord*. 2015;16:358. doi:10.1186/s12891-015-0813-x
13. Paleg GS, Smith BA, Glickman LB. Systematic review and evidence-based clinical recommendations for dosing of pediatric supported standing programs. *Pediatr Phys Ther*. 2013;25(3):232-247. doi:10.1097/PEP.0b013e318299d5e7
14. Pedlow K, McDonough S, Lennon S, et al. Assisted standing for Duchenne muscular dystrophy. *Cochrane Database Syst Rev*. 2019;10(10):CD011550. doi:10.1002/14651858.CD011550.pub2
15. *Prescription & Prior Authorization Request for Medical Equipment, DMS-679-A*. Arkansas Division of Medical Services; 2018. Accessed July 13, 2023. [www.humanservices.arkansas.gov](http://www.humanservices.arkansas.gov)
16. *Prosthetics (includes DME and Orthotics) Provider Manual, Section II*. Arkansas Department of Human Services. Accessed July 13, 2023. [www.humanservices.arkansas.gov](http://www.humanservices.arkansas.gov)

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.

17. Signature Authority for Advanced Practice Registered Nurses and Physician Assistants, ARK. CODE ANN. § 17-80-120 (2022).
18. Standing Frame. A-0996. 27th ed. MCG. Updated June 8, 2023. Accessed July 11, 2023. [www.careweb.careguidelines.com](http://www.careweb.careguidelines.com)
19. Synnot A, Chau M, Pitt V, et al. Interventions for managing skeletal muscle spasticity following traumatic brain injury. *Cochrane Database Syst Rev*. 2017;11(11):CD008929. doi:10.1002/14651858.CD008929.pub2

*Independent medical review – 08/2022*

Archived

The MEDICAL Policy Statement detailed above has received due consideration as defined in the MEDICAL Policy Statement Policy and is approved.